

A CATALOGUE OF THE MEMBRACID TYPES (HOMOPTERA: MEMBRACIDAE) IN THE BRITISH MUSEUM (NATURAL HISTORY)

By PETER S. BROOMFIELD

SYNOPSIS

The purpose of this paper is to provide a record of the Membracid holotypes, lectotypes and neotypes present in the collection of the British Museum (Natural History) and to designate additional lectotypes where necessary. The present totals are: holotypes 492, lectotypes 446 (of which all but one are designated in this paper), and 1 neotype.

IN the following list the taxa are arranged alphabetically by specific name. This is followed in each case by the genus in which it was described, the author and a coded reference to its original description. The code is the same as that used in Metcalf's bibliography of the Membracoidea (1963), in which full bibliographic references are given. The complete references to works published after 1955 are given at the end of the present paper. The coded reference is followed by the kind of type-specimen and a description of the data labels. The extent of each label is indicated by quotation marks (' ') and the individual lines of the label are separated by semicolons (;). The condition of the type-specimen, if damaged, is noted.

Lectotypes designated in this paper are indicated thus : LECTOTYPE. These specimens are labelled 'LECTOTYPE' and with the name of the taxon and its author, followed by 'P. S. Broomfield 1969': such labels are not quoted in the text of the present paper. Additional syntypes, where present in the collection, are also noted: these specimens are now labelled as paralectotypes. In certain species the number of specimens in the type-series was clearly indicated by the author (e.g. Walker, 1851a & 1858b). Where such species were described from a single specimen it has been possible to label this as the holotype. In the absence of information on the number of specimens in the type-series (e.g. Walker, 1858a) single specimens have been designated as lectotypes. Lectotypes have not been selected in those cases in which the greater part of the type-series is known to be located in another institution, or where the author has clearly indicated that the type is among material lodged elsewhere.

The label 'Type' referred to in this catalogue is a circular printed label used throughout the collection. It is edged in red except in the case of Walker's types where it is edged in green. Specimens bearing these labels have been regarded by common usage as types, though, as in most cases they were not so labelled by the author of the species, such an assumption is not always justified. However, since in most cases the same specimen also bears the author's own taxonomic label and is in every way consistent with being the specimen before him at the time of description, it is regarded here as being the holotype, or, where there is more than one

specimen in the series, is designated lectotype. Instances where a specimen so labelled is not regarded by the writer as being eligible for such designation are indicated in the text.

The taxonomic labels printed in block capitals on some of Walker's types have been cut from his British Museum catalogues. Those including a number (e.g. '8. ENTYLIA ACCISA,') are cut from the 1851a catalogue, and those without a number (e.g. 'CENTROTUS ACER,') from the 1858b catalogue. It is not known who placed these labels on the specimens. The majority of Fowler's taxa described in the *Biologia Centrali-Americana* bear a label which states: 'B.C.A. Homopt. II' and the name of the taxon. To save space such labels are here referred to simply as the 'B.C.A. label'.

Many errors and omissions in some of the earlier descriptions are not commented upon in the present paper, though those that may lead to confusion at generic or higher level are noted. Some of the illustrations in certain works are also misleading and where necessary redescrptions of these will follow later.

I should like to thank Dr W. J. Knight of the British Museum (Natural History) for his guidance in the preparation of this catalogue, and Mr A. L. Capener of the Plant Protection Research Institute, Pretoria, for reading the manuscript and for his helpful criticisms.

abbreviata (Polyglypta) Walker, 1858b : 136. Holotype ♀ with labels: 'Type' and 'Mexico; 53; 86' and 'POLYGLYPTA ABBREVIATA.'

abcisus (Heteronotus) Walker, 1851a : 595. LECTOTYPE ♀ with labels: 'Type' and 'Para; 49.; 2' and '16. HETERONOTUS ABCISUS'.

Of the four other specimens originally in the type-series, only one female now remains in the collection.

abdullah (Leptocentrus) Distant, 1916e : 290. Holotype ♀ with labels: 'Type' and 'Annandale & Robinson.; Siamese Malay States.; 1903-127.' and 'Bulsit Besar.; 2,500 ft; Siam.; Malay States; 27/8/01' and 'Leptocentrus; abdullah; type Dist.'

accisa (Entylia) Walker, 1851a : 548. Holotype ♀ with labels: 'Type' and 'N. Amer' and 'Ent. Club.; 44-12.' and '8. ENTYLIA ACCISA.'

acer (Centrotus) Walker, 1858b : 163. Holotype ♀ with labels: 'Type' and 'Malacca; 56; 140' and 'CENTROTUS ACER.'

The posterior pronotal process is broken.

acuminata (Membracis) Fabricius, 1775a : 675. LECTOTYPE with labels: 'Pen[n]sylvania' and '63; 47' and associated with it, though not mounted on the same pin, 'Type' and 'Membr. acuminata; Fab. Entom. p. 675. 5.'

The abdomen and left tegmen are missing. The specimen is from the Joseph Banks Collection and the 'Type' label is handwritten.

acuminata (Oxyrhachis) Capener, 1962 : 90. Holotype ♀ with labels: 'HOLOTYPE' and 'DRAWING; No 419; A. L. CAPENER.' and 'Oxyrhachis; acuminata; CAPENER; 1962.' and 'Ceres.; Cape Province; Febr. 1921.' and 'S. Africa.; R. E. Turner.; Brit. Mus.; 1921-115.'

The allotype and two other male paratypes are also in the collection.

acuticornis (Periaman) Funkhouser, 1936d : 187. Holotype ♀ with labels: 'Type' and 'MALAYA; Kuala Lumpur.; Sel: Museum; Nr: L. Gardens.; Coll. H. M. Pendlebury.; 29.12.1935' and 'Periaman; acuticornis; HOLOTYPE; W. D. Funkhouser'.

There are only two discoidal cells in the tegmen, not three as described. The allotype and two other paratypes, one male, one with the abdomen lost, are also in the collection.

acutus (*Hebeticoides*) Fowler, 1894c : 53. Holotype ♂ with labels: 'Type' and 'Pancina.; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hebeticoides; acutus Fowler.; TYPE' and the B.C.A. label.

addahensis (*Gargara*) Distant, 1915c : 489. LECTOTYPE ♂ with labels: 'Type' and 'Addah.; Gold Coast.; N. J. Palmer.; 1912. 142.' and 'Gargara; addahensis; type Dist.'.

There are four other male specimens from the type-series in the collection.

aduncus (*Leptocentrus*) Buckton, 1903a : 236. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Leptocentrus; aduncus Type; Buckt.'.

One of three specimens glued to the same card, the lectotype is indicated by an adjacent red ink spot. The other two specimens are female and one is badly damaged.

aenea (*Gargara*) Distant, 1915c : 491. LECTOTYPE ♀ with labels: 'Type' and 'Uganda Prot.; Entebbe.; 1-11 Sep. 1911.; S. A. Neave.' and '1912-193' and 'Gargara; aenea; type Dist.'.

There are four other females from the type-series in the collection.

aeneosparsa (*Aconophora*) Butler, 1878a : 348. Holotype ♀ with labels: 'Type' and 'Mex.; 56.; 143' and 'A. xneosparsa [sic]; Butler Type.'.

aeneus (*Tricentrus*) Distant, 1916a : 167. LECTOTYPE ♀ with labels: 'Type' and 'Ind. Mus.; Kurseong; 5000 ft.; E. Himalayas; 9.ix.09; N.A.' and 'Tricentrus; aeneus; Dist.; type'.

There are six other females from the type-series in the collection.

aequalis (*Smilia*) Walker, 1858b : 133. Holotype ♀ with labels: 'Type' and 'Ega; Brazil; 51.; 43' and 'SMILIA AEQUALIS.'.

aethiops (*Heniconotus*) Butler, 1878a : 359. Holotype ♀ with labels: 'Type' and 'Ecuador.; 73.; 18.' and 'Heniconotus; aethiops; Butler Type.'.

affinis (*Aphetea*) Haviland, 1925a : 252. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; July, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Aphetea; affinis; Haviland.'.

The tegmina are missing. There are four other females from the type-series in the collection.

affinis (*Darnoides*) Fowler, 1895c : 82. LECTOTYPE ♀ with labels: 'Type' and 'David.; Chiriqui.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Darnoides; affinis Fowler; TYPE' and 'like Darnoides; brunnea &; nigroapica but not' and the B.C.A. label.

There is another female from the type-series in the collection.

affinis (*Gargara*) Distant, 1908g : 61. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Gargara; affinis; type Dist.'.

There is another male from the type-series in the collection.

affinis (*Parayasa*) Distant, 1916a : 179. Holotype ♀ with labels: 'Type' and '207' and 'Nandidrug; S. India; T. V. Campbell' and 'S. India.; E. A. Butler.; 1915-60.' and 'Parayasa; affinis; type Dist.'.

affinis (*Poppea*) Fowler, 1895d : 100. Holotype ♂ with labels: 'Type; H.T.' and 'Teleman.; Vera Paz.; Champion.' and 'Poppaea [sic]; affinis Fowler; TYPE' and the B.C.A. label.

affinis (*Sertorius*) Distant, 1916d : 25. Holotype ♀ with labels: 'Type' and 'Sydney; N.S.W.; 1900-1903.; J. J. Walker.; 1910-384.' and 'Sertorius; affinis; type Dist.'.

affinis (*Sphongophorus*) Fowler, 1894c : 29. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'Quiche Mts.; 7-9000 ft.; Champion.' and 'Sphongophoros; affinis. Fowler; TYPE' and 'Brit. Mus.; 1904-55.' and the B.C.A. label.

There is another male from the type-series in the collection.

affixa (*Parayasa*) Distant, 1916a : 178. Holotype ♀ with labels: 'Type' and 'Nilgiri Hills.; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and 'B22' and 'Parayasa; affixa; type Dist.'.

africanus (*Platybelus*) Distant, 1916c : 325. LECTOTYPE ♀ with labels: 'Type' and 'Cameroons.; Escalera.; 1903-355.' and 'Platybelus; africanus; type Dist.'.

There are four other females from the type-series in the collection.

agnatus (Emphusis) Distant, 1916c : 319. Holotype ♀ with labels: 'Type' and '68.4' and 'Chaut; Mouhot' and 'Emphusis; agnatus.; type Dist.'

agrestis (Oxyrhachis) Capener, 1962 : 39. Holotype ♀ with labels: 'HOLOTYPE' and 'DRAWING' No 447.' and 'Oxyrhachis; agrestis; CAPENER; 1962' and 'Zululand.; Eshowe.; 6-31. v. 1926.; and 'S. Africa.; R. E. Turner.; Brit. Mus.; 1926-232.'

The allotype and nine other paratypes are in the collection also.

aguae (Polyglypta) Fowler, 1895f : 126. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'V. de Agua.; 85-10500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Polyglypta; aguae. Fowler; TYPE.' and the B.C.A. label.

There is one other male from the type-series in the collection.

alatus (Centrotypus) Buckton, 1903a : 237. Holotype with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Centrotypus; alatus; type Buckt.' and 'perakensis; Dist.; n. nom'.

The abdomen and one wing and tegmen are lost.

alba (Leptocentrus) Funkhouser, 1929a : 470. Holotype ♀ with labels: 'Brit. Mus.; 1930-324.' and 'N. BORNEO.; BETTOTAN.; NR. SANDAKAN.; Aug; 9th 1927.; C. B. K. & H. M. P.; F.M.S.; Museums.' and 'HOLOTYPE; Leptocentrus alba; W. D. Funkhouser'.

albescens (Leptocentrus) Funkhouser, 1935d : 427. Holotype ♀ with labels: 'Type; H.T.' and 'SIERRA LEONE; NJALA; Bauinia; 24.IX.32; E. HARGREAVES' and 'Leptocentrus albescens; HOLOTYPE; W. D. Funkhouser'.

The allotype is also in the collection.

albidorsata (Telamona) Fowler, 1896d : 145. Holotype ♂ with labels: 'Type' and 'Rinconada.; Vera Cruz.; Schaus.' and 'Brit. Mus; 1904-55.' and 'Telamona; albidorsata; Fowler. TYPE.' and the B.C.A. label.

albidum (Enchophyllum) Fowler, 1894b : 7. Holotype ♀ with labels: 'Type' and 'S. Geronimo.; Guatemala.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Enchophyllum; albidum Fowler; TYPE' and the B.C.A. label.

albidus (Centrotus) Walker, 1870a : 188. LECTOTYPE ♂ with labels: 'Type' and 'M' and '68.4' and 'Wallace' and 'albidus'.

albifrons (Hypamastris) Fowler, 1895d : 93. Holotype ♂ with labels: 'Type; H.T.' and 'S. Geronimo.; 3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Amastris Stal; n.s. or Stali Gdng' and 'Hypamastris; albifrons Fowler.; TYPE'.

albigutta (Centrotus) Walker, 1870a : 184. LECTOTYPE ♀ with labels: 'Type' and 'N' and '68.4' and 'N Gui; Wallace' and 'albigutta'.

albilatus (Centrotus) Walker, 1870a : 184. LECTOTYPE ♀ with labels: 'Type' and 'N' and '68.4' and 'N Gui; Wallace' and 'albilatus'.

albipes (Tricentrus) Funkhouser, 1927b : 4. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1926; leg. E. Jacobson.' and 'HOLOTYPE; Tricentrus albipes; ♀ W. D. Funkhouser'.

alboapicata (Gargara) Distant, 1908g : 66. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Gargara; albopicata [sic]; type Dist.'

There are two females from the type-series in the collection also.

albolinea (Gargara) Funkhouser, 1927h : 255. Holotype ♀ with labels: 'Brit. Mus.; 1930-324.' and '147' and 'MALAY PENIN.; Selangor, F.M.S.; Kuala Lumpur; April 5th 1926.; H. M. Pendlebury.; EX COLL.; F.M.S.; MUSEUM.' and 'HOLOTYPE; Gargara albolinea; W. D. Funkhouser'.

albolineatum (Anchon) Buckton, 1903a : 216. LECTOTYPE ♀ with labels: 'Type' and 'cv' and 'B.; 259' and 'Distant Coll.; 1911-383.' and 'Anchon; albolineatum.' and 'Monocentrus; bipennis Walk.; Det. CAPENER.; 1963.'

albomacula (Gargara) Funkhouser, 1927h : 254. Holotype ♂ with labels: 'Brit. Mus.; 1930-324.' and '146' and 'MALAY PENIN.; Selangor, F.M.S.; Kuala Lumpur; on "Bauhinia"

sp; March 24th 1926; H. M. Pendlebury.; EX COLL.; F.M.S.; MUSEUM.' and 'Gargara; albomaculata; HOLOTYPE; W. D. Funkhouser'.

albomaculatus (*Indicopleustes*) Distant, 1908g : 25. LECTOTYPE ♂ with labels: 'Type' and '1285' and 'Peradeniya.; Ceylon, 12.02' and 'Indicopleustes; albomaculatus; type Dist.'.

There are two other males and a female from the type-series in the collection.

albomaculatus (*Otinotus*) Distant, 1916a : 159. LECTOTYPE ♂ with labels: 'Type' and '386' and 'Nilgiri Hills; S. India; T. V. Campbell' and 'Otinotus; albomaculatus; type Dist.'.

There are eight other specimens from the type-series in the collection.

albomaculatus (*Tricentrus*) Distant, 1908g : 56. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Tricentrus; albomaculatus; type Dist.'.

There is one other male from the type-series in the collection.

albonotata (*Leptocentrus*) Distant, 1916e : 289. Holotype ♀ with labels: 'Type' and 'Pusa Coll.; 1915-164.' and '31.viii.08; on coffee; 4600 ft; Hillgrove; Nilgiris Y.R.' and 'Leptocentrus; albonotata; type Dist.'.

albosignatum (*Pogon*) Distant, 1916a : 161. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Hakjala; Ceylon 3.07' and 'Pogon; type Dist.'.

There is one other male from the type-series in the collection.

albosignatus (*Otinotus*) Distant, 1916d : 40. Holotype ♀ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Otinotus; albosignatus; type Dist.'.

The head is missing.

albspinosus (*Heteronotus*) Haviland, 1925a : 245. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; September, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Heteronotus; albspinosus [sic]; Haviland.'.

allabens (*Tricentrus*) Distant, 1916a : 166. LECTOTYPE ♀ with labels: 'Type' and '1998; 21' and 'Distant Coll.; 1911-383.' and 'Ind. Mus.; Kurseong; E. Himalayas; alt. 4700-5000 ft.; 24.vi.10.; Annandale' and 'Tricentrus; allabens; type Dist.'.

There is another female from the type-series in the collection.

alta (*Ceresa*) Walker, 1851a : 529. Holotype ♀ with labels: 'Type' and '1892' and '12' and '15. CERESA ALTA,'.

Both tegmina are missing.

alta (*Membracis*) Walker, 1851a : 476. Holotype ♀ with labels: 'Type' and 'Vene; zuela; 47; 24' and '11. MEMBRACIS ALTA,'.

The right wing and tegmen are lost.

alticeps (*Centrotus*) Walker, 1870a : 183. LECTOTYPE ♀ with labels: 'Type' and 'Aru' and '68.4' and 'alticeps'.

altifrons (*Centrotus*) Walker, 1851a : 608. Holotype ♀ with labels: 'Type' and '15' and 'Congo; 43; 56' and '21. CENTROTUS ALTIFRONS,'.

altifrons (*Oxygonia*) Walker, 1851a : 553. LECTOTYPE ♀ with labels: 'Type' and 'Brazil' and 'Ent. Club.; 44. 12.' and '19. OXYGONIA ALTIFRONS,'.

The right tegmen and the tip of the anterior pronotal horn are lost.

anatina (*Hypsoprora*) Fowler, 1894c : 26. LECTOTYPE ♀ with labels: 'Type' and 'Bugaba.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hypsoprora; anatina Fowler; TYPE' and the B.C.A. label.

The lectotype is one of two females glued to the same card and is indicated by an adjacent red ink spot. There is also a male from the type-series in the collection.

angulata (*Pyrgauchenia*) Funkhouser, 1932a : 114. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360' and 'B. N. BORNEO.; Mt. Kinabalu.; Kiau, 3,000 ft.; 7. 4. 1929.; H. M. Pendlebury; coll.; F.M.S. Museums.' and 'HOLOTYPE; Pyrgauchenia angulata; W. D. Funkhouser'.

The anterior and posterior pronotal processes are missing. There are eight paratypes in the collection.

angulata (Thelia) Walker, 1851a : 558. Holotype ♂ with labels: 'Type' and '41.; 5.17; 291' and 'E. Doubleday.; Warm Springs.; N. Carolina.' and '10. THELIA ANGULATA'.

The specimen was erroneously described as female.

anodonta (Hypsauchenia) Buckton, 1903a : 212. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Perak; Doherty.' and 'Hypsauchenia; anodonta; type 140.'.

There are four other males and two females from the type-series in the collection; only one is undamaged.

ansatus (Ibiceps) Buckton, 1903a : 239. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Mt. Alexandre; to Mt. Nisbet; Brit. N. G., 1.96; Anthony.' and 'Ibiceps [sic]; ansatus; Buckt; type'.

The head is missing.

antonina (Enchenopa) Walker, 1851a : 488. Holotype ♂ with labels: 'Type' and 'N.; America' and 'N. Amer' and 'Ent. Club.; 44-12.' and '32. ENCHENOPA ANTONINA,'.

aperta (Enchenopa) Walker, 1858c : 337. Holotype ♀ with labels: 'Type' and 'Tejuca; Jany. 1857; H. Clark; 57.50.' and 'ENCHENOPA APERTA'.

The dorsal pronotal horn is missing.

apicalis (Ceresa) Walker, 1851a : 533. Holotype ♀ with labels: 'Type' and 'N. Amer' and 'Ent. Club.; 44-12.' and '33. CERESA APICALIS' and 'Amastris; or Vanduzea Gdg' and 'Vanduzea; arcuata Say.; fide F. W. G.'.

The right tegmen is missing.

apicalis (Hemiptycha) Walker, 1851a : 572. Holotype ♀ with labels: 'Type' and '191' and '20. HEMIPTYCHA APICALIS,'.

The right tegmen is missing.

apicalis (Umbonia) Walker, 1851a : 518. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '4. UMBONIA APICALIS,'.

apriiformis (Hemiptycha) Walker, 1858b : 144. LECTOTYPE ♂ with labels: 'Type' and 'mex; 56; 143' and 'HEMIPTYCHA APRIFORMIS,'.

arcuata (Enchenopa) Walker, 1858b : 125. Holotype with labels: 'Type' and 'PETROPOLIS; Feby. 1857.; H. Clark.; 57. 43' and 'ENCHENOPA ARCUATA,'.

The head, abdomen, and posterior pronotal process are missing and the tegmina are damaged.

articularia (Umbonia) Buckton, 1901a : 89. LECTOTYPE ♀ with labels: 'Type' and 'Belize; Brit. Honduras' and 'Umbonia; articularia; 235ns'.

There are two other females from the type-series in the collection.

ascendens (Enchenopa) Walker, 1851a : 493. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '40. ENCHENOPA ASCENDENS,'.

The anterior and posterior pronotal horns and the tips of the tegmina are damaged.

asmodeus (Centrotypus) Distant, 1908g : 36. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Centrotypus; asmodeus; type Dist.' and 'Centrotus; asmodeus.; M.S.'.

There are two other males from the type-series in the collection.

aspera (Hypsoprora) Haviland, 1925a : 242. Holotype ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Hypsoprora; aspera.; Haviland'.

In the description it is dated 'July 23rd'; I believe the label to be in error.

aspera (Tragopa) Walker, 1858b : 151. Holotype ♀ with labels: 'Type' and 'Villa; Nova; 55; 44' and 'TRAGOPA ASPERA,'.

asperulus (Centrotus) Walker, 1858b : 162. Holotype ♂ with labels: 'Type' and 'Sierra; Leone.; Morgan; 49; 31' and 'CENTROTUS ASPERULUS,'.

The legs, right wing and tegmen are lost, the posterior pronotal process is broken, and the abdomen is glued on upside-down.

aspidistrae (*Bolbonota*) Haviland, 1925a : 241. LECTOTYPE ♀ with labels: 'Kartabo,; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; September. 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense.' and 'Bolbonota; aspidistrae; Haviland'.

Of the twelve specimens from the type-series in the collection, the one bearing the 'Type' label is badly damaged and is not, therefore, selected as the lectotype.

assamensis (*Tricentrus*) Distant, 1908g : 57. LECTOTYPE ♀ with labels: 'Type' and 'Margherita' and 'assamensis; type Dist.'.

There is another female from the type-series in the collection.

assimilis (*Stictopelta*) Fowler, 1895a : 57. LECTOTYPE ♂ with labels: 'Type' and 'Duenas; Guatemala,; G. C. Champion.' and 'affinis' and 'Brit. Mus.; 1904-55.' and 'Stictopelta; assimilis Fowler; TYPE.' and the B.C.A. label.

There is another male from the type-series in the collection.

aterrima (*Gargara*) Distant, 1915c : 491. LECTOTYPE ♀ with labels: 'Type' and '1912-193' and 'Uganda Prot.; Budongo Forest,; Unyoro, 3,400 ft.; 11-15 Dec. 1911.; S. A. Neave.' and 'Gargara; aterrima; type Dist.'.

There are two other females from the type-series in the collection.

atomarius (*Tetraplatys*) Walker, 1851a : 510. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; 43; 86' and 'I. TETRAPLATYS ATOMARIUS,.'

The five specimens from the type-series in the collection are all female, though they were described by Walker as males. The confusion probably arose from the extremely small size of the ovipositor sheath in this genus.

atratus (*Centrotus*) Walker, 1851a : 624. Holotype ♂ with labels: 'Type' and '38.11.8; 563.' and 'Sierra Leone; Rev. D. F. MORGAN' and '60. CENTROTUS ATRATUS,.'

The posterior pronotal process is missing.

atricapilla (*Parayasa*) Distant, 1916a : 179. Holotype ♀ with labels: 'Type' and 'Nilgiri Hills,; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and 'Parayasa; atricapilla; type Dist.'.

atricoxis (*Centrotus*) Kirby, 1891a : 164. Holotype ♀ with labels: 'Type' and '44' and 'Centrotus; atricoxis; Kb. type; Ceylon.; Green Coll.; 90-115.'.

atromaculatus (*Sextius*) Distant, 1916d : 35. Holotype ♀ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Sextius; atromaculatus; type Dist.'.

attenuata (*Hemiptycha*) Walker, 1858b : 144. Holotype ♂ with labels: 'Type' and 'Brazil; 53; 2' and 'HEMIPTYCHA ATTENUATA.'.

attenuata (*Xiphistes*) Distant, 1915b : 324. Holotype ♀ with labels: 'Type' and 'Lesapi R.; Mashona l'd 3-10-97.; G. A. K. Marshall; 1908-212.' and 'Xiphistes; attenuata; type Dist.'.

aureomaculatus (*Leptocentrus*) Distant, 1916c : 315. LECTOTYPE ♀ with labels: 'Type' and 'Uganda Prot.; Valley of Kafu R.; Unyoro. 3,400 ft.; 23-28 Dec. 1911.; S. A. Neave.' and 'Leptocentrus; aureomaculatus; type Dist.'.

There are four other females and a male from the type-series in the collection.

aurifascia (*Centrotus*) Walker, 1851a : 618. LECTOTYPE ♂ with labels: 'Type' and 'Jamaica; 46; 84.' and '49. CENTROTUS AURIFASCIA,.'

There is another male and a female from the type-series in the collection.

auriflua (*Oxygonia*) Walker, 1851a : 550. LECTOTYPE ♀ with labels: 'Vene-; zuela.; 47; 52'.

Of the two specimens from the type-series in the collection, the one bearing the 'Type' label is very badly damaged and is therefore not chosen as the lectotype.

auritus (*Otaris*) Buckton, 1903a : 249. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Sumatra.' and 'e.' and 'Otaris; auritus; type Buckt.' and 'Oticephalus; obtusus.'.

australasiae (Xiphistes) Distant, 1916d : 21. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'b.c.' and 'Sud-Austral.' and 'Xiphistes; australasiae; type Dist.'

Capener (1962) believes the above locality to be incorrect and that the specimen was probably captured at the Cape of Good Hope, South Africa.

australis (Leptocentrus) Distant, 1916d : 24. LECTOTYPE with labels: 'Type' and 'Malvern.; Natal. Oct. '97.; G. A. K. Marshall.; 1908-212.' and 'Leptocentrus; australis; type Dist.'

The abdomen is missing. There are three other specimens from the type-series in the collection: one is female, and the others are without abdomens.

australis (Otinotoides) Distant, 1916d : 40. Holotype ♂ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Kuranda; Qld.; Sepr. 04; F. P. Dodd.' and 'Otinotoides; australis; type Dist.'

bajulans (Leptocentrus) Distant, 1916a : 155. LECTOTYPE ♂ with labels: 'Type' and 'CALCUTTA; 21-2-07' and 'Distant Coll.; 1911-383.' and 'Leptocentrus; bajulans; type Dist.'

There is another male from the type-series in the collection.

balteata (Telingana) Distant, 1916a : 151. LECTOTYPE ♀ with labels: 'Type' and 'K.K.; 4.14; 364' and 'Kodai Kanal; S. India. Campbell.' and 'S. India; E. A. Butler.; 1915-60.' and 'Telingana; balteata; type Dist.'

There are three other females and three males from the type-series in the collection.

basalis (Centrotus) Walker, 1851a : 626. LECTOTYPE ♀ with labels: 'Type' and 'Hong; Kong; 48; 60' and '65. CENTROTUS BASALIS.'

The suprahumeral horns and the posterior pronotal process are broken. There is another female from the type-series in the collection; its head is missing.

basalis (Ceresa) Walker, 1851a : 527. LECTOTYPE ♂ with labels: 'Type' and '815' and 'R' and '12. CERESA BASALIS.'

There are two other males from the type-series in the collection.

beebei (Leioscyta) Haviland, 1925a : 239. Holotype ♀ with labels: 'Type' and 'Kartabo, Brit. Guiana; September. 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Leioscyta; beebei.; Haviland.'

bellicosa (Stegaspis) Walker, 1858b : 165. LECTOTYPE ♀ with labels: 'Type' and 'Rio Janeiro; Decr. 1856.; H. Clark; 57.57.' and 'STEGASPIS BELLICOSA.'

There is another female from the type-series in the collection; its pronotum is badly damaged.

belliger (Heniconotus) Butler, 1878a : 359. Holotype ♀ with labels: 'Type' and 'St; Paulo; 65; 3' and 'H. belliger; Butler Type'.

The posterior pronotal process and the left suprahumeral horn are broken.

bicolor (Centrotus) Walker, 1851a : 625. Holotype ♀ with labels: 'Type' and '63. CENTROTUS BICOLOR.'

The posterior pronotal process is missing and the tegmina are damaged.

bicolor (Enchenopa) Walker, 1851a : 492. Holotype ♂ with labels: 'Type' and 'Brasil; 43; 86' and '38. ENCHENOPE BICOLOR.'

The head is damaged.

bicolor (Erechtia) Walker, 1858b : 141. Holotype ♀ with labels: 'Type' and 'Santar; em; 54; 63' and 'ERECHTIA BICOLOR.'

bicolor (Gargara) Funkhouser, 1927b : 9. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Gunung Singgalang; (Sumatra's Westkust); 1800M. vii 1925; leg. E. Jacobson.' and 'HOLOTYPE ♀; Gargara bicolor; W. D. Funkhouser'.

The allotype is also in the collection.

bicolor (Maurya) Funkhouser, 1936c : 246. Holotype ♀ with labels: 'Type' and '262' and 'Brit. Mus.; 1936-222' and 'Debrepani, 6000'; Darjeeling, Bengal; J. C. M. Gardner.; 18.ix.1929' and 'HOLOTYPE; Maurya bicolor; W. D. Funkhouser'.

There are two discoidal cells in the tegmen, not three as described. The allotype is also in the collection.

bicolor (*Philya*) Walker, 1858b : 126. LECTOTYPE ♂ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.' and 'PHILYA BICOLOR.'

Walker erroneously refers to only one specimen ('a') in his description; there are another male and two females from the type-series in the collection, the existence of which is indicated in the description.

bicolor (*Tricentrus*) Distant, 1908g : 55. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Bombay.; Dixon.' and 'bicolor; Dist.; type'.

There are two other females from the type-series in the collection.

bicuspis (*Enchenopa*) Walker, 1851a : 487. Holotype ♀ with labels: 'Type' and '31. ENCHENOPA BICUSPIS.'

The pronotum is damaged.

bifacies (*Tragopa*) Walker, 1858b : 150. Holotype ♀ with labels: 'Type' and 'Villa; Nova; 55; 44' and 'TRAGOPA BIFACIES.'

The 'horns' referred to in the description are the greatly developed humeral angles.

bifasciata (*Rhexia*) Butler, 1878a : 356. Holotype ♂ with labels: 'Type' and 'Amazon; St Paul; 60; 32' and 'R. bifasciata; Butler Type.'

The greater part of the abdomen has been eaten away.

bifurcus (*Tricentrus*) Distant, 1916a : 165. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Darjiling' and 'Tricentrus; bifurcus; type Dist.'

There is another specimen from the type-series in the collection, its abdomen is missing.

bifusifera (*Enchenopa*) Walker, 1858b : 125. Holotype ♀ with labels: 'Type' and 'Vera; Cruz; 54; 66' and 'ENCHENOPA BIFUSIFERA.'

The anterior pronotal process is broken.

bigutta (*Hemiptycha*) Walker, 1858b : 142. Holotype ♀ with labels: 'Type' and 'Guatemala; 55.71.' and 'HEMIPTYCHA BIGUTTA.'

bilinea (*Tragopa*) Walker, 1858b : 152. Holotype ♀ with labels: 'Type' and 'Santar; em; 53; 72' and 'TRAGOPA BILINEA.'

bimacula (*Enchenopa*) Walker, 1851a : 491. Holotype ♂ with labels: 'Type' and '41.; 5.17.; 285.' and 'E. Doubleday.; Trenton Falls; New York.' and '37. ENCHENOPA BIMACULA.'

binaria var. *mutabilis* (*Micrutalis*) Fowler, 1895e : 117. LECTOTYPE ♀ with labels: 'Type' and 'Orizaba.' and 'Mexico.; Salle Coll.' and 'Brit. Mus.; 1904-55.' and 'Micrutalis; binaria var. mutabilis; Fowler. TYPE.' and the B.C.A. label.

The left wing and both tegmina are missing. There are two other females, one male, and a specimen without an abdomen from the type-series in the collection.

binotatus (*Centrotus*) Walker, 1858a : 81. LECTOTYPE with labels: 'Type' and '68.4' and 'N.S.W.' and 'binotatus Walk'.

The abdomen is missing.

binsarus (*Oxyrhachis*) Distant, 1916a : 148. Holotype ♀ with labels: 'Type' and '21' and 'United Prov.; Forest Dept.; Dehra Dun.; Dr. A. W. Imms.; 1915-228.' and 'Binsar; (Kumaon); 7.700 ft.' and 'Oxyrhachis; binsarus; type Dist.'

bioculatus (*Centrotus*) Kirby, 1891a : 166. LECTOTYPE ♂ with labels: 'Type' and '39' and 'Pundaloya; Ceylon. I' and 'Centrotus; bioculatus; Kb. type; Ceylon.; Green Coll.: 90-115.'

There is another male from the type-series in the collection.

bipennis (*Centrotus*) Walker, 1851a : 606. Holotype with labels: 'Type' and '46; 88' and '19. CENTROTUS BIPENNIS.'

The abdomen is missing and the anterior pronotal horn is damaged.

biplaga (*Centrotus*) Walker, 1870a : 191. LECTOTYPE ♂ with labels: 'Type' and 'Mak.' and '68.4' and 'Celeb; Wallace' and 'biplaga'.

The head and abdomen have become detached and are glued separately.

biplaga (Enchenopa) Walker, 1858a : 60. LECTOTYPE ♀ with labels: 'Type' and 'Columb' and 'Colombia' and 'biplaga Walk'.

biplaga (Horiola) Walker, 1862a : 318. Holotype with labels: 'Type' and 'Rio' and 'Miss Pascoe; 96-41.' and 'Horiola; biplaga; type Walk' and 'Horiola; biplaga Wr.'.

The head only, the rest of the specimen is lost.

bipuncta (Thelia) Walker, 1851a : 556. LECTOTYPE ♀ with labels: 'Type' and 'Para; 50; 2.' and '6. THELIA BIPUNCTA,'.

There is another female from the type-series in the collection.

bipunctata (Membracis) Fabricius, 1775a : 677. LECTOTYPE ♂ with labels: 'Australia.' and '63; 47.' and associated with it, though not mounted on the same pin, 'Type' and 'Membr. 2punctata; Fab. Entom. p. 677. 11.'.

The head is missing. There is another badly damaged specimen from the type-series. Both specimens are from the Joseph Banks Collection and the 'Type' label is handwritten.

bisenti (Oxyrhachis) Distant, 1915b : 322. LECTOTYPE with labels: 'Type' and '1913-140.' and 'Nyasaland.; Mlanje.; Aug. 15. 1913.; S. A. Neave.' and 'Oxyrhachis; bisenti; type Dist.'.

The abdomen is missing and the posterior pronotal process is glued to a card beneath the specimen. There are two males and five females from the type-series in the collection also.

biseratensis (Polonius) Distant, 1916e : 291. Holotype ♀ with labels: 'Type' and 'Annandale & Robinson.; Siamese Malay States.; 1903-127.' and 'Biserat.; Siam.; Malay States; No 188' and 'Polonius; biseratensis; type Dist.'.

bistriga (Darnis) Walker, 1858a : 74. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Amaz' and 'bistriga Walk'.

bituberculata (Pterygia) Fowler, 1894b : 24. LECTOTYPE ♀ with labels: 'Type' and 'David.; Chiriqui.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Pterygia; bituberculata; Fowler, TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are twenty-four other specimens from the type-series in the collection.

biturris (Centrotus) Walker, 1858b : 164. LECTOTYPE ♀ with labels: 'Type' and '56.; 85' and 'CENTROTUS BITURRIS,'.

There are three other females and a male from the type-series in the collection. The lectotype has the right tegmen missing.

borneensis (Centrochares) Distant, 1916c : 314. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Kuching; May 16; 1900' and 'Centrochares; borneensis; type Dist.'.

bovillus (Tricentrus) Distant, 1916a : 164. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Moulmein; L. Burma; 6-iii-08' and 'Tricentrus; bovillus; type Dist.'.

bovinus (Centrotus) Distant, 1916c : 323. LECTOTYPE ♂ with labels: 'Type' and '1914-348.' and 'Uganda.; Kadunguru.; Eastern Province.; 1-10 Jan. 1914.; C. C. Gowdey.' and 'Centrotus; bovinus; type Dist.'.

There are also four females from the type-series in the collection.

bowringi (Centrotypus) Distant, 1916e : 291. Holotype ♀ with labels: 'Type' and 'Pulo; Penang; 61; 46.' and 'Centrotypus; bowringi; type Dist.'.

brevicornis (Campylocentrus) Fowler, 1896d : 151. LECTOTYPE ♂ with labels: 'Type' and 'V. de Chiriqui.; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Campylocentrus; brevicornis. Fowler; TYPE.' and the B.C.A. label.

There is another male from the type-series in the collection.

brevicornis (Centruchus) Funkhouser, 1936c : 247. Holotype ♀ with labels: 'Type' and '239' and 'Brit. Mus.; 1936-222' and 'Putshai 6000; Lolab Valley,; Kashmir. 23.v.1928.; C. F. C. Beeson.; 160' and 'Centruchus; brevicornis; HOLOTYPE; W. D. Funkhouser'.

The allotype is also in the collection.

brevicornis (Otinotoides) Funkhouser, 1935d : 432. Holotype ♂ with labels: 'Type; H.T.' and 'British Solomons; Jan. 1932; R. J. A. W. Lever; Lur.; Guardalcanal.' and 'Pres. by;

Imp. Inst. Ent.; B.M. 1935-224.' and 'HOLOTYPE; *Otinotoides brevicornis*; W. D. Funkhouser'.

The tegmina have three discoidal cells, not four as stated in description.

brevicornis (Otinotus) Distant, 1916a : 160 LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll ; 1911-383.' and 'Lahore; Punjab.; 9-v-08; N.A.' and 'Otinotus; brevicornis; type Dist.'

There is another male from the type-series in the collection.

brevicornis (Potnia) Fowler, 1894c : 46. LECTOTYPE ♀ with labels: 'Type' and 'Boquete.; 3500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Potnia; brevicornis.; Fowler. TYPE' and the B.C.A. label.

Glued to the same card as the fragments of another specimen, the lectotype is indicated by an adjacent red ink spot. There are eleven other specimens from the type-series in the collection.

brevinota (Pyrgauchenia) Funkhouser, 1932a : 115. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360.' and 'B. N. BORNEO.; Mt. Kinabalu.; Kiau, 3,000 ft.; 7.4.1929.; H. M. Pendlebury; coll.; F. M. S. Museums.' and 'HOLOTYPE; *Pyrgauchenia brevinota*; W. D. Funkhouser.'

The anterior pronotal horn is broken. There are three other females and two males from the type-series in the collection.

brevis (Anchon) Distant, 1908g : 52. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Anaradhapura; Ceylon. 2. 1904' and 'Anchon; brevis Dist.; type'.

brevis (Ceresa) Walker, 1851a : 528. Holotype ♀ with labels: 'Type' and 'NY' and '1891' and '13. CERESA BREVIS,'.

brevis (Enchenopa) Walker, 1851a : 492. Holotype ♂ with labels: 'Type' and '41.; 5: 17.; 287.' and 'United; States' and 'binotatus SY' and '39. ENCHENOPE BREVIS,'.

The tips of the anterior and posterior pronotal horns are broken.

brevis (Hemiptycha) Walker, 1851a : 571. Holotype ♂ with labels: 'Type' and 'Ent. Club.; 44-12.' and '19. HEMIPTYCHA BREVIS,'.

brevis (Oxyrhachis) Capener, 1962 : 147. Holotype ♀ with labels: 'HOLOTYPE' and 'Oxyrhachis; brevis; CAPENER; 1962.' and 'DRAWING; No. 240; A. L. CAPENER.' and 'S. Africa.; R. E. Turner.; Brit. Mus.; 1930-480.' and 'Cape Province.; Somerset East.; Sept. 1930.'

The allotype and six female paratypes are also in the collection.

brevivitta (Centrotus) Walker, 1870a : 185. LECTOTYPE ♀ with labels: 'Type' and 'N.' and '68.4' and 'N. Gui; Wallace' and 'brevivitta'.

The right tegmen is lost.

brevivitta (Polyglypta) Walker, 1851a : 545. Holotype ♂ with labels: 'Type' and 'Vene.; zuela; 47; 52' and '13. POLYGLYPTA BREVIVITTA,'.

brunnea (Hypamastris) Fowler, 1895d : 94. LECTOTYPE ♀ with labels: 'Type; H.T.' and '58.135 Mex.; (Oajaca.)' and 'Brit. Mus.; 1904-55.' and 'Hypamastris; brunnea. Fowler.; TYPE.'

There is another female from the type-series in the collection.

brunnea (Maguva) Funkhouser, 1937b : 100. Holotype ♀ with labels: 'Type' and 'Figg' and 'Beaten from; trees.' and 'SARAWAK.; Mt. Dulit.; 4000 ft.; Moss forest.; 25.x.1932.' and 'Oxford Univ. Exp.; B. M. Hobby &; A. W. Moore.; B.M. 1933-254.' and 'HOLOTYPE; *Maguva brunnea*; W. D. Funkhouser'.

The tegmina have two discoidal cells, not three as stated in the description. There is also a female paratype in the collection.

brunnea (Pyrgauchenia) Funkhouser, 1932a : 113. Holotype ♂ with labels: 'Type' and 'Brit. Mus.; 1933-360.' and 'B. N. BORNEO.; Mt. Kinabalu.; Kiau, 3,000 ft.; 7.4.1929.; H. M. Pendlebury; coll.; F. M. S. Museums.' and 'HOLOTYPE; *Pyrgauchenia brunnea*; W. D. Funkhouser'.

The anterior pronotal horn is missing. There are three male paratypes in the collection.

brunneus (*Campylocentrus*) Fowler, 1896d : 151. Holotype ♀ with labels: 'Type' and 'Omilteme; Guerrero; 8000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Campylocentrus; brunneus. Fowler; TYPE.' and the B.C.A. label.

brunneus (*Leptocentrus*) Funkhouser, 1935d : 428. Holotype ♂ with labels: 'Type; H.T.' and 'NAIROBI; Jan. 1921.; V. van Someren.' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-297.' and 'HOLOTYPE; leptocentrus brunneus; W. D. Funkhouser'.

bruneiipennis (*Telamona*) Buckton, 1903a : 197. LECTOTYPE ♀ with labels: 'Type' and 'B.; 199' and 'New; York; C.; 8.18' and 'Telemona [sic]; brunniipennis [sic]'.

The right wing and tegmen are lost.

bubalus (*Centrotus*) Kirby, 1891a : 167. Holotype ♀ with labels: 'Type' and '80' and 'Pundaloya.' and 'Centrotus; bubalus; Kb type; Ceylon.; Green Coll.; 90-115.'

bucephalus (*Sextius*) Distant, 1916d : 34. Holotype ♀ with labels: 'Type' and 'Sydney, N.S.W.; 1900-1903.; J. J. Walker.; 1910-384.' and 'Sextius; bucephalus; type Dist.'

bugabensis (*Tragopa*) Fowler, 1895c : 85. LECTOTYPE ♂ with labels: 'Type' and 'Bugaba.; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Tragopa; bugabensis.; Fowler. TYPE' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot. There are two other males and a female from the type-series in the collection.

bulbaceus (*Tiberianus*) Distant, 1915c : 494. Holotype ♂ with labels: 'Type' and 'Stellenbosch, C.C.; Nov. 1904.; G. A. K. Marshall.; 1908-212.' and 'Distant Coll.; 1911-383.' and 'Tiberianus; bulbaceus; type Dist.'

bulbicornis (*Pyrgonotta*) Funkhouser, 1927h : 253. Holotype ♀ with labels: '155' and 'Brit. Mus.; 1930-324.' and 'MALAY PENIN.; Selangor.; Bukit Kutu; 3500 ft.; April 19th 1926.; H. M. Pendlebury.; EX COLL.; F.M.S.; MUSEUMS.' and 'HOLOTYPE; Pyrgonotta bulbicornis; W. D. Funkhouser'.

bulbifer (*Emphusis*) Funkhouser, 1927d : 106. Holotype ♀ with labels: 'Brit. Mus.; 1928-174.' and 'Lubuksikaping; (Sumatra's Westkust); 450M. 1926; leg. E. Jacobson.' and 'Emphusis sp.; det. W. E. China 1926.' and 'HOLOTYPE; Emphusis bulbifer; W. D. Funkhouser'.

bulbosa (*Hypsauchenia*) Buckton, 1903a : 211. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Perak; Doherty' and 'Hypsauchenia; bulbosa; type 141.'

There are three other females from the type-series in the collection.

bulbosa (*Tropidocyta*) Haviland, 1925a : 236. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; July, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Tropidocyta; bulbosa; Haviland.'

The lectotype is one of two females pinned together and is indicated by a small square of red paper beneath. There are another female and four males from the type-series in the collection.

caelata (*Gargara*) Distant, 1916a : 172. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'NILGIRI; (HAMPSON)' and 'Gargara; caelata; type Dist.'

caliginosa (*Aconophora*) Walker, 1858b : 135. Holotype ♀ with labels: 'Type' and 'Guatim; ala; 52; 119' and 'ACONOPHORA CALIGINOSA.'

caliginosus (*Centrotus*) Walker, 1857a : 93. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Wallace' and 'MAL-; CA' and 'caliginosus Walk'.

campbelli (*Otinotus*) Distant, 1916a : 158. Holotype ♀ with labels: 'Type' and 'O.; 5.15.; 406' and '406' and 'Nilgiri Hills; S. India; T. V. Campbell' and 'S. India.; E. A. Butler.; 1915-60.' and 'Otinotus; campbelli; type Dist.'

campbelli (*Telingana*) Distant, 1916a : 150. LECTOTYPE ♀ with labels: 'Type' and 'K. K.; 5.14.; 197' and 'S. India.; E. A. Butler.; 1915-60.' and 'Kodai Kanal.; S. India.; T. V. Campbell.' and '197' and 'Telingana; campbelli; type Dist.'

There are two other females from the type-series in the collection.

canescens (Leptocentrus) Buckton, 1903a : 234. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Belize; Honduras' and 'Centrotus; odu... eo... pennis; bi' [this label is illegible] and 'Leptocentrus, canescens; type Buckt.'

The head is missing. The locality label is probably erroneous.

capistrata (Telingana) Distant, 1908g : 19. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ruby Mines; Burma' and 'Telingana; capistrata; type Dist.'

There are two other females from the type-series in the collection.

capreolus (Centrotus) Walker, 1851a : 627. LECTOTYPE ♀ with labels: 'Type' and 'Phil.; Isl.; 45; 49' and '66. CENTROTUS CAPREOLUS.'

capricornis (Poppea) Fowler, 1895d : 99. LECTOTYPE ♀ with labels: 'Type; H.T.' and 'Bugaba.; Panama.; Champion.' and 'Poppaea [sic]; capricornis. Fowler; TYPE.' and the B.C.A. label.

There is one other female and two males from the type-series in the collection.

carbonaria (Aspasiana) Distant, 1916d : 26. Holotype ♀ with labels: 'Type' and 'N' and 'N Gui.; Wallace' and 'carbonaria' and 'Aspasiana; carbonaria; type Dist.' and 'carbonaria; m.s.: Walk'.

carinata (Darnoides) Walker, 1851a : 590. Holotype ♀ with labels: 'Type' and 'Brazil; 43; 86' and '3. DARNOIDES CARINATA.'

The right tegmen is lost.

carteri (Takliwa) Funkhouser, 1935d : 430. Holotype ♀ with labels: 'Type; H.T.' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-297.' and 'Gold Coast; 1921-22.; G. S. Cotterell.' and 'HOLOTYPE; Takliwa carteri; W. D. Funkhouser.'

caseoscalpris (Alcmeone) Butler, 1878a : 344. Holotype ♀ with labels: 'Type' and 'Ent. Club.; 44-12.' and 'A. caseoscalpris; Butler Type.'

The specimen is badly damaged.

cassis (Hypsoprora) Buckton, 1901a : 60. Holotype with labels: 'Type' and 'Hypsoprora; cassis; type Buckt.' and 'Kranos; insignis; australia.'

The abdomen is lost and the posterior pronotal process is broken.

castaneus (Sertorius) Distant, 1916d : 25. Holotype ♀ with labels: 'Type' and 'Australia.' and 'Distant Coll.; 1911-383.' and 'Sertorius; castaneus; type Dist.'

cavendus (Convactor) Distant, 1916a : 153. Holotype ♀ with labels: 'Type' and 'B25' and 'Nilgiri Hills.; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and 'Convactor; cavendus; type Dist.'

cavipennis (Gnamptocentrus) Fowler, 1896d : 153. LECTOTYPE ♀ with labels: 'Type' and 'Brit. Mus.; 1904-55.' and 'V. de Chiriqui.; 25-4000 ft.; Champion.' and 'Gnamptocentrus; cavipennis; Fowler. TYPE.' and the B.C.A. label.

One of two females glued to the same card, and lectotype is indicated by an adjacent red ink spot. There are two other females from the type-series in the collection.

celsa (Membracis) Walker, 1851a : 475. Holotype ♀ with labels: 'Type' and 'Brasil.' and '1938' and '9. MEMBRACIS CELSA.'

centrotoides (Thelia) Walker, 1858b : 138. Holotype ♀ with labels: 'Type' and 'S. Amer; napo; 51; 70' and 'THELIA CENTROTOIDES.'

cerulea (Tynelia) Funkhouser, 1935d : 434. Holotype ♂ with labels: 'Type; H.T.' and 'BRITISH GUIANA; Cattle Trail Survey; Canister Falls; June 1920.; A. A. Abraham. Coll.' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-297.' and 'Tynelia; cerulea; HOLOTYPE; W. D. Funkhouser'.

cerviceps (Pterygia) Fowler, 1894b : 24. LECTOTYPE ♂ with labels: 'Type' and 'Teleman.; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Sp. figured.' and 'Pterygia; cerviceps; Fowler. TYPE' and the B.C.A. label.

There is also a female from the type-series in the collection.

championi (*Sphongophorus*) Fowler, 1894c : 28. LECTOTYPE ♂ with labels: 'Type' and 'San Isidro; 1600 ft.; Champion' and 'Brit. Mus.; 1904-55.' and 'Sphongophorus [sic]; Championi Fowler; TYPE' and the B.C.A. label.

There is another male from the type-series in the collection.

championi (*Stylocentrus*) Fowler, 1896e : 164. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Stylocentrus; championi. Fowler; TYPE'.

There are two other females from the type-series in the collection.

chloroticus (*Centrotus*) Walker, 1858a : 82. LECTOTYPE ♀ with labels: 'Type' and 'Spain.' and 'Centrotus; chloritus; nr Sopi Espagne' and 'chloroticus Walk.'

The posterior pronotal horn is broken.

cicadiformis (*Centrotus*) Walker, 1857b : 164. LECTOTYPE ♀ with labels: 'Type' and 'SAR.' and 'Wallace' and '68.4' and 'cicadiformis Walk'.

The suprahumeral horns and the posterior pronotal process are missing.

cinctata (*Boethoos*) Haviland, 1925a : 249. Holotype ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; September, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Boëthoós; cinctata; Haviland'.

cinerea var. **obfuscata** (*Hoplophora*) Fowler, 1894c : 40. LECTOTYPE ♂ with labels: 'Type' and 'Capetillo; Guatemala; G. C. Champion.' and 'Brit. Mus.; 1904-55.' and 'H. cinerea; v. obfuscata; TYPE' and the B.C.A. label.

There is another male from the type-series in the collection.

citrea (*Gargara*) Distant, 1908g : 63. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Gargara; citrea; type Dist.'

cognata (*Telingana*) Distant, 1916a : 149. LECTOTYPE ♀ with labels: 'Type' and '4.; 4.15.' and '396' and 'S. India.; E. A. Butler.; 1915-60.' and 'Nilgiri Hills; S. India; T. V. Campbell.' and 'Telingana; cognata; type Dist.'

There is another female from the type-series in the collection.

collina (*Thelia*) Walker, 1851a : 565. LECTOTYPE ♀ with labels: 'Type' and 'N Y' and '1874' and '35. THELIA COLLINA.'

colorata (*Pyrgauchenia*) Distant, 1915b : 326. LECTOTYPE ♀ with labels: 'Type' and '63' and 'Sarawak; Museum.; 1914-253.' and 'Mt. Kinabalu.; 3.000 ft.; Sep. 1913.' and 'Pyrgauchenia; colorata; type Dist.'

There are two other females from the type-series in the collection. All three specimens have the anterior pronotal horn missing.

compacta (*Thelia*) Walker, 1858b : 140. Holotype ♀ with labels: 'Type' and 'Santar; em; 54; 63' and 'THELIA COMPACTA.'

composita (*Horiola*) Walker, 1851a : 587. Holotype ♀ with labels: 'Type' and 'Vene; zuela; 47; 1' and '9. HORIOLA COMPOSITA.'

The right tegmen and the posterior pronotal process are lost.

compressa (*Aconophora*) Walker, 1851a : 541. Holotype ♂ with labels: 'Type' and 'Mexico; 43; 13' and '18. ACONOPHORA COMPRESSA.'

compressa (*Antianthe*) Buckton, 1903a : 191. LECTOTYPE ♀ with labels: 'Type' and '5' and 'New; York; C.; 8.13' and 'Antianthe; compressa'.

The left tegmen is lost and the right tegmen and pronotum are damaged.

concinna (*Adippe*) Fowler, 1896b : 135. LECTOTYPE ♂ with labels: 'Type' and 'Bugaba; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Adippe; concinna Fowler; TYPE' and the B.C.A. label.

There are also two females from the type-series in the collection.

concinna (*Ceresa*) Fowler, 1895d : 106. Holotype ♀ with labels: 'Type' and 'Vera Cruz.; H.H.S.; Jan. 1888.' and 'Brit. Mus.; 1904-55.' and 'Ceresa; concinna; Fowler. TYPE' and the B.C.A. label.

The tegmina, wings and abdomen are broken.

concinna (*Hoplophora*) Fowler, 1894c : 41. Holotype ♂ with labels: 'Type' and '♂' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hoplophora; concinna Fowler.; TYPE' and the B.C.A. label.

concinna (*Poppaea*) Fowler, 1895d : 100. LECTOTYPE ♀ with labels: 'Type; H.T.' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Poppaea [sic]; concinna. Fowler; TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

concosa (*Entylia*) Walker, 1851a : 547. LECTOTYPE ♀ with labels: 'Type' and 'E.; Florida' and '41.; 5.17.; 310.' and 'E. Doubleday.; St. John's Bluff; E. Florida.' and '6. ENTYLIA CONCOSA,'.

There are two other females from the type-series in the collection.

concolor (*Aconophora*) Walker, 1851a : 540. Holotype ♂ with labels: 'Type' and 'Mexico; 43. 13' and '17. ACONOPHORA CONCOLOR.'.

The head is missing.

concolor (*Hoplophora*) Walker, 1851a : 514. Holotype ♀ with labels: 'Type' and 'Colum; -bia; 47; 25' and '17. HOPLOPHORA CONCOLOR,'.

concolor (*Oxyrhachis*) Buckton, 1903a : 224. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Capetown.; C.G.H.; 28 Jan. '01.; 1147' and 'Oxyrhachis; concolor; type Buckt. ay'.

The left suprahumeral horn is broken. There is another specimen from the type-series in the collection; its abdomen is missing.

conficita (*Thelia*) Walker, 1858b : 139. Holotype ♀ with labels: 'Type' and 'Brazil; 51; 55' and 'THELIA CONFICITA,'.

confusa (*Gargara*) Distant, 1916a : 171. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Calcutta; 8-vii-07; Mus. Coll.' and 'Gargara; confusa; type Dist.'.

There is another male from the type-series in the collection.

confusus (*Hebeticoides*) Fowler, 1894c : 54. Holotype ♂ with labels: 'Type' and 'V. de Chiriqui; 4000-6000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hebeticoides; confusus. Fowler; TYPE.' and the B.C.A. label.

confusus (*Leptocentrus*) Distant, 1916b : 151. Lectotype ♂ with labels: 'Type' and '1911-177' and 'Brit. E. Afr.; W. Slopes of Kenya.; on Meru - Nyeri Rd.; 6000 to 8,500 ft.; Feb. 16-23, 1911.; S. A. Neave.' and 'Leptocentrus; confusus; type Dist.' and 'LECTOTYPE: Leptocentrus; confusus; DIST.; A. L. Capener,'.

There are one male and two female paralectotypes in the collection (Capener 1968 : 25).

congestus (*Centrotus*) Walker, 1858a : 79. LECTOTYPE ♀ with labels: 'Type' and 'Ind' and 'congestus Walk'.

congestus (*Centrotus*) Walker, 1870a : 187. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'Sul' and 'Sula; Wallace' and 'congestus'.

conica (*Thelia*) Walker, 1851a : 557. Holotype ♂ with labels: 'Type' and 'E. Doubleday.; St. John's Bluff; E. Florida.' and '41.; 5.17.; 288.' and '9. THELIA CONICA,'.

confifera (*Aconophora*) Butler, 1878a : 350. Holotype ♂ with labels: 'Type' and 'Mex' and '68.4' and 'A. confifera; Butler Type.'

The legs are glued separately to a card.

consobrina (*Telingana*) Distant, 1916a : 152. LECTOTYPE ♂ with labels: 'Type' and 'S. India.; E. A. Butler.; 1915-60.' and 'Kodai Kanal.; S. India.; T. V. Campbell.' and 'Telingana; consobrina; type Dist.'.

Orinally one of two specimens mounted on the same card, the lectotype has the tips of the tegmina and the apical part of the posterior pronotal process missing; the other specimen is lost. There are eight other specimens from the type-series in the collection.

consobrinus (*Eufairmairia*) Distant, 1916d : 37. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Rockhampton.' and 'Eufairmairia; consobrinus; type Dist.'.

There are nine other specimens from the type-series in the collection.

consocius (*Centrotus*) Walker, 1857b : 164. LECTOTYPE ♀ with labels: 'Type' and 'SAR.' and '68.4' and 'Wallace' and 'consocius Walk'.

The abdomen is glued separately.

constans (*Thelia*) Walker, 1851a : 563. Holotype ♀ with labels: 'Type' and 'Ent. Club.; 44-12.' and 'C. Doubleday; Wanbough' and '27. THELIA CONSTANS,'.

constipatus (*Centrotus*) Walker, 1870a : 192. LECTOTYPE ♂ with labels : 'Type' and 'M' and '68.4' and 'Wallace' and 'constipatus'.

constrictus (*Clepsydrus*) Fowler, 1895d : 95. Holotype ♂ with labels: 'Type; H.T.' and 'La Venta; Guerrero.; 300 ft.; Sept. H. H. Smith' and 'Clepsydrus; constrictus. Fowler; TYPE.' and the B.C.A. label.

The left wing and tegmen are glued separately.

conterminus (*Centrotus*) Walker, 1870a : 190. LECTOTYPE ♀ with labels: 'Type' and 'Aru' and 'Wallace' and 'conterminus'.

continua (*Membracis*) Walker, 1858b : 123. Holotype with labels: 'Type' and 'Ega; Brazil; 57; 43' and 'MEMBRACIS CONTINUA,'.

The abdomen is missing.

contorta (*Oxyrhachis*) Walker, 1858a : 66. LECTOTYPE ♀ with labels: 'Type' and 'N S W' and 'contorta Walk'.

The posterior pronotal process is broken. There is another female and a male from the type-series in the collection. The type-series is erroneously described as being from Tasmania.

contractus (*Centrotus*) Walker, 1851a : 622. Holotype ♀ with labels: 'Type' and 'New; Holld; 44; 4' and '56. CENTROTUS CONTRACTUS,'.

contractus (*Centrotus*) Walker, 1870a : 188. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Aru' and 'Wallace' and 'contractus'.

The tips of the pronotal horns are broken.

contraria (*Gargara*) Distant, 1916a : 170. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Lahore; Punjab' and 'Gargaria [sic]; contraria; type Dist.'.

The abdomen is glued separately below the specimen.

convergens (*Centrotus*) Walker, 1851a : 623. Holotype ♂ with labels: 'Type' and 'Phil; Isl; 42; 22' and '59. CENTROTUS CONVERGENS,'.

The abdomen is glued separately.

convoluta (*Membracis*) Fabricius, 1781a : 318. LECTOTYPE ♀ with labels: 'Braz.' and '63; 47' and associated with it, though not mounted on the same pin, 'Type' and 'Membr. Convoluta; Fabr. Mant.'. The last part of this label is illegible. The 'Type' label is handwritten.

Described as 'Membracis conuoluta' [misprint], the type is from the Joseph Banks Collection.

cornuta (*Beaufortiana*) Distant, 1916d : 31. Holotype ♀ with labels: 'Type' and '4' and 'Distant Coll.; 1911-383.' and 'Beaufort West.; C. G. H.; 20" May: 01.' and 'Beaufortiana; cornuta; type Dist.'.

The tegmina have five apical cells, not four as stated in the description.

cornuta (*Hyphinoe*) Distant, 1879a : 12. Holotype ♀ with labels: 'Type' and 'Irazu.; 6-7000 ft.; H. Rogers.' and 'Brit. Mus.; 1904-55.' and 'cornuta; (type) Dist.'.

cornuta (*Maguva*) Funkhouser, 1932a : 116. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360' and 'B. N. BORNEO.; Mt. Kinabalu; Lumu Lumu; 5,500 ft.; 13 : 4 : 1929.; H. M. Pendlebury; coll.; F.M.S. Museums.' and 'HOLOTYPE; Maguva cornuta; W. D. Funkhouser'.

cornuta (*Stictocephala*) Fowler, 1895d : 110. LECTOTYPE ♂ with labels: 'Type' and 'Bugaba.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Stictocephala; ♂ cornuta; Fowler. TYPE' and the B.C.A. label.

There are two other males from the type-series in the collection.

cornutus (*Leprechaunus*) Capener, 1953b : 116. Holotype ♀ with labels: 'Holo-; type' and 'Tang. Terr.; Ukerewe I; Father Conrads' and 'ix; 162' and 'Pres. by; Coryndon Museum.; B.M. 1960-258.' and 'HOLOTYPE' and 'Leprechaunus; cornutus; CAPENER'.

The allotype and female paratype are in the collection also.

corrugata (*Bolbonota*) Fowler, 1894b : 19. LECTOTYPE ♀ with labels: 'Type' and 'Taboga Isl.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Bolbonota; corrugata Fowler.; TYPE' and the B.C.A. label.

One of three females glued to the same card, the lectotype is indicated by an adjacent red ink spot.

corrugata var. **minor (*Bolbonota*)** Fowler, 1894b : 19. LECTOTYPE ♀ with labels: 'Type' and 'Bugaba.; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and '32' and the B.C.A. label.

There are four other females from the type-series in the collection.

costalis (*Centrotus*) Walker, 1851a : 615. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25.' and '44. CENTROTUS COSTALIS,'.

costalis (*Centrotus*) Walker, 1858a : 82. Holotype with labels: 'Type' and 'costalis Walk'.

The abdomen is missing.

costata var. **nigridorsis (*Polyglypta*)** Fowler, 1895f : 123. LECTOTYPE with labels: 'Type' and 'San Juan.; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'v. nigridorsis.; Fowler. TYPE' and the B.C.A. label.

The abdomen is missing. There are five females from the type-series in the collection.

costigera (*Thelia*) Butler, 1878a : 353. Holotype ♀ with labels: 'Type' and 'British; Guiana' and '58; 60' and 'Br. Guiana; Schonburgh' and 'T. costigera; Butler Type'.

The head is missing.

crassicornis (*Xiphistes*) Distant, 1915b : 323. Holotype ♀ with labels: 'Type' and 'Lesapi R.; Mashonal'd 3-10-97.; G. A. K. Marshall; 1908-212.' and 'Xiphistes.; crassicornis; type Dist.'.

crassus (*Xiphistes*) Distant, 1916c : 313. Holotype ♀ with labels: 'Type' and 'Salisbury.; 5000 feet.; Mashonaland.; Capt. Oct. 1901; & Pres. 1902 by; Guy Marshall.' and 'Xiphistes; crassus; type Dist.'.

The head is missing.

cribratus (*Centrotus*) Walker, 1851a : 619. Holotype ♀ with labels: 'Type' and 'Jamaica; 47; 62' and '51. CENTROTUS CRIBRATUS,'.

The pronotum is damaged and the head is missing.

crinitus (*Centrotus*) Buckton, 1903a : 247. LECTOTYPE ♀ with labels: 'Type' and 'Kaits; Ceylon. 3.01' and 'cy' and '756' and 'Distant Coll.; 1911-383.' and 'Centrotus; crinitus; type. Buckt.'.

There are nine other specimens from the type-series in the collection.

cucullatus (*Glischrocentrus*) Fowler, 1896e : 161. Holotype ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft; Champion.' and 'Brit. Mus.; 1904-55.' and 'Glischrocentrus; cucullatus Fowler; TYPE.' and the B.C.A. label.

cucullatus (*Polyglyptodes*) Fowler, 1895f : 128. LECTOTYPE ♀ with labels: 'Type' and 'Guatemala; City.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Polyglyptodes; cucullatus.; Fowler. TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

cultellata (*Aconophora*) Walker, 1858a : 70. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Amaz' and 'cultellata Walk'.

cumulata (*Hemiptycha*) Walker, 1858b : 145. Holotype ♀ with labels: 'Type' and 'Santar; em; 53; 72' and 'HEMIPTYCHA CUMULATA.'.

cuneata (*Aspona*) Fowler, 1894c : 51. Holotype ♀ with labels: 'Type' and 'V. de Chiriqui.; 4000-6000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aspona; cuneata; Fowler. TYPE' and the B.C.A. label.

cuneata (Bolbonota) Fowler, 1894b : 17. LECTOTYPE ♂ with labels: 'Type' and 'Bugaba.; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Bolbonota; cuneata Fowler; TYPE' and the B.C.A. label.

There are five other males from the type-series in the collection.

cuneata (Hebetica) Butler, 1878a : 341. LECTOTYPE ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.; 57.43' and 'H. cuneata; Butler Type.'

There is another female from the type-series in the collection.

cuneatus (Tricentrus) Distant, 1908g : 56. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'SOOKNA; 533 feet' and 'Centrotypus; cuneatus; type Dist.' and 'Tricentrus; cuneatus DIST.; det. Capener 1963'.

cupreus (Centrotus) Kirby, 1891a : 168. LECTOTYPE ♀ with labels: 'Type' and '40' and 'Pundaloya; Ceylon.' and 'Centrotus: cupreus; Kb type; Ceylon.; Green Coll.; 90-115.'

There are two other females from the type-series in the collection.

cupreus (Eufairmairia) Distant, 1916d : 38. Holotype ♂ with labels: 'Type' and 'S. W. Australia.; Yallingup.; 23 Dec. 13-23 Jan. 14.; R. E. Turner.; 1914-190.' and 'Eufairmaria [sic]; cupreus; type Dist.'

curtulus (Centrotus) Walker, 1870a : 190. LECTOTYPE ♂ with labels: 'Type' and 'M.' and '68.4' and 'Wallace' and 'curtula'.

curvicorne (Enchenopa) Walker, 1858a : 62. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'V Cruz' and 'Vera; Cruz.' and 'curvicorne Walk'.

The anterior pronotal process is damaged.

curvicornis (Ophicentrus) Buckton, 1903a : 250. Holotype ♀ with labels: 'Type' and 'Buckton; (Coll)' and 'Stephansort; D.N.Guin.ae; Centrotus; strigata West.' and 'Ophicentrus; curvicornis; (type) Buckt.; = Otinotoides; strigatus; Walk.'

curvidens (Otinotus) Distant, 1916b : 154. Holotype ♀ with labels: 'Type' and 'Cameroons.; Escalera.; 1903-355.' and 'Otinotus; curvidens; type Dist.'

curvilinea (Ceresia) Walker, 1858b : 132. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; 51; 55' and 'CERESIA CURVILINEA.'

There is also a male from the type-series in the collection.

curvilinea (Membracis) Walker, 1858a : 58. LECTOTYPE ♀ with labels: 'Type' and '68.4' and '28' and 'Para' and 'curvilinea Walk'.

curvispina (Parmula) Walker, 1858b : 152. Holotype ♀ with labels: 'Type' and 'Brazil; Santarem; 52; 96' and 'PARMULA CURVISPINA.'

curvispina (Tricoceps) Distant, 1916c : 322. LECTOTYPE ♂ with labels: 'Type' and 'Neave Coll.; 1907-230.' and 'Kambove.; Katanga.; 25. III. 1907.; 4,000-5,000 ft.' and 'Tricoceps [sic]; curvispina; type Dist.'

There are two other males and two females from the type-series in the collection.

darnioides (Thelia) Walker, 1858b : 140. Holotype ♂ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.; 57.43.' and 'THELIA DARNIOIDES.'

decipiens (Centrotus) Kirby, 1891a : 165. Holotype ♀ with labels: 'Type' and 'Ceylon; 60; 34' and 'decipiens; Walk; M.S.; Kirby; type.' and 'Telingana; curvispina; (STAL); det. CAPENER.' and 'COMPARED; WITH TYPE; A. L. Capener; Aug. 1963.'

decisa (Entylia) Walker, 1851a : 548. Holotype ♀ with labels: 'Type' and 'E.; Florida' and '41.; 5.17.; 311.' and 'E. Doubleday.; St. John's Bluff.; E. Florida.' and 'decisa'.

decisus (Centrotus) Walker, 1851a; 621. Holotype ♀ with labels: 'Type' and 54. CENTROTUS DECISUS.'

declivis (Umfilianus) Distant, 1915c : 496. Holotype ♂ with labels: 'Type' and 'Umfil River; Mashunulad; (Guy Marshall)' and 'Distant Coll.; 1911-383.' and 'Umfilianus; declivis; type Dist.'

The tips of the tegmina are missing.

decoloratus (Coccosterphus) Distant, 1908g : 71. LECTOTYPE ♂ with labels: 'Type' and 'Cal' and 'Distant Coll.; 1911-383.' and 'Coccosterphus; decoloratus; type Dist.'

Glued to the same card as three females, the lectotype is indicated by an adjacent red ink spot. There are three other females from the type-series in the collection.

decorata (Umbonia) Walker, 1858b : 130. Holotype ♀ with labels: 'Type' and 'mex.; 56; 143' and 'UMBONIA DECORATA.'

decoratus (Tricentrus) Distant, 1908g : 58. Holotype ♀ with labels: 'Type' and 'Distant Coll; 1911-383.' and 'Momeit; (Doherty)' and 'decoratus; type Dist.'

The posterior pronotal process is lost.

deflectens (Demanga) Distant, 1915c : 494. LECTOTYPE ♂ with labels: 'Type' and 'German E. Af.; Ruanda Dist.; Dr C. H. Marshall.; 1912-528.' and 'Demanga; deflectens; type Dist.'

There are two females from the type-series in the collection also.

delalandei (Oxyrhachis) Fairmaire, 1846a : 268. Neotype ♀ with labels: 'Type' and 'Cape' and '68.4' and 'Cape of Good Hope; Drege Coll.; Brit. Mus. 1868-4.' and 'Gongroneura; Oxyrhachis; fasciatum = ; delalandei Fairm.; det. R. J. Izzard. 195; NEOTYPE.' and 'Oxyrhachis; delalandei; FAIRMAIRE; NEOTYPE; A. L. CAPENER; 1960'.

The neotype designation was published by Capener (1962 : 25).

delimitata (Gargara) Distant, 1908g : 66. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Margherita' and 'Gargara; delimenata [sic]; type Dist.'

delineatus (Heteronotus) Walker, 1858b : 154. Holotype ♂ with labels: 'Type' and 'Ega; Brazil; 57; 43'.

The apex of the posterior pronotal process is missing.

densa (Enchenopa) Walker, 1851a : 490. Holotype ♂ with labels: 'Type' and 'Colum; -bia; 47; 25' and '35. ENCHENOPA DENSA,'.

The anterior pronotal process is broken.

densus (Centrotus) Walker, 1857b : 163. LECTOTYPE ♀ with labels: 'Type' and 'SAR' and 'Borneo; 57; 36' and 'CENTROTUS DENSUS.'

It was erroneously described as a male. It is stylopized.

densus (Centrotus) Walker, 1870a : 189. LECTOTYPE ♀ with labels: 'Type' and 'Wallace' and 'Densus'.

The left tegmen is missing.

diabolica (Hyphinoe) Butler, 1878a : 346. Holotype ♀ with labels: 'Type' and '68.4' and 'H. diabolica; Butler Type.'

difficilis (Beaufortiana) Distant, 1916d : 31. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Beaufort West; C. G. H.; 20" May. '01.' and 'Beaufortiana; difficilis; type Dist.' and 'Beaufortiana; cornuta DIST.; det. CAPENER.'

diffusa (Hemiptycha) Walker, 1858b : 143. Holotype ♀ with labels: 'Type' and 'Canada; W; 56; 13' and 'HEMIPTYCHA DIFFUSA.'

dilatatus (Centrotus) Walker, 1851a : 630. Holotype ♀ with labels: 'Type' and 'Phil; Isl; 42; 22' and '74. CENTROTUS DILATATUS.'

The head is missing.

dilaticornis (Oxyrhachis) Walker, 1851a : 507. Holotype ♀ with labels: 'Type' and '1934' and '9. OXYRHACHIS DILATICORNIS,'.

dipteroides (Parantonae) Fowler, 1895d : 101. Holotype with labels: 'Type' and 'Aceytuno; 5100' and '75.28.' and 'Parantonae; dipteroides. Fowler; TYPE.'

The abdomen is lost.

discalis (Horiola) Walker, 1858b : 154. Holotype with labels: 'Type' and 'Vera; Cruz; 54; 66' and 'HORIOLA DISCALIS.'

The abdomen is lost.

discontinua (Combophora) Walker, 1858b : 157. LECTOTYPE ♀ with labels: 'Type' and 'Ega; 56; 84' and 'COMBOPHORA DISCONTINUA.'

There is a male from the type-series in the collection also.

discrepans (Tragopa) Walker, 1858b : 150. LECTOTYPE ♂ with labels: 'Type' and 'Santar; em; 53.; 60.' and 'TRAGOPA DISCREPANS.'

The lectotype is one of three specimens (two males and a female) previously mounted on the same pin, which I have now mounted separately.

discreta (Platycotis) Fowler, 1894c : 42. LECTOTYPE ♀ with labels: 'Type' and 'San Joaquin; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Platycotis; discreta Fowler; TYPE' and the B.C.A. label.

There is another female from the type-series in the collection, labelled 'var', but not described as such.

dispar (Polyglypta) Fowler, 1895f : 126. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'V. de Chiriqui; 4,000-6,000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Polyglypta; dispar Fowler; ♀ TYPE.' and the B.C.A. label.

There are two other females and three males from the type-series in the collection.

disparicornis (Aconophora) Fowler, 1895a : 69. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; disparicornis. ♂; Fowler. TYPE.' and the B.C.A. label.

There is another male and a female from the type-series in the collection.

disparipes (Hoplophora) Fowler, 1894c : 40. LECTOTYPE ♂ with labels: 'Type' and 'S. Geronimo; Guatemala.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hoplophora; disparipes Fowler; ♂ TYPE' and the B.C.A. label.

There is another male and two females from the type-series in the collection.

disrupta (Darnis) Walker, 1858a : 74. LECTOTYPE with labels: 'Type' and 'Amaz' and '68.4' and 'disrupta Walk'.

The abdomen is missing.

dissimilis (Parayasa) Distant, 1916a : 179. Holotype ♂ with labels: 'Type' and 'Kodai Kanal.; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and 'Parayasa; dissimilis; type Dist.'

dissimilis (Pogontypus) Distant, 1916a : 173. Holotype ♀ with labels: 'Type' and 'Green.; Ceylon.; 95-221.' and 'Pogontypus?; dissimilis; type Dist.'

The pronotum is damaged.

distans (Ceresa) Butler, 1877a : 218. Holotype with labels: 'Type' and 'Para; 48; 133' and 'C. distans; Butler Type'.

The abdomen is missing.

distinctus (Eufairmairia) Distant, 1916d : 38. Holotype ♀ with labels: 'Type' and '541' and 'Distant Coll.; 1911-383.' and 'G. F. Hill; 30 m. E; Darwin, N. T.' and 'Eufairmairia [sic]; distinctus; type Dist.'

distinguenda (Parmula) Fowler, 1895d : 91. LECTOTYPE ♀ with labels: 'Type' and 'Teleman; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Parmula; distinguenda; Fowler. TYPE' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are two other females and a male from the type-series in the collection.

distinguenda (Trachytalis) Fowler, 1895e : 115. LECTOTYPE ♂ with labels: 'Type' and 'Cuernavaca; Morelos.; June. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Trachytalis; distinguenda; Fowler. TYPE' and the B.C.A. label.

There is another male from the type-series in the collection.

distinguendus (Cyrtilobus) Fowler, 1896c : 141. Holotype ♀ with labels: 'Type' and 'Amula.; Guerrero.; 6000 ft.; Aug. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and '36' and 'Cyrtilobus; distinguendus; Fowler. TYPE' and the B.C.A. label.

divisa (*Membracis*) Walker, 1858b : 123. Holotype ♀ with labels: 'Type' and 'Brazil; Santarem; 52; 96' and 'MEMBRACIS DIVISA.'

The pronotum is damaged.

divisus (*Heteronotus*) Walker, 1858b : 156. Holotype ♀ with labels: 'Type' and '68.4' and 'Para; Ipr'.

The posterior pronotal process is missing and the wings and tegmina are damaged.

doddi (*Otinotus*) Distant, 1916d : 40. Holotype ♀ with labels: 'Type' and 'Townsville, Qld; July '03; F. P. Dodd.' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Otinotus; doddi; type Dist.'

dorsalis (*Telamona*) Buckton, 1903a : 197. LECTOTYPE with labels: 'Type' and 'B; 202' and 'New; York; C.; 8.17' and 'Telemona [sic]; dorsalis'.

The abdomen is missing.

doryensis (*Arimanes*) Distant, 1916e : 290. Holotype ♀ with labels: 'Type' and '59.58. Dory.; New Guinea.' and 'Arimanes.; doryensis; type Dist.'

The left suprahumeral horn is damaged.

dubia (*Micrutalis*) Fowler, 1895e : 119. Holotype ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Micrutalis; dubia. Fowler; TYPE' and the B.C.A. label.

The right tegmen is glued separately.

dubia (*Ochropepla*) Fowler, 1894c : 45. Holotype ♂ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ochropepla; dubia. Fowler; TYPE.' and the B.C.A. label.

dubia (*Phacusa*) Fowler, 1895d : 112. LECTOTYPE ♂ with labels: 'Type' and 'Cerro Zunil; 4-5000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Phacusa; dubia Fowler.; TYPE.' and the B.C.A. label.

There are three females from the type-series in the collection also.

dubia (*Philya*) Fowler, 1894b : 22. Holotype ♀ with labels: 'Type' and 'Chilpancingo; Guerrero, 4600 ft.; June. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Philya; dubia Fowler.; TYPE.' and the B.C.A. label.

Only the abdomen and legs remain, the rest of the specimen being lost.

dubia (*Stictocephala*) Fowler, 1895d : 109. LECTOTYPE ♂ with labels: 'Type' and 'Teapa; Tabasco.; Feb. H. H. S' and 'Brit. Mus.; 1904-55.' and 'Stictocephala; dubia. Fowler; TYPE.' and the B.C.A. label.

There are sixteen other specimens from the type-series in the collection.

dubia var. *major* (*Stictocephala*) Fowler, 1895d : 109. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'Chilpancingo; Guerrero, 4600 ft.; June. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Stictocephala; dubia. v. major; Fowler. TYPE' and the B. C. A. label.

There are two males from the type-series in the collection also.

dubium (*Enchophyllum*) Fowler, 1894b : 8. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and '♀' and 'Enchophyllum; dubium Fowler; TYPE.' and the B.C.A. label.

There are two other females from the type-series in the collection.

echinatum (*Anchon*) Distant, 1908g : 51. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall.; Myitta; (Doherty).' and 'Anchon; echinatus; type Dist.'

egyptianus (*Oxyrhachis*) Distant, 1915b : 322. Holotype ♂ with labels: 'Type' and 'Upper Egypt; Northern Etbai.; D. MacAlister.; 1900-223.' and 'Oxyrhachis; egyptianus; type Dist.'

elegans (*Centrogonia*) Fowler, 1895d : 107. Holotype ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Centrogonia; elegans. Fowler; TYPE.' and the B.C.A. label.

elegantula (Parayasa) Distant, 1916a : 178. LECTOTYPE ♀ with labels: 'Type' and 'Pusa Coll.' and 'Pusa Coll.; 1915-164.' and 'Somerdale; Ootacamund.; E. E. Green.; May. 1910.' and 'Parayasa; elangatula [sic]; type Dist.'

There is another female from the type-series in the collection.

elephas (Foliatrotus) Capener, 1953b : 120. Holotype ♂ with labels: 'Type' and 'HOLOTYPE' and 'DRAWING; No 198; A. L. Capener' and 'Brit. Mus.; 1954-606.' and 'COLL. NO. C520; IDENT. NO.' and 'Uganda, Elgon. 6000 ft; Bulago.; Arabica.; on Coffee 22/7/1948; A. P. G. Michelmores' and 'Foliatrotus; elephas; CAPENER.'

elevatus (Otinotoides) Funkhouser, 1935d : 431. Holotype ♀ with labels: 'Type; H.T.' and 'SOLOMON IS.; Bougainville; H. W. Simmonds' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-224.' and 'HOLOTYPE; Otinotoides elevatus; W. D. Funkhouser'.

elongata (Stictocephala) Fowler, 1895d : 110. Holotype ♀ with labels: 'Type' and '♀' and 'Ciudad, Mex.;; 8100 ft.; Forrer.' and 'Brit. Mus.; 1904-55.' and 'Stictocephala; elongata Fowler; TYPE' and the B.C.A. label.

elongatus (Otinotus) Distant, 1908g : 41. LECTOTYPE ♂ with labels: 'Type' and 'Calcutta.' and 'Distant Coll.; 1911-383.' and 'Otinotus; elongatus; type Dist.'

The head and legs are missing. There is a female from the type-series in the collection also.

ensata (Aconophora) Fowler, 1895a : 68. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui.; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; ensata Fowler; TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are five other females from the type-series in the collection.

erectus (Xiphopoeus) Distant, 1914b : 152. LECTOTYPE ♂ with labels: 'Type' and '1912-193' and 'Uganda Prot.; Kafu R. near Hoima; Kampala Rd. 3,500 ft.; 29-31. Dec. 1911.; S. A. Neave.' and 'Xiphopoeus [sic]; erectus; type Dist.'

There is another male from the type-series in the collection.

erigens (Centrotus) Walker, 1851a : 614. Holotype ♀ with labels: 'Type' and 'Phil; Isla; 42; 22' and '43. CENTROTUS ERIGENS,'.

The head is missing.

escaleranus (Platybelus) Distant, 1916c : 324. LECTOTYPE ♀ with labels: 'Type' and 'Cameroons.; Escalera.; 1903-355.' and 'Platybelus; escaleranus; type Dist.'

There is another female from the type-series in the collection.

euschistus (Tricentrus) Distant, 1916a : 164. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Tricentrus; euschistus; type Dist.'

exaltata (Pterygia) Walker, 1851a : 502. Holotype ♂ with labels: 'Type' and 'Brasil; 43; 86' and '16. PTERYGIA EXALTATA,'.

exaltata (Thelia) Walker, 1858b : 140. Holotype ♀ with labels: 'Type' and 'Santar; em; 53; 72' and 'THELIA EXALTATA,'.

excelsior (Enchenopa) Walker, 1858a : 61. LECTOTYPE ♀ with labels: 'Type' and 'Venez' and 'Venezuela' and '68.4' and 'excelsior Walk.'.

The anterior pronotal process is damaged.

excisa (Ceresa) Walker, 1858a : 68. LECTOTYPE with labels: 'Type' and '68.4' and 'excisa Walk'.

The abdomen, both wings, and the left tegmen are lost.

excisus (Heteronotus) Walker, 1851a : 593. Holotype ♂ with labels: 'Type' and 'Para; 49.; 2' and '5. HETERONOTUS EXCISUS,'.

exemplificatus (Insitor) Distant, 1916a : 176. Holotype ♀ with labels: 'Type' and 'Nilgiri Hills; S. India; T. V. Campbell' and '446' and '4; 515; 44; 6' and 'Insitor; exemplificatus; type Dist.'

exigua (Otinotus) Buckton, 1903a : 232. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Centruchoides; exigua Type; Natal Buckt.'

There are two other males and a female from the type-series in the collection.

expansa var. *humilis (Antianthe)* Fowler, 1896c : 138. LECTOTYPE ♂ with labels: 'Type' and 'Temax.; N. Yucatan.; Gaumer.' and 'Brit. Mus.; 1904-55.' and 'Janthe expansa; var humilis. Fowler; TYPE' and the B.C.A. label.

There are seventeen other specimens from the type-series in the collection.

expansa (Membracis) Walker, 1851a : 475. Holotype ♀ with labels: 'Type' and 'Vene; zuela; 47; .1' and '8. MEMBRACIS EXPANSA.'

extensa (Ceresa) Walker, 1858a : 69. LECTOTYPE ♀ with labels: 'Type' and 'extensa Walk'.

extensa (Oxygonia) Walker, 1851a : 554. LECTOTYPE ♂ with labels: 'Type' and 'Ent. Club.; 44-12.' and '20. OXYGONIA EXTENSA.'

There is another male from the type-series in the collection.

extrema (Gargara) Distant, 1916a : 171. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Peradeniya.; Ceylon, 5-09' and 'Gargara; extrema; type Dist.'

falcatus (Centrotus) Walker, 1851a : 622. Holotype ♂ with labels: 'Type' and '38; 10 22; 88' and '57. CENTROTUS FALCATUS.'

The left tegmen is missing.

falcatus (Ibiceps) Buckton, 1903a : 239. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Taurus; falcatus' and 'Ibiceps; falcatus; type gen. Buckt.'

There is another female from the type-series in the collection.

falco (Campylocentrus) Buckton, 1903a : 243. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Campylocentrus; falco Buckt; type; Luzon'.

There is another female from the type-series in the collection.

fasciata (Adippe) Buckton, 1903a : 189. LECTOTYPE ♂ with labels: 'Type' and 'Rio Dagua; Columbia' and 'Adippe; fasciata.'

fasciata (Cryptaspidia) Funkhouser, 1936c : 248. Holotype ♂ with labels: 'Type' and 'Berenag; 3-6,000' Almora.; U. P. R. N. Parker; 30-31. vii. 1923.' and '226' and 'Brit. Mus.; 1936-222' and 'HOLOTYPE; Cryptaspidia fasciata; W. D. Funkhouser'.

fasciata (Cyphonia) Butler, 1877a : 214. Holotype ♂ with labels: 'Type' and 'Brazil; 43; 86' and 'C. fasciata; Butler Type' and '3. CYPHONIA CAPRA?'

fasciatum (Pedalion) Buckton, 1903a : 253. Holotype ♂ with labels: 'Type' and 'Cape-town.; C. G. H.; Mch. 8".00' and 'cf; Pedalion; fasciatum; Type Buckt.'

The suprahumeral horns are broken.

felinus (Centruchoides) Haviland, 1925a : 257. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; July, 1922; e. coll M. D. Haviland; d.d. Collegium Newnhamense.' and 'Centruchoides; felinus; Haviland.'

There is a male from the type-series in the collection also.

femoratus (Centrotus) Walker, 1870a : 186. LECTOTYPE ♀ with labels: 'Type' and 'Celeb; Wallace' and 'Mak.' and 'femoratus'.

The head is missing.

fenestrata (Tragopa) Walker, 1858b : 151. Holotype ♂ with labels: 'Type' and 'Santar; -em; 53.; 60.' and 'TRAGOPA FENESTRATA.'

ferruginea (Aconophora) Fowler, 1895a : 69. LECTOTYPE ♂ with labels: 'Type' and 'Bugaba.; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; ferruginea; Fowler. TYPE.' and the B.C.A. label.

There are two other males from the type-series in the collection.

ferruginea (Enchenopa) Walker, 1851a : 489. Holotype ♀ with labels: 'Type' and '68.4' and 'Colum-; bia; 47; 25' and 'Colombia' and '34. ENCHENOPA FERRUGINEA.'

ferrugineus (*Centrotus*) Walker, 1870a : 187. LECTOTYPE ♀ with labels: 'Type' and 'N' and '68.4' and 'N Gui; Wallace' and 'ferrugineus'.

The posterior pronotal process is missing.

festivus (*Acanthuchus*) Distant, 1916d : 28. Holotype ♂ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Kuranda; Qld.' and 'Sept 04" F. P. Dodd.' and 'Acanthus [sic]; festivus; type Dist.'.

The generic name is also mis-spelt in the description.

festivus (*Crito*) Distant, 1916d : 43. Holotype ♂ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Crito; festivus; type Dist.'.

fidelis (*Kombazana*) Distant, 1908h : 218. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Johsbg. T.; 5/5/01.' and 'Kombazana; fidelis; type Dist.'.

There are two other females and a male from the type-series in the collection also.

figurata (*Oxygonia*) Walker, 1858b : 137. LECTOTYPE ♀ with labels: 'Type' and 'Mexico.' and '58.135 MEX.; (Oajaca.)' and 'OXYGONIA FIGURATA.'.

Though the description mentions only two specimens, there are three others in the collection which appear to be from the type-series; two are female and the other has the abdomen missing.

fnitimus (*Centrotus*) Walker, 1851a : 628. Holotype ♀ with labels: 'Type' and 'Hong; Kong; 48; 60' and '67. CENTROTUS FINITIMUS,'.

The abdomen and right tegmen are glued separately.

fissa (*Enchenopa*) Walker, 1851a : 485. Holotype ♀ with labels: 'Type' and 'BZ' and '42; 16' and '26. ENCHENOPE FISSA,'.

The pronotal horns are broken and most of the legs are missing.

flavescens (*Centrotypus*) Distant, 1908g : 35. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Ind' and 'Centrotypus; flavescens; type. Dist.'.

There is another female from the type-series in the collection.

flavipes (*Centrotus*) Kirby, 1891a : 165. Holotype ♀ with labels: 'Type' and '45' and 'N. pitia' and 'Centrotus; flavipes; Kb. type; Ceylon.; Green Coll.; 90-115,'.

flavivitta (*Centrotus*) Walker, 1851a : 617. LECTOTYPE ♂ with labels: 'Type' and 'Jamaica; 46; 84.' and '48. CENTROTUS FLAVIVITTA,'.

There is another male from the type-series in the collection.

flavocarinata (*Gargara*) Funkhouser, 1927b : 8. Holotype ♂ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M; 1925; leg. E. Jacobson.' and 'Gargara; flavocarinata; ♂ HOLOTYPE; W. D. Funkhouser'.

flavocostatus (*Polyglyptodes*) Haviland, 1925a : 255. Holotype ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Polyglyptodes.; flavocostatus; Haviland'.

flavolineata (*Gargara*) Distant, 1908g : 65. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll; 1911-383.' and 'Ranchi; Irvine.' and 'Gargara; flavolineata; type Dist.'.

Glued to the same card as three males, the lectotype is indicated by an adjacent red ink spot. There is another male and a female from the type-series in the collection.

flavolineatus (*Centrotus*) Buckton, 1903a : 247. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Centrotus; flavolineatus; type; cd; type'.

There are two males and a specimen with the abdomen missing also from the type-series in the collection.

flexa (*Membracis*) Walker, 1858a : 58. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Venez' and 'flexa Walk'.

The right tegmen is missing.

flexicorne (*Centrotus*) Walker, 1858a : 78. LECTOTYPE with labels : 'Type' and 'North; Ind' and 'flexicorne Walk'.

The abdomen and the posterior pronotal process are missing.

floralis (*Hypsauchenia*) Buckton, 1903a : 210. Holotype ♀ with labels: 'Type' and 'Pegu' and 'Distant Coll; 1911-383.' and 'Hupsochenia [sic]; floralis; type Buckt.'

Though published as 'Hypsauchenia floralis, var?', successive authors have regarded the name as valid and assumed the inclusion of the word 'var?' to be in error.

formicarius (*Ebhul*) Distant, 1916a : 169. LECTOTYPE ♂ with labels: 'Type' and 'Pusa Coll' and 'Pusa Coll.; 1915-164.' and 'U. Burma; Maymyo: 3500 ft.; 19-21 viii 14; Fletcher coll' and 'Common on garden; plants at Maymyo.; Attended by ants.; T. B. F.' and 'Ebhul; formicarius; type Dist.'

There is also a female from the type-series in the collection.

formidabilis (*Oxyrhachis*) Distant, 1916a : 146. LECTOTYPE ♂ with labels: 'Type' and 'United Prov.,; Forest Dept.,; Dehra Dun.,; Dr. A. W. Imms.; 1915-228.' and 'For Zool. coll; suraj Bagh; Dehra Dun; 9-7-17.' and 'Oxyrhachis; formidabilis; type Dist.'

There are another male and a female from the type-series in the collection.

formidanda (*Micreune*) Walker, 1857a : 94. LECTOTYPE ♀ with labels: 'SING.' and '91; 118' and 'Wallace.'

The specimen in the collection which previously bore the 'Type' label was not of Walker's original series and was not, therefore, selected as lectotype.

formosa (*Cyphonia*) Butler, 1877a : 214. Holotype ♀ with labels: 'Type' and '68.4' and 'C. formosa; Butler Type.'

forticornis (*Centrotus*) Walker, 1870a : 185. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Mak.' and 'Celeb; Wallace' and 'firticornis [sic]'.
The head is missing.

fortis (*Ceresa*) Walker, 1858b : 132. Holotype ♂ with labels: 'Type' and 'TEJUCA; Jany. 1857.; H. Clark; 57.50' and 'CERASA [sic] FORTIS.'

The generic name is similarly mis-spelt in the description.

fraterna (*Gargara*) Distant, 1915c : 490. Holotype ♀ with labels: 'Type' and 'Addah; Gold Coast.; H. T. Palmer.; 1912. 142.' and 'Gargara; fraterna; type Dist'.

fraterna (*Stictopelta*) Butler, 1878a : 340. LECTOTYPE ♀ with labels: 'Type' and '58.135 MEX.; (Oajaca.)' and 'S. fraterna; Butler Type.'

There is another female from the type-series in the collection.

fraternus (*Eufairmairia*) Distant, 1916d : 36. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Gayndah; Queensland' and 'Eufairmaria [sic]; fraternus; type Dist.'

There are four other females and two males from the type-series in the collection.

trigida (*Enchenopa*) Walker, 1851a : 490. LECTOTYPE ♀ with labels: 'Type' and 'R' and '803' and '36. ENCHENOPE FRIGIDA,'.

There are four other females from the type-series in the collection.

funkhouserii (*Amastris*) Haviland, 1925a : 251. Holotype ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Amastris; funkhouserii; Haviland'.

fusca (*Polyglypta*) Butler, 1877a : 208. Holotype ♂ with labels: 'Type' and 'Mexico.' and 'Mex' and '68.4' and 'P. fusca; Butler Type'.

fusca (*Stictocephala*) Fowler, 1895d : 109. LECTOTYPE ♀ with labels: 'Type' and 'Presidio.; Mexico.; Forrer.' and 'Brit. Mus.; 1904-55.' and 'Stictocephala; fusca; Fowler. TYPE' and the B.C.A. label.

There are another female and a specimen without an abdomen from the type-series in the collection.

fuscata (*Cyphonia*) Buckton, 1902a : 165. Holotype ♀ with labels: 'Type' and 'Para' and 'Miss Pascoe; 69-41.' and 'Cyphonia; fuscata; (type) Buckt.'

fuscata (*Ochropepla*) Fowler, 1897a : 173. Holotype ♂ with labels: 'Type' and 'Omiteme, Guerrero.; 8000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Ochropepla; fuscata Fowler.; TYPE' and the B.C.A. label.

fuscipennis (Centrotus) Germar, 1835a : 256. Holotype ♂ with labels: 'Type' and '1231.' and 'C. G. H.; 42; 77' and '1281 Centrotus fuscipennis G. . . . '.

The abdomen is glued separately.

fusifera (Membracis) Walker, 1858a : 58. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Para' and 'fusifera Walk'.

fusifformis (Aconophora) Fowler, 1895a : 69. LECTOTYPE ♀ with labels: 'Type' and '♂' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; fusiformis ♂; Fowler. TYPE' and the B.C.A. label.

The labels referring to the lectotype as '♂' are in error. There is another female from the type-series in the collection.

galeata (Enchenopa) Walker, 1851a : 486. Holotype ♀ with labels: 'Type' and 'Para; 50; 2' and '29. ENCHENOPE GALEATA.'.

gibba (Telamona) Buckton, 1903a : 197. LECTOTYPE ♀ with labels: 'Type' and 'Bogota' and 'Telemona [sic]' and 'Pres. by; National Museum; of Wales; ex Rip[p]on Coll.; B.M. 1931-199.' and 'Telamona; gibba Buckt.; TYPE; det. W. E. China 1931.'.

gibbicorne (Centrotus) Walker, 1858a : 76. LECTOTYPE ♀ with labels: 'Type' and 'S.; America.' and '68.4' and 'gibbicorne Walk'.

The tip of the posterior pronotal process is missing.

gibbosa (Hemiptycha) Walker, 1858b : 142. Holotype ♀ with labels: 'Type' and 'Ega; 56.; 24' and 'HEMIPTYCHA GIBBOSA'.

gibbosa (Hypsauchenia) Distant, 1908g : 12. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ruby Mines; (Doherty)' and 'Hypsauchenia; type gibbosa Dist.'.

gibbosulus (Centrotus) Walker, 1858a : 80. LECTOTYPE ♂ with labels: 'Type' and 'Ind' and 'gibbosulus Walk'.

The specimen is badly damaged.

gibbosulus (Centrotus) Walker, 1870a : 187. LECTOTYPE ♀ with labels: 'Type' and 'M.' and 'Wallace' and '68.4' and 'gibbosulus'.

The right wing and tegmen are lost.

gigantea (Aconophora) Butler, 1878a : 352. Holotype ♀ with labels: 'Type' and 'Ega; 58; 6' and 'A. gigantea; Butler Type'.

gladiator (Thelia) Walker, 1851a : 567. Holotype ♀ with labels: 'Type' and 'Para; 40; 2' and '38. THELIA GLADIATOR'.

globosa (Boethoos) Haviland, 1925a : 250. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Boëthoos; globosa; Haviland'.

gnomon (Rabduchus) Buckton, 1903a : 251. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Camerroons; W. Africa' and 'Rhabdouchus [sic]; type gnomon.; Buckt.'.

There is a female from the type-series in the collection also.

godingi (Cebes) Distant, 1916d : 39. Holotype with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Buckton; Coll.' and 'Australia' and 'Centruchoides; rubridorsi' and 'Cebes; godingi; type Dist.'.

The head, abdomen and right tegmen are missing.

godmani (Alcmeone) Fowler, 1895a : 72. Holotype ♂ with labels: 'Type' and 'Jalisco, Mex.; July.; Schumann.' and 'Brit. Mus.; 1904-55.' and 'Alcmeone; Godmani Fowler; TYPE.' and the B.C.A. label.

gowdeyi (Platybelus) Distant, 1916c : 325. Holotype ♀ with labels: 'Type' and 'Mabira Forest.; Chagwe.; 17-20. VII. 11.' and 'Uganda.; C. C. Gowdey.; 1912-461.' and 'Platybelus; gowdeyi; type Dist.'.

grahami (Amitrochates) Distant, 1916c : 328. LECTOTYPE ♀ with labels: 'Type' and

'Obuasi; Ashanti; Dr. W. M. Graham.; 1908-272.' and 'on leaf; 9. 7. 07.' and 'Amitochrates [sic]; grahami; type Dist.'

There are two other females from the type-series in the collection.

granulatus (Centrotus) Kirby, 1891a : 166. LECTOTYPE ♂ with labels: 'Type' and 'Pundaloya; Ceylon. 8' and 'Centrotus; granulatus; Kb type; Ceylon.; Green Coll.; 90-115.'

There is also a female from the type-series in the collection.

greeni (Yasa) Distant, 1908g : 74. LECTOTYPE ♀ with labels; 'Type' and 'Peradeniya; Ceylon, 4.05' and 'Distant Coll.; 1911-383.' and 'Yasa; greeni; type Dist.'

There are two other females from the type-series in the collection.

grisea (Adippe) Fowler, 1896b : 136. Holotype ♀ with labels: 'Type' and 'Bugaba; 800-1500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Adippe; grisea Fowler; TYPE.' and the B.C.A. label.

grossus (Leptocentrus) Distant, 1916c : 315. LECTOTYPE ♀ with labels: 'Type' and '1913-171.' and 'Entebbe; Uganda; Aug. 1912.; C. A. Wiggins.' and 'Leptocentrus; grossus; type Dist.'

There are four other females from the type-series in the collection.

guerreroensis (Godingia) Fowler, 1896c : 139. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'Omilteme; Guerrero; 8000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Godingia; guerreroensis [sic]. Fowler; TYPE. ♂' and the B.C.A. label.

There are also two females from the type-series in the collection.

guianae (Tragopa) Haviland, 1925a : 247. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo, Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Tragopa; guianae; Haviland'.

guttifera (Aconophora) Walker, 1851a : 539. Holotype ♂ with labels: 'Type' and 'E. Doubleday.; St. John's Bluff; E. Florida.' and '41.; 517.; 286' and '15. ACONOPHORA GUTTI-FERA.'

guttipes (Cyphonia) Walker, 1858b : 157. Holotype with labels: 'Type' and 'S. Amer; napo; 51; 70' and 'CYPHONIA GUTTIPIES.'

The abdomen and right tegmen are missing.

hadina (Aconophora) Butler, 1878a : 349. Holotype ♀ with labels: 'Type' and 'Brasil; 43; 86' and 'A. hadina; Butler Type' and 'INCUMBENS.'

haeretica (Adippe) Distant, 1900a : 694. LECTOTYPE ♀ with labels: 'Type' and 'Chontales; Nicaragua; Janson.' and 'Brit. Mus.; 1904-55.' and 'Adippe; haeretica, (type) Dist.' and 'Adippe; maculata; Distant.' and the B.C.A. label.

The description of this species is in Fowler, 1896b : 134. There are two other females and two males from the type-series in the collection.

harrisi (Eufairmairia) Distant, 1916d : 35. Holotype ♀ with labels: 'Type' and '113.' and 'Distant Coll.; 1911-383.' and 'Queensland; Museum.' and 'Eufairmairia; harrisi.; type Dist.'

hebes (Triquetra) Walker, 1851a : 525. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '17. TRIQUETRA HEBES.'

The tegmina and the left wing are missing.

herbicola (Hille) Haviland, 1925a : 255. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; June, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Hille herbicola; Haviland'.

There are five other females and two males from the type-series in the collection.

hirsuta (Gelastigonia) Haviland, 1925a : 256. LECTOTYPE ♂ with labels: 'Type' and 'Kartabo; Brit. Guiana.; B.M. 1925-519.' and 'Kartabo, Brit. Guiana; July, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Oxygonia; hirsuta; Haviland'.

hispida (Cyphonia) Walker, 1858b : 156. Holotype ♂ with labels: 'Type' and 'TEJUCA; Jany. 1857.; H. Clark.; 57.50' and 'CYPHONIA HISPIDA.'

histrion (Oxygonia) Walker, 1858a : 71. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'G Bernel' and 'histrion Walk'.

hordeacea (Polyglypta) Butler, 1877a : 209. LECTOTYPE ♀ with labels: 'Type' and 'Peru' and '68.4' and 'P. hordeacea; Butler Type'.

There is another female from the type-series in the collection.

horizontalis (Hybandoides) Distant, 1915b : 327. LECTOTYPE ♀ with labels: 'Type' and 'Sarawak; Museum.; 1914-253.' and 'Mt. Kinabalu.; 3,000 ft.; Sep. 1913' and 'Hybandoides; horizontalis; type Dist.'.

There are four other females and three males from the type-series in the collection.

horizontalis (Tricentrus) Distant, 1916a : 164. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Moulmein; L. Burma' and 'Tricentrus; horizontalis; type Dist.'.

horrescens (Smerdalea) Fowler, 1896e : 163. LECTOTYPE ♂ with labels: 'Type' and 'V. de Chiriqui.; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Smerdalea; horrescens.; Fowler. TYPE.' and the B.C.A. label.

There are another male and a female from the type-series in the collection.

horridulus (Centrotus) Walker, 1851a : 605. Holotype ♀ with labels: 'Type' and 'Port; Natal; 49:29' and 'validicornis Stal.' and '17. CENTROTUS HORRIDULUS,'.

horvathi (Pogontypus) Distant, 1908g : 67. LECTOTYPE ♂ with labels: 'Yatiantota.; Ceylon, 3-1902' and 'Distant Coll.; 1911-383.'.

The specimen previously bearing the 'Type' label and Distant's 'horvathi; type Dist.' label was not selected as lectotype as it was not from the published type locality. It is possible that these labels have been mis-placed.

humilior (Enchenopa) Walker, 1858a : 62. LECTOTYPE ♀ with labels: 'Type' and 'Venez' and 'Venezuela' and 'humilior Walk'.

humilis (Hoplophora) Walker, 1851a : 514. Holotype ♂ with labels: 'Type' and 'Gallia.' and '1933' and '18. HOPLOPHORA HUMILIS,'.

humilis (Membracis) Fowler, 1894b : 6. Holotype ♀ with labels: 'Type' and 'Atoyac.; Vera Cruz.; Schumann.' and 'Brit. Mus.; 1904-55.' and 'M. humilis. Fowler; TYPE' and the B.C.A. label.

hyalifascia (Gargara) Funkhouser, 1927b : 8. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M; 1925; leg. E. Jacobson.' and 'HOLOTYPE; Gargara hyalifascia; W. D. Funkhouser ♀'.

ignidorsum (Enchenopa) Walker, 1858b : 124. Holotype ♂ with labels: 'Type' and 'Mexico' and 'Mex.; 56; 143' and 'ENCHENOPA IGNIDORSUM,'.

This specimen is badly damaged.

ignipes (Centrotus) Walker, 1851a : 616. LECTOTYPE ♀ with labels: 'Type' and 'Jamaica' and '47. CENTROTUS IGNIPES,'.

imitator (Centrotus) Kirby, 1891a : 167. LECTOTYPE ♀ with labels: 'Pundaloya; Ceylon.' and '43' and 'Ceylon.; Green Coll.; 90-115,'.

The specimen previously bearing the 'Type' label was of an MS species of Walker's. There is another female from the type-series in the collection.

impedita (Entylia) Walker, 1858b : 137. Holotype ♀ with labels: 'Type' and 'Canada; W; 56; 13' and 'ENTYLIA IMPEDITA,'.

inaequalis (Adippe) Fowler, 1896b : 136. LECTOTYPE ♀ with labels: 'Type and 'Bugaba.; 8-1500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Adippe; inaequalis; Fowler. TYPE' and the B.C.A. label.

There are two other females and two specimens without abdomens from the type-series in the collection.

inaequalis (Cyrtolobus) Fowler, 1896c : 142. Holotype ♂ with labels: 'Type' and 'Xucumanatlan.; Guerrero.; 7000 ft.; July. H. H. Smith' and 'Brit. Mus.; 1904-55.' and 'Cyrtolobus; inaequalis. Fowler; TYPE.' and the B.C.A. label.

inaequalis (Entylia) Butler, 1877a : 211. LECTOTYPE ♀ with labels: 'Type' and 'Guatemala; 5000' and '75.28.' and 'E. inaequalis.; Butler Type,'.

There is a male from the type-series in the collection.

inaequalis (Ochropepla) Fowler, 1894c : 44. LECTOTYPE ♂ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ochropepla; inaequalis; Fowler. TYPE' and the B.C.A. label.

There are another male and eight females from the type-series in the collection.

incerta (Darnis) Walker, 1858b : 149. Holotype ♀ with labels: 'Type' and 'Mex.; 56; 143' and 'DARNIS INCERTA.'

incisa (Entylia) Walker, 1851a : 548. Holotype with labels: 'Type' and '38.' and '38.' and '9. ENTYLIA INCISA.'

The abdomen is missing.

incongrua (Combophora) Walker, 1858c : 340. LECTOTYPE ♀ with labels: 'Type' and 'Tun-; antin; 57; 125' and 'COMBOPHORA INCONGRUA.'

inconspicua (Adippe) Fowler, 1896b : 135. LECTOTYPE ♀ with labels: 'Type' and 'David; Chiriqui.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Adippe; inconspicua; Fowler TYPE' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There is another female from the type-series in the collection.

inconspicua (Aphetea) Fowler, 1895d : 95. LECTOTYPE ♀ with labels: '♀' and 'Cahabon.; Vera Paz.; Champion.' and 'Aphetea; inconspicua; Fowler. TYPE; ♀' and the B.C.A. label.

There is also a male from the type-series in the collection which previously bore the 'Type' label; it is not selected as lectotype as Fowler stated in his description that '... the male... may belong to a separate species...'

inconspicua (Bolbonota) Fowler, 1894b : 18. LECTOTYPE ♂ with labels: 'Type' and 'Teapa.; Tabasco.; Feb. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Bolbonota; inconspicua Fowler; TYPE' and the B.C.A. label.

The tegmina are missing and the abdomen is glued separately. There are three other males from the type-series in the collection.

inconspicuous (Ischnocentrus) Buckton, 1903a : 255. Holotype ♀ with labels: 'Type' and 'Cachabé.; low C., xii. 96; (Rosenberg).' and 'Pogon; inconspicuum; γ.' and 'Ischnocentrus; inconspicuous; (type) Buckt.'

incurvatum (Pogon) Buckton, 1903a : 248. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Pogon.; incurvatum; n.; Ceylon; type.'

The posterior pronotal process is broken and the tegmina are damaged.

indecisa (Entylia) Walker, 1851a : 549. LECTOTYPE ♀ with labels: 'Type' and 'Trenton; Falls.' and '41.; 5.17.; 308' and 'E. Doubleday.; Trenton Falls.; New York.'

There is another specimen from the type-series in the collection; its abdomen is missing.

indeterminata (Darnis) Walker, 1858b : 148. Holotype ♀ with labels: 'Type' and 'Santar; em; 53; 72.' and 'DARNIS INDETERMINATA.'

indicans (Goddefroyinella) Distant, 1916d : 22. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Gayandah; Queensland' and 'Goddefroyinella; indicans; type Dist.'

There are two other females and a male from the type-series in the collection.

indicans (Oxyrhachis) Walker, 1858b : 128. Holotype ♂ with labels: 'Type' and 'Ceylon; 54 38' and 'OXYRHACHIS INDICANS.'

The posterior pronotal process is missing.

infixa (Darnis) Walker, 1858b : 149. Holotype ♀ with labels: 'Type' and 'Venez.; 55.89.' and 'DARNIS INFIXA.'

The posterior pronotal process and the left tegmen are damaged.

inflatus (Sphongophorus) Fowler, 1894c : 30. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'S. Geronimo.; Guatemala.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Sphongophorus; (Lecythifera) inflatus; Fowler. ♂ TYPE' and the B.C.A. label.

There are three other males and two females from the type-series in the collection.

insignis (Bolbonota) Fowler, 1894b : 17. LECTOTYPE ♀ with labels: 'Type' and 'Bugaba,; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Bolbonota; insignis. Fowler; TYPE' and the B.C.A. label.

There are seventeen other specimens from the type-series in the collection.

insignis (Ceresa) Walker, 1858a : 67. LECTOTYPE ♀ with labels: 'Type' and 'insignis Walk'.

The abdomen is partially eaten away.

insignis (Leptocentrus) Distant, 1908g : 32. Holotype ♂ with labels: 'Type' and '29' and 'Distant Coll.; 1911-383.' and 'Muching; Dec. 10; 1903' and 'Leptocentrus; insignis.; type Dist.'.

insignis (Parapogon) Distant, 1916a : 153. LECTOTYPE ♀ with labels: 'Type' and 'Ceylon.; Nuwara.; Eliya.; 1911-301.' and 'Telingana; insignis; type Dist.'.

There are two other females from the type-series in the collection.

insignis (Platybelus) Distant, 1916c : 326. Holotype ♀ with labels: 'Type' and 'Nyassa.; 77.103' and 'Platybelus; insignis; type Dist.'.

insignis (Tragopa) Fowler, 1895c : 85. LECTOTYPE ♀ with labels: 'Type' and 'Bugaba,; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Tragopa; insignis; Fowler. TYPE' and the B.C.A. label.

There are another female and a male from the type-series in the collection.

insolita (Stegaspis) Walker, 1858a : 109. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'insolita'.

The anterior pronotal horn is broken and the right tegmen lost. The generic name is mis-spelt in the description.

insularis (Sertorius) Distant, 1916d : 26. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'New Brit' and 'Sertorius; insularis; type Dist.'.

There are three other females from the type-series in the collection.

intectus (Dysyncritus) Fowler, 1895b : 81. LECTOTYPE ♀ with labels: 'Type' and 'Teapa,; Tabasco.; March. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Dysyncritus; intectus Fowler; TYPE.' and the B.C.A. label.

There is a male from the type-series in the collection.

integra (Ceresa) Walker, 1858a : 67. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'integra Walk'.

The abdomen is partially eaten away and the pronotum is damaged.

intermedia (Aspona) Fowler, 1894c : 51. Holotype ♀ with labels: 'Type' and 'Bugaba,; 800-1500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aspona; intermedia; Fowler. TYPE' and the B.C.A. label.

intermedia (Physoplia) Walker, 1858a : 66. LECTOTYPE ♂ with labels: 'Type' and '91.; 118.' and 'intermedia Walk' and another label which is illegible.

intermedia (Triquetra) Distant, 1881d : 223. LECTOTYPE ♀ with labels: 'Type' and 'de Savanna; à Bogota; Dr. O. Thieme 1877' and 'Distant Coll.; B.M. 1911-383.' and 'intermedia; Dist' and 'Triquetra; intermedia,; (type) Dist.'.

There is another female from the type-series in the collection.

intermedius (Otinotoides) Distant, 1916d : 41. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Buckton; (Collection)' and 'Largs Bay; 19.2.84; Tepper; 10' and 'Centrotus; intermedia' and 'Otinotoides; intermedius; type Dist.'.

There are six other females and two specimens without abdomens from the type-series in the collection.

interna (Aconophora) Walker, 1851a : 541. Holotype ♀ with labels: 'Type' and 'Brasil.' and '1878' and '19. ACONOPHORA INTERNA,'.

The posterior pronotal process is broken.

interrupta (Polyglypta) Walker, 1851a : 545. Holotype ♂ with labels: 'Type' and 'Colum-; bia; 47; 25' and '14. POLYGLYPTA INTERRUPTA,'.

invarius (*Centrotus*) Walker, 1851a : 621. Holotype ♂ with labels: 'Type' and '1897' and 'Chi' and '55. CENTROTUS INVARIUS,'.

The head is missing.

irvinei (*Kanada*) Distant, 1908g : 75. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ranchi; Irvine.' and 'Kanada; irvinei; type Dist'.

isabellina (*Trachytalis*) Fowler, 1895e : 115. LECTOTYPE ♂ with labels: 'Type' and 'Chilpancingo.; Guerrero.; 4600 ft.; June. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Trachytalis; isabellina. Fowler; TYPE' and the B.C.A. label.

The right tegmen is lost. There are three other males and four females from the type-series in the collection.

jacobsoni (*Leptocentrus*) Funkhouser, 1927b : 12. Holotype ♀ with labels: 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1926; leg. E. Jacobson.' and 'Brit. Mus.; 1926-401.' and 'HOLOTYPE ♀; Leptocentrus Jacobsoni; W. D. Funkhouser'.

The allotype is also in the collection.

jucundus (*Centrotus*) Walker, 1851a : 620. Holotype ♂ with labels: 'Type' and 'Jamaica; 45; 110' and '52. CENTROTUS JUCUNDUS,'.

juncta (*Membracis*) Walker, 1858a : 59. LECTOTYPE ♀ with labels: 'Type' and 'Para' and 'juncta Walk'.

kamaonensis (*Tricentrus*) Distant, 1916a : 163. Holotype ♀ with labels: 'Type' and 'Pusa Coll.; 1915-164.' and 'Bhimtal; Kamaon; 10-5-1912' and 'Tricentrus; Kamaonensis; type Dist.'.

kandyiana (*Parapogon*) Distant, 1908g : 22. Holotype ♀ with labels: 'Type' and 'Kandy; Ceylon, 6.02' and 'Kandyiana; type Dist'.

kartabensis (*Rhexia*) Haviland, 1925a : 244. Holotype ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; June, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Rhexia; Kartabensis; Haviland'.

The pronotum is damaged.

kempi (*Hypsauchenia*) Distant, 1916a : 148. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Assam; Cherrapungi; (S. W. Kemp)' and 'Hypsauchenia; kempi; type Dist'.

kriegeli (*Tricentrus*) Funkhouser, 1932a : 118. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360' and 'B.N. BORNEO.; Mt. Kinabalu.; Kenokok.; 3,300 ft.; 24th Apr. 1929.; H. M. Pendlebury; coll.; F.M.S. Museums.' and 'HOLOTYPE; Tricentrus kriegeli; W. D. Funkhouser'.

laeta (*Enchenopa*) Walker, 1851a : 494. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; 43; 86.' and '42. ENCHENOPE LAETA,'.

The posterior pronotal process is missing. There is another female from the type-series in the collection.

lagosensis (*Neoxiphistes*) Distant, 1913 : 515 (Trans. Ent. Soc. Lond. vol. 46) LECTOTYPE ♀ with labels: 'Co-; type' and '50. Dec. 8. 1911.; 9 crowded on; same stem.; Lagos, 70m. E.; Forest, c. 1m. E. of; Oni. Wet S. c. mid; Mch. - Dec. 8. 1911.; W. A. Lamborn.' and 'CO-TYPE.; DISTANT.; Neoxiphistes; lagoensis'.

The posterior pronotal process is broken.

lamborni (*Oxyrhachis*) Distant, 1916d : 19. Holotype ♂ with labels: 'Type' and 'S. Nigeria.; 27.1.14.; W. A. Lamborn.' and '191-505' and 'Oxyrhachis; lamborni; type Dist'.

lata (*Aconophora*) Walker, 1858a : 69. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'lata Walk'.

lata (*Hemiptycha*) Walker, 1851a : 571. Holotype ♀ with labels: 'Type' and '45; 125' and '18. HEMIPTYCHA LATA,'.

laticorne (*Aconophora*) Walker 1858b : 134. LECTOTYPE ♂ with labels: 'Type' and 'Mex.; 56; 143' and 'ACONOPHORA LATICORNE,'.

There are two other males from the type-series in the collection.

laticornis (*Centruchoides*) Fowler, 1896e : 162. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Centruchoides; ♀ laticornis Fowler; TYPE.' and the B.C.A. label.

The abdomen is glued separately. There are two other females and a male from the type-series in the collection.

latifrons (*Horiola*) Walker, 1851a : 588. Holotype ♂ with labels: 'Type' and 'Colombia' and 'Colum; bia; 47; 25' and '10. HORIOLA LATIFRONS.'

The type was described erroneously as female. The left tegmen is lost and the posterior pronotal process is broken.

latifrons (*Ictaranthe*) Fowler, 1895b : 79. Holotype ♀ with labels: 'Type' and 'Bugaba.; 800-1500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Iktaranthe [sic]; latifrons Fowler.; TYPE.' and the B.C.A. label.

The specimen is badly damaged.

latilinea (*Darnis*) Walker, 1858b : 147. LECTOTYPE ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.; 57-43.' and 'DARNIS LATILINEA.'

There is another female from the type-series in the collection.

latimargo (*Centrotus*) Walker, 1857b : 163. LECTOTYPE ♀ with labels: 'Type' and 'SAR.' and 'Borneo; 57; 36' and 'CENTROTUS LATIMARGO.'

latoi (*Darnis*) Fowler, 1894c : 52. LECTOTYPE ♂ with labels: 'Type' and 'V. de Chiriqui, 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Darnis; latoi Fowler.; TYPE' and the B.C.A. label.

There is a damaged female from the type-series in the collection.

latipennis (*Centrotus*) Walker, 1851a : 607. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; 43; 86' and '20. CENTROTUS LATIPENNIS.'

latipes (*Aethalion*) Walker, 1851b : 649. Holotype ♀ with labels: 'Type' and 'Colum; bia; 43; 64.' and '8. AETHALION LATIPES.'

The left wing and tegmen are glued separately.

lativitta (*Umbonia*) Walker, 1851a : 520. Holotype ♀ with labels: 'Type' and 'Brazil; 48; 5.' and '15. UMBONIA LATIVITTA.'

latus (*Tricentrus*) Funkhouser, 1927b : 5. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Gunung Singgalang; Sumatra's Westkust); 1800M. vii 1925; leg. E. Jacobson.' and 'HOLOTYPE; Tricentrus latus; ♀ W. D. Funkhouser'.

laxatus (*Centrotus*) Distant, 1916b : 155. Holotype ♀ with labels: 'Type' and 'Natal.; Durban.; J. P. Cregoe.; 1904-46.' and 'Centrotus; laxatus; type Dist.'

lefroyi (*Oxyrhachis*) Distant, 1916a : 147. LECTOTYPE ♀ with labels: 'Type' and '79' and 'H. M. Lefroy' and 'Pusa Coll.; 1915-164.' and 'Oxyrhachis; lefroyi; type Dist.'

There are two other females from the type-series in the collection.

lepida (*Smilia*) Walker, 1858b : 133. Holotype ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; J. Gray.; 57 : 57.' and 'SMILIA LEPIDA'.

leucaspis (*Centrotus*) Walker, 1858b : 158. LECTOTYPE with labels: 'Type' and 'Centrotus leucaspis'.

The abdomen is missing.

leucotelus (*Heteronotus*) Walker, 1858b : 155. Holotype ♀ with labels: 'Type' and 'Ega; 57; 20' and 'HETERONOTUS LEUCOTELUS.'

leucotelus (*Heteronotus*) Walker, 1858c : 339. Holotype ♀ with labels: 'Type' and 'Ega; 57; 125' and 'HETERONOTUS LEUCOTELUS' and 'H. parvinodis; Butler Type; nom. nov.'. [Butler, 1878a : 361].

lignicola (*Oxyrhachis*) Buckton, 1903a : 224. LECTOTYPE ♂ with labels: 'Type' and '757' and 'Ramisaram; S. India. 3.01' and 'Oxyrhachis; lignicola Buckt.; Ceylon.; Type'.

There are four other males and four females from the type-series in the collection.

limbatus (*Centrotus*) Walker, 1857b : 163. LECTOTYPE ♀ with labels: 'Type' and 'SAR' and 'Wallace' and 'limbatus Walk'.

lineifrons (*Stictopelta*) Fowler, 1895a : 58. LECTOTYPE ♀ with labels: 'Type' and 'Temax; N. Yucatan.; Gaumer.' and 'Brit. Mus.; 1904-55.' and 'Stictopelta; lineifrons Fowler; TYPE' and the B.C.A. label.

There are another female and two males from the type-series in the collection.

lineola (*Darnis*) Walker, 1858b : 146. Holotype ♀ with labels: 'Type' and 'Mexico.' and 'Mexico; 53; 86' and 'DARNIS LINEOLA.'

lineosa (*Aconophora*) Walker 1858b : 134. Holotype ♀ with labels: 'Type' and 'N; Amer' and 'ACONOPHORA LINEOSA.'

The left tegmen is missing.

lineosa (*Oxygonia*) Walker, 1862a : 318. LECTOTYPE ♂ with labels: 'Type' and 'Rio' and 'Miss Pascoe; 96-41.' and 'Oxygonia; lineosa; type Walk'.

There is a female from the type-series in the collection.

longa (*Enchenopa*) Walker, 1851a : 486. Holotype ♀ with labels: 'Type' and 'Brazil.' and 'Brasil; 43; 88' and '28. ENCHENOPE LONGA,'.

The anterior pronotal process is broken and the head is displaced.

longa (*Hemiptycha*) Walker, 1851a : 570. Holotype ♀ with labels: 'Type' and '45; 125' and '17. HEMIPTYCHA LONGA,'.

Both wings are missing.

longicornis (*Xiphistes*) Distant, 1908h : 212. LECTOTYPE ♂ with labels: 'Co-; type' and '1906; 5353' and 'Distant Coll.; 1911-383.' and 'S. E. RHODESIA; Melsetter, Gaza-; land. about 3600; ft. Mt. Chirinda; (in the forest); Capt. 3-5.x.05; and pres. 1906 by; Guy Marshall.' and 'longicornis; Dist.'.

longispinus (*Leptocentrus*) Distant, 1908g : 31. Holotype ♀ with labels: 'Type' and 'Burm' and '68.4' and 'Leptocentrus; longispinus; type Dist.'.

lucillodes (*Metheisa*) Fowler, 1896b : 132. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and '9' and 'Metheisa; lucillodes; Fowler. TYPE.' and the B.C.A. label.

The left tegmen is missing. There is another female and four males from the type-series in the collection.

ludicrus (*Sphongophorus*) Walker, 1858a : 63. LECTOTYPE ♀ with labels: 'Type' and 'Para' and '91; 118' and 'ludicrus Walk'.

The anterior pronotal process is broken. The generic name is misspelt in the description.

lugubrina var. **parallela** (*Micrutalis*) Fowler, 1895e : 120. LECTOTYPE ♂ with labels: 'Type' and 'Quezaltenango; 7800 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Micrutalis; lugubrina. Stal; v. parallela; Fowler. TYPE' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot.

lutea (*Thelia*) Walker, 1851a : 559. LECTOTYPE ♂ with labels: 'Type' and 'N. Amer' and 'Ent. Club.; 44-12.' and '13. THELIA LUTEA,'.

There are another male and a female from the type-series in the collection; both this male and the type have the genitalia mounted on cover slips.

luteinervis (*Leptocentrus*) Funkhouser, 1936c : 245. Holotype ♀ with labels: 'Type' and '275' and 'Brit. Mus.; 1936-222.' and 'On Michelia; champaca.' and 'Bagdogra Range; Kurseong, Bengal; N. C. Chatterjee.; 27.vi.1935' and 'HOLOTYPE; Leptocentrus luteinervis; W. D. Funkhouser.'

luteus (*Sphaerocentrus*) Buckton, 1903a : 244. Holotype ♂ with labels: 'Type' and '2114; 21' and 'Sandy Creek; Hakersanhans; 20.10.88. Tepper' and 'Sphaerocentrus in monogr.; Campylocentrus; luteus Buckt type'.

mabirensis (*Hamma*) China, 1923b : 463. LECTOTYPE ♀ with labels: 'Type; H.T.' and 'Mabira; Uganda; R. A. Dummer' and '25.x.1922.; Brit. Mus.; 1923-1.' and 'Hamma; mabirensis China; Type'.

There is another female from the type-series in the collection: both specimens are badly damaged.

maculata (Adippe) Distant, 1879a : 11. Holotype ♀ with labels: 'Type' and 'Irazu; 6-7000 ft.; H. Rogers.' and 'Maculata; Dist; (type)' and 'Adippe; maculata; Distant. TYPE' and a B.C.A. label.

maculata (Gargara) Funkhouser, 1936c : 249. Holotype ♀ with labels: 'Type' and '232' and 'North; Andaman.; C. F. C. Beeson; 11.3.1930' and 'HOLOTYPE; Gargara maculata; W. D. Funkhouser'.

The type is erroneously described as male.

maculipennis (Centrotoscelus) Funkhouser, 1933a : 579. Holotype ♂ with labels: 'Type' and 'MALAY PENINS.; PAHANG, F.M.S.; Fraser's Hill 4000 ft.; Feb: 1st 1929.; H. M. Pendlebury; F.M.S.; Museums.' and 'Ex F.M.S.; Museum; B.M. 1955-354' and 'Centrotoscelus; maculipennis; Funkhouser; HOLOTYPE'.

The allotype and two other males from the type-series are in the collection.

maculosa (Parayasa) Distant, 1916a : 177. LECTOTYPE ♀ with labels: 'Type' and 'Nandidrug.; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and '107' and 'Parayasa; maculosa; type Dist.'.

There is another female from the type-series in the collection.

maculosa (Pterygia) Walker, 1858a : 65. LECTOTYPE ♀ with labels: 'Type' and 'Amaz' and 'maculosa Walk'.

The pronotum is damaged and the abdomen is glued separately.

magna (Cryptaspidia) Funkhouser, 1927h : 254. Holotype ♀ with labels: 'MALAY PENIN;; Selangor.; Bukit Kutu; 3500 ft.; April 19th 1926.; H. M. Pendlebury.; EX COLL: F.M.S.; MUSEUMS.' and '154' and 'Brit. Mus.; 1930-324.' and 'HOLOTYPE; Cryptaspidia magna; W. D. Funkhouser'.

major (Phacusa) Fowler, 1895d : 111. LECTOTYPE ♂ with labels: 'Type' and 'V. de Agua; 85-10500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Phacusa; major. Fowler; TYPE.' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot. There are two other females from the type-series in the collection.

major (Sextius) Distant, 1916d : 34. LECTOTYPE ♀ with labels: 'Type' and 'Peak-Downs.' and 'Distant Coll.; 1911-383.' and 'Sextius; major; type Dist.'.

There are three other females and a specimen without an abdomen from the type-series in the collection also.

majuscula (Gargara) Distant, 1908g : 61. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Mungphu.' and 'Gargara; majuscula; type Dist.'.

malleator (Centrotus) Walker, 1851a : 612. Holotype ♂ with labels: 'Type' and 'Java; 46; 108' and '40. CENTROTUS MALLEATOR,'.

The right tegmen is missing

malleifera (Microtalis) Fowler, 1895e : 118. Holotype with labels: 'Type' and 'Orizaba.; H. S. & F. D. G.; Dec. 1887.' and 'Brit. Mus.; 1904-55.' and 'Microtalis; malleifera; Fowler. TYPE' and the B.C.A. label.

The type is lost: only the pin and labels remain. There are no other specimens from the type-series in the collection.

malleolus (Centrotus) Walker, 1851a : 614. Holotype ♂ with labels: 'Type' and 'Java; 50; 44' and '42. CENTROTUS MALLEOLUS'.

malleus (Centrotus) Walker, 1851a : 613. Holotype ♂ with labels: 'Type' and 'Ceylon; 50; 56.' and '41. CENTROTUS MALLEUS'.

The head is damaged by the pin.

mangiferana (Oxyrhachis) Distant, 1916a : 147. LECTOTYPE ♀ with labels: 'Type' and 'United Prov.; Forest Dept.; Dehra Dun.; Dr. A. W. Imms.; 1915-228.' and '242' and 'For

Zool Coll; Surajbagh; Dehra Dun; 1-4-1912; on mango; leaf. Coll. by.; office Collector.' and 'Oxyrachis [sic]; mangiferana; type Dist.'

There is another female from the type-series in the collection, its pronotum is damaged.

manni (*Hypsauchenia*) Distant, 1916a : 149. Holotype ♂ with labels: 'Type' and 'Pussumbing; Darjeeling; 4700 ft 26/11/06.' and 'Hypsauchenia; manni; type Dist.'

margherita (*Parayasa*) Distant, 1916a : 180. Holotype ♀ with labels: 'Type' and 'Margherita; 9095' and 'Distant Coll.; 1911-383.' and 'Parayasa; margherita; type Dist.' and 'Gargara; margherita; (DIST.); det. CAPENER'.

marginalis (*Membracis*) Walker, 1851a : 479. Holotype ♂ with labels: 'Type' and 'Para; 48; 133.' and '29. MEMBRACIS MARGINALIS,'.

Erroneously described as female; the head is missing.

marginata (*Aconophora*) Walker, 1851a : 540. Holotype with labels: 'Type' and 'Mexico; 46; 33' and '16. ACONOPHORA MARGINATA,'.

The abdomen is missing.

marshalli (*Centrotus*) Distant, 1916b : 154. LECTOTYPE ♂ with labels: 'Type' and '1903; 2464' and 'SALISBURY; 5000 feet; Mashonaland.; Capt. Apr. 1903; & pres. 1903 by; Guy Marshall.' and 'Centrotus; marshalli; type Dist.'

There are also two females from the type-series in the collection.

matangensis (*Centrotus*) Distant, 1916c : 323. LECTOTYPE ♂ with labels: 'Type' and '30' and 'Distant Coll.; 1911-383.' and 'Matang; Jan.; 199' and 'Centrotus; matangensis; type Dist.'

There is a female from the type-series in the collection.

media (*Physoplia*) Walker, 1851a : 516. LECTOTYPE ♂ with labels: 'Type' and 'mexico; 48; 11' and '2. PHYSOPLIA MEDIA,'.

There are two other males from the type-series in the collection.

melaleuca (*Enchenopa*) Walker, 1858a : 59. LECTOTYPE ♀ with labels: 'Type' and 'Mex' and '68.4' and 'melaleuca Walk'.

melanocephala (*Scaphula*) Fowler 1895c : 83. Holotype ♀ with labels: 'Type' and '26' and 'Bugaba.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Scaphula; melanocephala.; Fowler. TYPE.' and the B.C.A. label.

mephistopheles (*Leptocentrus*) Buckton, 1903a : 235. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'SIKKIM; 2800; Aug. 1895.; J. G. PILCHER,' and 'Centrotus; substitutus; W.' and 'Leptocentrus; mephistopheles; type Buckt.'

It is badly damaged.

merinjakensis (*Eligius*) Distant, 1916b : 153. LECTOTYPE ♀ with labels: 'Type' and 'Sarawak; Museum.; 1914-415.' and 'Mt. Merinjak; Alt. 600 ft; May 18 1914.' and 'Eligius; merinjakensis; type Dist.'

There are another female and a male from the type-series in the collection.

midas (*Otinotus*) Buckton, 1903a : 233. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'PERAK, DOHERTY.' and 'Centrotus; midas; bu'.

mimica (*Membracis*) Walker, 1858b : 123. LECTOTYPE ♂ with labels: 'Type' and 'Decr. 1856.; J. Gray.; 57.57' and 'MEMBRACIS MIMICA.'

There is another male from the type-series in the collection.

mimicus (*Otinotus*) Distant, 1916a : 159. LECTOTYPE ♀ with labels: 'Type' and 'L.; 4.15.' and '416' and 'Nilgiri Hills; S. India; T. V. Campbell' and 'Otinotus; mimicus; type Dist.'

There are four other females and a male from the type-series in the collection.

minamen (*Enchenopa*) Buckton, 1901a : 51. LECTOTYPE ♂ with labels: 'Type' and 'Cachabé; low c., XI. 96.; (Rosenberg).' and 'Enchenopa minamen'.

There are four females from the type-series in the collection. All five specimens have the anterior pronotal horn missing.

minor (Bilimekia) Fowler, 1895f : 128. LECTOTYPE ♂ with labels: 'Type' and 'Bilimek; Mexico 83.' and '465' and 'Brit. Mus.; 1904-55.' and the B.C.A. label.

minor (Hypamastris) Fowler, 1895d : 93. LECTOTYPE ♂ with labels: 'Type; H.T.' and 'Teapa; Tabasco; H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Hypamastris; minor. Fowler; TYPE.' and the B.C.A. label.

The locality label is duplicated. One of two males glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are two other males from the type-series in the collection.

minor (Philya) Fowler, 1894b : 22. LECTOTYPE ♂ with labels: 'Type' and 'Cerro Zunil; 4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Philya; minor Fowler.; TYPE' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot. There are two other males from the type-series in the collection.

minor (Tropidocyta) Buckton, 1901a : 53. LECTOTYPE ♀ with labels: 'Type' and 'B; 227' and 'Miers Coll.' and 'Tropidocyta; minor'.

The specimen is completely shattered and the fragments glued separately to a card.

minusculus (Centrotus) Walker, 1870a : 191. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Sul' and 'Sula; Wallace' and 'minusculu'.

minuticornis (Otinotoides) Funkhouser, 1935d : 431. Holotype ♀ with labels: 'Type; H.T.' and 'SOLOMON IS.; Su'u; Mala; R. A. Lever; 24.v.1934; 2992' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-224.' and 'Otinotoides; minuticornis; HOLOTYPE; W. D. Funkhouser'.

The allotype and twenty-four other paratypes are in the collection also.

minutus (Micrutalis) Buckton, 1902a : 178. LECTOTYPE ♀ with labels: 'Type' and 'Cachabé; low c., I. 97.; (Rosenberg).' and 'Micrutalis; minutus; m.'.

mira (Entylia) Butler, 1877a : 211. Holotype ♀ with labels: 'Type' and 'Mexico' and 'Mex' and '68.4' and 'E. mira; Butler Type'.

The tip of the anterior pronotal process is broken.

mixta var. *nandidrugana (Gargara)* Distant, 1916a : 171. LECTOTYPE ♀ with labels: 'Type' and '105 N. Dg; 10.13' and 'S. India.; E. A. Butler.; 1915-60.' and 'Nandidrug.; S. India.; T. V. Campbell.' and 'Gargara; mixta Buckt.; var. nandidrugana; Dist.'.

There is another female from the type-series in the collection.

mixtus (Maerops) Buckton, 1903a : 257. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and '522' and 'Balangoda; Ceylon. I. 1901' and 'bs' and 'Bachybelus; mixtus; type'.

There is another female from the type-series in the collection.

modesta (Parayasa) Distant, 1916a : 181. Holotype ♂ with labels: 'Type' and 'Nilgiri Hills; S. India; T. V. Campbell' and '476' and 'Parayasa; modesta; type Dist.'.

molaris (Telamona) Butler, 1877a : 222. Holotype ♂ with labels: 'Type' and 'Saskat; chewan; 60; 57.' and 'T. molaris; Butler Type'.

monstrifer (Centrotus) Walker, 1858a : 80. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Hunt R.' and 'monstrifer Walk'.

The abdomen is glued separately.

montifer (Centrotus) Walker, 1851a : 620. Holotype ♀ with labels: 'Type' and 'Hong; Kong; 48; 60' and '53. CENTROTUS MONTIFER,'.

mounseyi (Ibiceps) Distant, 1916b : 150. LECTOTYPE ♀ with labels: 'Type' and '643.' and 'Philippine Is.; J. J. Mounsey.; 1912-181.' and 'Ibiceps; mounseyi; type Dist.'.

There is another female from the type-series in the collection.

muri (Centrotusoides) Distant, 1916d : 30. Holotype ♀ with labels: 'Type' and 'Sharp Coll; 1905-313.' and 'Durban.; F. Muir. 1902.' and 'g' and 'Centrotusoides; muri; type Dist.'.

There are three apical cells in the tegmina, not four as stated in the description.

multiformis (*Umbonia*) Walker, 1858b : 129. LECTOTYPE ♀ with labels: 'Type' and 'mex.; 56; 143' and 'UMBONIA MULTIFORMIS.'

munda (*Parmula*) Walker, 1858b : 152. LECTOTYPE ♀ with labels: 'Type' and 'Mex; 56; 143' and 'PARMULA MUNDA.'

munda (*Poppea*) Fowler, 1895d : 101. LECTOTYPE ♂ with labels: 'Type' and 'Caldera.; 1200 ft.; Champion.' and 'Poppaea [sic]; munda Fowler; TYPE' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot.

mus (*Ophiderma*) Fowler, 1896c : 143. Holotype ♀ with labels: 'Type' and 'Quiche Mts.; 7-9000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ophiderma; n.s.' and 'Ophiderma; mus. Fowler; TYPE.' and the B.C.A. label.

mutilus (*Tricentrus*) Distant, 1916a : 168. Holotype ♀ with labels: 'Type' and 'Maymyo V. 10; H. L. Andrewes' and 'Ind. Mus.' and 'Tricentrus; mutilus; type Dist.'

myittae (*Gargara*) Distant, 1908g : 64. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Gargara; myittae; type Dist.'. There is another female from the type-series in the collection.

naturalis (*Tshaka*) Distant, 1908h : 214. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Lydenburg Distr.; (Krantz)' and 'Tshaka; naturalis; type Dist.' and 'Tricoceps; quadripunctatus; STAL.; det. CAPENER 1963'.

There are five apical cells in the tegmina, not four as stated in the description.

nectaris (*Centrotus*) Buckton, 1903a : 246. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and '479' and 'da' and 'Centrotus; nectaris; Green; type.'

There are two other females and three males from the type-series in the collection.

neglecta (*Tropidocyta*) Haviland, 1925a : 237. Holotype ♂ with labels: 'Type' and 'Kartabo; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Tropidocyta; neglecta; Haviland'.

Erroneously stated in the description as being female.

neuter (*Polocentrus*) Buckton, 1903a : 254. Holotype ♀ with labels: 'Type' and 'Madras' and 'Polocentrus; neuter Buckt; type...'

The last word of the above label is illegible. The posterior pronotal process is broken and the legs are missing.

nigerrima (*Hypsoprora*) Fowler, 1894c : 25. Holotype ♂ with labels: 'Type' and 'El Zumbador; 2500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hypsoprora; nigerrima ♂; Fowler. TYPE' and the B.C.A. label.

nigricornis (*Aconophora*) Fowler, 1895a : 64. LECTOTYPE ♀ with labels: 'Type' and 'S. Geronimo; Guatemala.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; nigricornis; Fowler. TYPE' and the B.C.A. label.

There are two other females from the type-series in the collection.

nigricornis (*Ceresa*) Fowler, 1895d : 104. LECTOTYPE ♀ with labels: 'Type' and '23' and 'Teapa.; Tabasco.; March. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Ceresa; nigricornis; Fowler. TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

nigrifrons (*Stictopelta*) Fowler, 1895a : 58. LECTOTYPE ♂ with labels: 'Type' and 'Temax.; N. Yucatan.; Gaumer.' and 'Brit. Mus.; 1904-55.' and 'Stictopelta; nigrifrons Fowler; TYPE' and the B.C.A. label.

There are two other males from the type-series in the collection.

nigrinervis (*Acutalis*) Fowler, 1895e : 114. LECTOTYPE ♂ with labels: 'Type' and 'Orizaba.; H. S. & F. D. G.; Dec. 1887.' and 'Brit. Mus.; 1904-55.' and 'Acutalis; nigrinervis. Fowler; TYPE' and the B.C.A. label.

One of two males glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are seven other males and a female from the type-series in the collection.

nigris (*Emphusis*) Funkhouser, 1939b : 377. Holotype ♂ with labels: 'Type' and 'Ex F.M.S.; Museum.; B.M. 1955-354.' and 'MALAYA; PERAK F.M.S.; Larut Hills.; 5.00-1000 ft.;

23.6.1938; H. M. Pendlebury.; F.M.S.; Museums Coll.,' and 'HOLOTYPE; Emphusis nigris; W. D. Funkhouser'.

nigris (Leptobelus) Funkhouser, 1929a : 473. Holotype ♂ with labels: 'Brit. Mus.; 1930-324.' and 'N. BORNEO.; BETTOTAN.; NR. SANDAKAN.; Aug; 23rd 1927.; C. B. K. & H. M. H.; F.M.S.; Museums.' and 'HOLOTYPE; Leptobelus nigris; W. D. Funkhouser'.

nigrivittata (Aconophora) Walker, 1851a : 539. LECTOTYPE ♀ with labels: 'Type' and '39; 7.17.; 972.' and '14. ACONOPHORA NIGRIVITTATA,'.

The pronotum is damaged and the abdomen is mounted separately. There is another female from the type-series in the collection.

nigroapicalis (Tricentrus) Funkhouser, 1927b : 3. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1924-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1924; leg. E. Jacobson.' and 'HOLOTYPE; Tricentrus nigroapicalis; ♀ W. D. Funkhouser'.

nigrocuprea (Enchenopa) Walker, 1858a : 60. LECTOTYPE with labels: 'Type' and 'Rio' and '68.4' and 'Rio' and 'nigrocuprea Walk'.

The abdomen is missing and the tip of the anterior pronotal process is broken.

nigromaculata (Gargara) Funkhouser, 1927b : 10. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1925; leg. E. Jacobson.' and 'HOLOTYPE ♀; Gargara nigromaculata; W. D. Funkhouser'.

The allotype is also in the collection.

nigropictus (Oxyrhachis) Distant, 1916d : 20. Holotype with labels: 'Type' and '1912-193' and 'Brit. E. Africa.; Valley of; Upper Nzoia R.; N. Kavirondo.' and '5,100-5,400 ft.; June 5-7, 1911.; S. A. Neave.' and 'Oxyrhachis; nigropictus; type, Dist.'.

The abdomen is missing and the posterior pronotal process is broken and glued separately.

nigrorufa (Hemiptycha) Walker, 1858b : 143. Holotype ♂ with labels: 'Type' and 'Mexico; 53; 86' and 'HEMIPTYCHA NIGRO-RUFA.'.

nigrorufus (Otinotus) Distant, 1916b : 153. LECTOTYPE ♀ with labels: 'Type' and '1912-193' and 'Uganda Prot.; near Masindi.; 3,500 ft.; 15-19 Dec. 1911.; S. A. Neave.' and 'Otinotus; nigrorufa; type Dist.'.

There are seven other females and two specimens without abdomens from the type-series in the collection.

nigrostrigata (Microschema) Buckton, 1901a : 92. LECTOTYPE ♀ with labels: 'Type' and 'Columbia; Quito [sic]' and 'Triquetra; nigrostrigata'.

nigrovittata (Ceresa) Fowler, 1895d : 104. LECTOTYPE ♀ with labels: 'Type' and 'Sabo;; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ceresa; nigrovittata; Fowler. TYPE' and the B.C.A. label.

There are three males and another female from the type-series in the collection.

nilgiriensis (Parayasa) Distant, 1916a : 180. LECTOTYPE ♂ with labels: 'Type' and 'Nilgiri Hills; S. India; T. V. Campbell' and 'S. India.; E. A. Butler.; 1915-60.' and 'Parayasa; nilgiriensis; type Dist.'.

One of two males glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are six other males from the type-series in the collection.

nitida (Aconophora) Fowler, 1895a : 66. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'Bugaba.; 800-1,500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'A. nitida.; Fowler. TYPE' and the B.C.A. label.

There are two other females and a male from the type-series in the collection.

nitida (Chelyoidea) Buckton, 1902a : 156. LECTOTYPE ♂ with labels: 'Type' and 'Amazons; C.; b. 92' and 'TRAGOPA; nitida' and 'A single spec. from St Pauls; Amazons, in the B.M. was; placed by Butler a T. aenea?; Fairm.'.

The legs are missing.

nitida (Leioscyta) Fowler, 1894b : 14. LECTOTYPE ♀ with labels: 'Type' and 'V. de

Chiriqui, 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Leioscyta; nitida. Fowler; TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

nitidalis (Ceresa) Buckton, 1902a : 173. LECTOTYPE ♀ with labels: 'Type' and 'Heine' and 'C. nitidalis; 137'.

The specimen is teneral.

nitidus (Tricentrus) Funkhouser, 1927b : 2. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1926; leg. E. Jacobson' and 'HOLOTYPE; Tricentrus nitidus; ♀ W. D. Funkhouser'.

The allotype is also in the collection.

nivalis (Acanthuchus) Distant, 1916d : 28. LECTOTYPE ♀ with labels: 'Type' and 'III.' and 'Distant Coll.; 1911-383.' and 'Brisbane.; H. Hacker; 3/10/12' and 'Acanthusus [sic]; nivalis; type Dist.'.

There is a male from the type-series in the collection.

niveiplaga (Centrotus) Walker, 1858b : 160. LECTOTYPE ♀ with labels: 'Type' and 'Mex.; 56; 143.' and 'Centrotus niveiplaga'.

nivis (Tricentrus) Funkhouser, 1932a : 119. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360.' and 'B. N. BORNEO.; Mt. Kinabalu; Lumu Lumu.; 5,500 ft.; 7:4:1929.; H. M. Pendlebury; coll.; F.M.S. Museums.' and 'HOLOTYPE; Tricentrus nivis; W. D. Funkhouser'.

The posterior pronotal process is broken. There is a female paratype in the collection.

nodicornis (Centrotus) Germar, 1835a : 257. Holotype with labels: 'Type' and 'C. G. H; 42 77.' and '1282 "nodicornis. G.'.

The head, pronotum, abdomen and tegmina are missing.

nodipennis (Gargara) Funkhouser, 1927b : 9. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Gunung Singgalang; (Sumatra's Westkust); 1800M. vii 1925; leg. E. Jacobson.' and 'Gargara; nodipennis; HOLOTYPE ♀; W. D. Funkhouser'.

nodosus (Daunus) Buckton, 1903a : 226. Holotype with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Grahamstown; Nov. 91' and 'Oxyrhachis' and '3' and 'Daunus; nodosus; type Buckt.'.

The abdomen, wings, tegmina and posterior pronotal process are missing.

nominatus (Promitor) Distant, 1915c : 495. LECTOTYPE with labels: 'Type' and 'Pt; Natal; 60; 97' and 'Promitor; nominatus; type Dist.'.

The abdomen is missing. There is a female from the type-series in the collection.

notandus (Ophicentrus) Fowler, 1896d : 156. Holotype ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ophicentrus; notandus. Fowler; TYPE' and the B.C.A. label.

The abdomen is glued separately.

notata (Thelia) Walker, 1858a : 72. Holotype with labels: 'Type' and '-?' and 'notata Walk'.

The abdomen and tegmina are missing.

notatipennis (Micrutalis) Fowler, 1895e : 119. Holotype ♂ with labels: 'Type' and 'Chilpancingo; Guerrero, 4600 ft.; June. H. H. Smith.' and '25' and 'Brit. Mus.; 1904-55.' and notatipennis Fowler.; TYPE'.

The right wing and the tegmina are missing.

notatus (Ebhul) Funkhouser, 1927b : 17. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Gunung Singgalang; (Sumatra's Westkust); 1800M. 1925; leg. E. Jacobson.' and 'HOLOTYPE ♀; Ebhul notatus; W. D. Funkhouser'.

nubifascia (Centrotus) Walker, 1870a : 191. LECTOTYPE ♀ with labels: 'Type' and 'N.' and '68.4' and 'N. Gui; Wallace' and 'nubifascia'.

nuwarana (Machaerotypus) Distant, 1916a : 174. Holotype ♀ with labels: 'Type' and 'Ceylon.; Nuwara.; Eliya.; 1911-301.' and 'Machaerotypus; nuwarana; type Dist.'.

nyasana (Dacaratha) Distant, 1916c : 319. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Nyassa; Cotterell.' and 'Dacaratha; nyasana; type Dist.'

obesum (Tauriona) Buckton, 1903a : 259. LECTOTYPE ♀ with labels: 'Type' and 'Paramba.; 3500; III. 97.; dry season.; (Rosenberg).' and 'Taurion [sic]; obesum; m.; K.'
The tegmina are damaged.

obliqua (Thelia) Walker, 1858a : 73. LECTOTYPE ♂ with labels: 'Type' and 'Mex; gon' and 'obliqua'.

The head, abdomen, thorax, etc. are glued separately to a card.

obliquus (Centrotus) Walker, 1858a : 79. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'Ind' and 'obliquus Walk'.

The genitalia are in a glass tube beneath the specimen.

obortus (Leptocentrus) Distant, 1916a : 154. Holotype ♂ with labels: 'Type' and 'Burma; Moulmein' and 'Distant Coll.; 1911-383.' and 'Leptocentrus; obortus; type Dist.'

The head is missing.

obortus (Tshaka) Distant, 1916d : 42. LECTOTYPE ♀ with labels: 'Type' and 'Ac. -P; 548' and '1916-81' and 'Pretoria.; Transvaal.; Jan. 26. 1916' and 'Tshaka; obortus; type Dist.'

There are five other females and a male from the type-series in the collection.

obscura (Umbonia) Walker, 1851a : 517. LECTOTYPE ♀ with labels: 'Type' and '34.a.' and '3. UMBONIA OBSCURA.'

There is another female from the type-series in the collection.

obscurus (Cocosterphus) Distant, 1908g : 73. LECTOTYPE ♂ with labels: 'Type' and 'Peradeniya.; Ceylon, 1-03' and 'Distant Coll; 1911-383.' and 'Cocosterphus; obscurus; type Dist.'

There are three other females and a male from the type-series in the collection.

obstans (Centrotus) Walker, 1858b : 162. Holotype ♀ with labels: 'Type' and 'VDL; 51; 58' and 'CENTROTUS OBSTANS.'

obtusa (Aconophora) Walker, 1851a : 542. Holotype ♂ with labels: 'Type' and '1882' and '20. ACONOPHORA OBTUSA.'

The head is missing.

occulta (Tragopa) Haviland, 1925a : 248. Holotype ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; July, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Tragopa; occulta.; Haviland.'

ocellata (Adippe) Buckton, 1903a : 188. LECTOTYPE ♀ with labels: 'Type' and 'Rio Dagua; Colombia' and 'Adippe; ocellata'.

There are two other females and three males from the type-series in the collection.

oneratus (Centrotus) Walker, 1858a : 78. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Ind' and 'oneratus Walk'.

oppugnans (Centrotus) Walker, 1858b : 160. Holotype ♂ with labels: 'Type' and 'Mex.; 56; 143.' and 'CENTROTUS OPPUGNANS.'

The head is missing.

oppugnans (Triquetra) Walker, 1858b : 131. Holotype with labels: 'Type' and 'Veneza.; 55.89.' and 'TRIQUETRA OPPUGNANS.'

The abdomen is missing.

orcus (Centrotus) Buckton, 1903a : 247. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Centrotus; type orcus Buckt.' and 'Centrotus; orcus; philippines; G. N. [?]'.

The last part of the above label is illegible. The right tegmen is missing. The tegmina have two discoidal cells, not three as stated.

orizabae (Umbonia) Fowler, 1894c : 37. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'Orizaba.; H. S. & F. D. G.; Dec. 1887.' and 'Brit. Mus; 1904-55.' and 'Umbonia; orizabae ♂; Fowler. TYPE.' and the B.C.A. label.

There are five other males and five females from the type-series in the collection.

ornanda (Telingana) Distant, 1916a : 150. Holotype ♀ with labels: 'Type' and 'N.N.; 5.14.; 187.' and '187' and 'S. India.; E. A. Butler.; 1915-60.' and 'Kodai Kanal.; S. India.; T. V. Campbell.' and 'Telingana; ornanda; type Dist.'

ornatum (Pedalion) Buckton, 1903a : 252. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Pedalion; ornatum; camaroons [sic]; type'.

There is another male from the type-series in the collection.

ortus (Centrotypus) Distant, 1908g : 35. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Trevm; Sept.; 1889.' and 'Centrotypus; ortus; type Dist.'

The head is missing.

pactolus (Otinotus) Buckton, 1903a : 233. LECTOTYPE with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Perak; (Doherty)' and 'C pactolus; bw'.

The abdomen is lost. There are two other specimens without abdomens and a female from the type-series in the collection.

pallens (Microtalis) Fowler, 1895e : 118. LECTOTYPE ♀ with labels: 'Type' and 'Teapa.; Tabasco.; H. H. S.; Teapa.; Tabasco.; H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Brit. Mus.; 1904-55.' and 'Microtalis; pallens Fowler; TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There is a male also and a specimen without an abdomen from the type-series in the collection.

pallescens (Machaerotypus) Distant, 1916a : 173. LECTOTYPE ♀ with labels: 'Type' and 'Ceylon.; Nuwara.; Eliya.; 1911-301.' and 'Machaerotypus; pallescens; type Dist.'

There is another female from the type-series in the collection.

pallescens (Otinotus) Distant, 1908g : 41. LECTOTYPE ♀ with labels: 'Type' and 'Bombay.; Dixon.' and 'Distant Coll.; 1911-383.' and 'Otinotus; pallescens; type Dist.'

There are four other females and a male from the type-series in the collection.

pallidipennis (Azinia) Walker, 1858a : 63. LECTOTYPE ♀ with labels: 'Type' and 'China' and 'pallidipennis Walk'.

The posterior pronotal process is broken.

pallidus (Centrotus) Walker, 1851a : 625. Holotype ♀ with labels: 'Type' and '1914' and '13' and '62. CENTROTUS PALLIDUS,'.

The posterior pronotal process is broken.

pallidus (Daunus) Buckton, 1903a : 227. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Daunus; pallidus; type Buckt.' and 'Centruchoides; pallidus. m.'.

The abdomen is missing and the genitalia are mounted beneath the specimen.

pallipes (Centrotus) Walker, 1870a : 185. LECTOTYPE ♂ with labels: 'Type' and 'M.' and 'Wallace' and 'pallipes'.

pallipes (Otinotus) Distant, 1908g : 40. LECTOTYPE ♀ with labels: 'Type' and 'Karen Hills; (Doherty)' and 'Distant Coll.; 1911-383.' and 'Otinotus; pallipes; type Dist.'

There are three other females and two males from the type-series in the collection.

paludatus (Coccosterphus) Distant, 1916a : 175. LECTOTYPE ♀ with labels: 'Type' and 'S. India.; E. A. Butler.; 1915-60.' and 'Chikkaballapura; S. India.; T. V. Campbell.' and 'Coccosterphus; paludatus; type Dist.'

There are two males from the type-series in the collection.

palus (Ouranorthus) Buckton, 1905a : 333. Holotype ♀ with labels: 'Type' and 'ph' and 'Bangalore' and 'Museo; de; Madrid.' and 'Lab. ent. Escalena.' and 'Oxyrhachis; palus; Buckt.' and 'Ouranorthus; (type) palus.; Buckt.; = Oxyrhachis; palus. B.'

The posterior pronotal process is glued separately.

pandatus (Oxyrhachis) Distant, 1916d : 20. Holotype ♀ with labels: 'Type' and 'Cameroons.; Escalera.; 1903-355.' and 'Oxyrhachis; pandatus; type Dist.'

The right tegmen is missing.

parallela (Oxyrhachis) Walker, 1851a : 508. Holotype ♀ with labels: 'Type' and '40; 6.26; 367.' and '10. OXYRHACHIS PARALLELA.'

The right tegmen is missing.

pardalina (Adippe) Fowler, 1896b : 134. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Adippe; pardalina; Fowler. TYPE' and the B.C.A. label.

There are five other females and a male from the type-series in the collection.

partita (Darnis) Walker, 1858a : 75. LECTOTYPE ♂ with labels: 'Type' and 'Amaz' and '68.4' and 'partita Walk'.

pattersoni (Hamma) Distant, 1916b : 157. Holotype ♀ with labels: 'Type' and 'GOLD COAST; ABURI; 1912-13; W. H. PATTERSON' and 'Hamma; pattersoni; type Dist.'

peracatus (Leptocentrus) Distant, 1916b : 151. LECTOTYPE ♀ with labels: 'Type' and 'Somali.; 95-120' and 'Leptocentrus; peracatus; type Dist.'

There are three other females from the type-series in the collection.

perfecta (Thelia) Walker, 1858b : 139. Holotype ♂ with labels: 'Type' and 'S. Amer; napo; 51; 70' and 'THELIA PERFECTA.'

The abdomen is glued separately.

perpolita (Gargara) Distant, 1915c : 490. LECTOTYPE ♂ with labels: 'Type' and '1912-193' and 'Uganda Prot.; Mpanga Forest.; Toro. 4,800 ft.; 13-23 Nov. 1911.; S. A. Neave.' and 'Gargara; perpolita; type Dist.'

There is another male from the type-series in the collection.

persistens (Smilia) Walker, 1858c : 338. Holotype ♀ with labels: 'Type' and 'Tun-; antins; 57; 125' and 'SMILIA PERSISTENS.'

phasianus (Lycoderes) Fowler, 1908e : 164. LECTOTYPE ♀ with labels: 'Type' and 'Bugaba; 800-1500 ft; Champion.' and 'Brit. Mus.; 1904-55.' and 'Lycoderes; phasianus Fowler.; TYPE.' and the B.C.A. label.

The pronotum is damaged. There is a male from the type-series in the collection.

piceus (Centrotus) Walker, 1870a : 187. LECTOTYPE ♂ with labels: 'Type' and 'Bac.' and '68.4' and 'Wallace' and 'picea'.

picta (Umbonia) Walker, 1858b : 130. Holotype ♀ with labels: 'Type' and 'Mex.; 56; 143' and 'UMBONIA PICTA.'

pictipennis var. *laevior (Bolbonota)* Fowler, 1894b : 18. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'B. pictipennis; v. laevior. Fowler; TYPE.' and the B.C.A. label.

There are two other females and a male from the type-series in the collection.

pileatus (Phaulocentrus) Fowler, 1896d : 159. LECTOTYPE ♀ with labels: 'Type' and 'S. Geronimo; 3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Phaulocentrus; pileatus. Fowler.; TYPE.' and the B.C.A. label.

There is another female from the type-series in the collection.

pilosa (Gargara) Funkhouser, 1927b : 7. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Anei Kloof; (Sumatra's West; kust) 500M. 1925; leg. E. Jacobson.' and 'Gargara pilosa; HOLOTYPE ♀; W. D. Funkhouser'.

pilosus (Tricentrus) Funkhouser, 1932a : 120. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1933-360.' and 'B.N. BORNEO.; Mt. Kinabalu; kiau, 3,000 ft.; 7:4:1929.; H. M. Pendlebury; coll.; F.M.S. Museums.' and 'HOLOTYPE; Tricentrus pilosis; W. D. Funkhouser'.

pilosus (Centrotus) Walker, 1851a : 606. Holotype ♂ with labels: 'Type' and 'N.; India; 48; 134' and '18. CENTROTUS PILOSUS.'

pilosus (Periaman) Distant, 1916a : 157. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ind. Mus.; Kurseong; 6000 ft.; E. Himalayas; 15-viii-09.; D'Abreu' and 'Periaman; pilosus; type Dist.'

There is another female from the type-series in the collection.

pinguis (Aconophora) Fowler, 1895a : 64. LECTOTYPE ♀ with labels: '♀' and 'Type' and 'Bugaba.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; pinguis. Fowler; ♀ TYPE' and the B.C.A. label.

There are two other females and two males from the type-series in the collection.

plana (Ceresia) Walker, 1851a : 529. LECTOTYPE ♂ with labels: 'Type' and 'Rio; 45; 56.' and '16. CERESIA PLANA,'.

There are two females and a specimen without an abdomen from the type-series in the collection.

platycerus (Centrotus) Walker, 1851a : 618. Holotype ♀ with labels: 'Type' and 'Jamaica; 45; 110.' and '50. CENTROTUS PLATYCERUS,'.

plicata (Bolbonota) Buckton, 1901a : 63. LECTOTYPE ♀ with labels: 'Type' and 'Cachabe.; low c., I. 97.; (Rosenberg).' and 'Tecanion; plicatum'.

The left tegmen is missing.

polita (Stictopelta) Butler, 1878a : 339. Holotype ♀ with labels: 'Type' and 'Ega; Brasil; 57; 43' and 'S. polita; Butler Type'.

ponderifer (Oxyrhachis) Walker, 1862a : 317. Holotype ♂ with labels: 'Type' and 'Miss Pascoe.; 96-41.' and 'Moreton; Bay' and 'Oxyrhachis; ponderifer Wk.' and 'Oxyrhachis; ponderifer; type Walk.'.

porosa (Hoplophora) Walker, 1851a : 513. LECTOTYPE with labels: 'Type' and '39; 7.17.; 952' and 'Holophora [sic]; porosa, Walk.'.

The abdomen is missing.

porrecta (Aconophora) Walker, 1851a : 538. Holotype ♀ with labels: 'Type' and '198.; ♀; N.C.' and 'Ent. Club.; 44-12.' and 'Membr cultrata Fabr ??; Coqueb. Ill. Ic. t 18.4.' and '12. ACONOPHORA PORRECTA,'.

The tegmina are missing.

primus (Barsumas) Distant, 1916b : 156. LECTOTYPE ♀ with labels: 'Type' and '1902; 4236' and 'SALISBURY; 5000 feet.; Mashonaland.; Capt. Oct. 1901; & pres. 1902 by; Guy Marshall.' and 'Barsumas; typicus; type Dist.'.

This last label is in error; the genus was monotypic. There is another female from the type-series in the collection.

proclivis (Hyphinoe) Distant, 1900a : 695. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; B.M. 1911-383.' and 'proclivis; Dist.' and 'Bruschik (Tala-; manca); 35; H. Pittier'.

projecta (Telamona) Butler, 1877a : 221. Holotype with labels: 'Type' and 'T.' and 'Kirby.' and '58; 60' and 'T. projecta; Butler Type'.

The head and abdomen are missing and the wings and tegmina damaged.

projectus (Tricentrus) Distant, 1908g : 55. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'projectus; type Dist.'.

prominens (Tragopa) Walker, 1858b : 151. LECTOTYPE ♂ with labels: 'Type' and 'Braz; 52; 44' and '481' and 'TRAGOPA PROMINENS,'.

There is another male from the type-series in the collection.

pronotalis (Centrotypus) Distant, 1916c : 317. Holotype ♀ with labels: 'Type' and 'Java' and 'Java; Wallace' and 'Centrotypus; pronotalis; type Dist.'.

pronus (Tricentrus) Distant, 1916a : 166. LECTOTYPE ♂ with labels: 'Type' and '1978; 21' and 'Distant Coll.; 1911-383.' and 'Ind. Mus.; Kavalai.; 1300-3000 ft.; Cochin State.; 24-27. ix. 14.; F. H. Gravely.' and 'Tricentrus; pronus; type Dist.'.

The posterior pronotal process is broken and glued separately. There is another male from the type-series in the collection.

proxima (Hoplophora) Walker, 1851a : 513. Holotype ♂ with labels: 'Type' and 'Quito; 46; 62' and 'near Hoplophora; vicina L. Fairm' and '15. HOPLOPHORA PROXIMA,'.

proximus (*Phaulocentrus*) Fowler, 1896d : 160. Holotype ♀ with labels: 'Type' and 'Cerro Zunil; 1-5000 ft; Champion.' and 'Brit. Mus.; 1904-55.' and 'Phaulocentrus; proximus. Fowler; TYPE.' and the B.C.A. label.

pruinosa (*Tropidocyta*) Haviland, 1925a : 237. Holotype ♀ with labels: 'Kartabo, Brit. Guiana; June. 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Kartabo; Brit. Guiana.; B.M. 1924-519.' and 'Tropidocyta; pruinosa.; Haviland'.

The right wing and tegmen are glued separately.

prunitia (*Aconophora*) Butler, 1878a : 350. LECTOTYPE ♀ with labels: 'Type' and '58.135 MEX.; (Oajaca.)' and 'A. prunitia; Butler Type.'

There are another female and a male from the type-series in the collection.

pubescens (*Aconophora*) Walker, 1858a : 70. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'pubescens Walk'.

pubescens (*Amblycentrus*) Fowler, 1896d : 158. Holotype ♂ with labels: 'Type' and 'Xucumanatlan.; Guerrero.; 7000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Amblycentrus; pubescens Fowler; TYPE.' and the B.C.A. label.

The left wing and tegmen are missing.

pubescens (*Hemiptycha*) Walker, 1858b : 144. Holotype ♀ with labels: 'Type' and 'mex; 56; 143' and 'HEMIPTYCHA PUBESCENS.'

pubescens (*Hoplophora*) Buckton, 1902a : 96. LECTOTYPE ♀ with labels: 'Type' and 'Bogota.' and 'B; 216' and 'Hoplophora; pubescens,'.

punctata (*Membracis*) Fabricius, 1775a : 676. LECTOTYPE ♀ with labels: 'Braz.' and '63; 47' and associated with it, though not mounted on the same pin, 'Type' and 'Membracis punctata ; Fab. Entom. p.676. 7.'

The right suprahumeral horn is missing and the left is damaged. From the Joseph Banks Collection; the 'Type' label is handwritten.

punctata (*Stictopelta*) Fowler, 1895a : 57. Holotype ♀ with labels: 'Type' and 'Mescala.; Guerrero.; H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Stictopelta; punctata. Fowler; TYPE.' and the B.C.A. label.

punctifera (*Parmula*) Walker, 1858b : 153. Holotype ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.' and 'PARMULA PUNCTIFERA.'

punctosa (*Pterygia*) Walker, 1858a : 65. LECTOTYPE with labels: 'Type' and 'Amaz' and '68.4' and 'punctosa Walk'.

The abdomen is missing.

purpureus (*Leptocentrus*) Funkhouser, 1929a : 471. Holotype ♂ with labels: 'Brit. Mus.; 1930-324.' and 'N. BORNEO.; BETTOTAN.; NR. SANDAKAN; Aug. 18th 1927.; C. B. K. & H. M. P.; F.M.S.; Museums.' and 'HOLOTYPE; Leptocentrus purpureus; W. D. Funkhouser,'.

There are two discoidal cells in the tegmina, not three as stated in the description.

purulensis (*Hyphinoe*) Fowler, 1895b : 77. LECTOTYPE ♂ with labels: 'Type' and '♂' and 'Purula.; Guatemala.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hyphinoe; purulensis; Fowler ♂; TYPE.' and the B.C.A. label.

There are three females from the type-series in the collection also.

pygmaea (*Hypsauchenia*) Buckton, 1903a : 211. LECTOTYPE ♂ with labels: 'Type' and 'Assam' and 'Distant Coll.; 1911-383.' and 'Hypsauchenia; pygmaea. Buckt.; type n.s. 142.'

There is another male from the type-series in the collection.

pygmaeus (*Centrotus*) Walker, 1851a : 630. LECTOTYPE ♀ with labels: 'Type' and 'Phil; Isl; 42; 22' and '75. CENTROTUS PYGMAEUS,'.

The tegmina are missing.

pyropinus (*Periaman*) Distant, 1908g : 38. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ruby Mines; (Doherty)' and 'pyropinus; type Dist'.

quadricolor (*Enchenopa*) Walker, 1858a : 60. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'S.; America' and 'quadricolor Walk'.

quadrinaculata (Enchenopa) Walker, 1858b : 124. Holotype ♀ with labels: 'Type' and 'Santar; em; 54; 63' and 'Santarem' and 'ENCHENOPE QUADRINACULATA.'

queenslandensis (Godingella) Distant, 1916d : 32. LECTOTYPE ♀ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Godingella; queenslandensis; type Dist.'

There is another female from the type-series in the collection.

ramosus (Centrotus) Distant, 1908g : 47. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Udagama' and 'Centrotus; ramosus; type Dist.'

The pronotum is damaged.

recta (Ceresa) Walker, 1858a : 68. LECTOTYPE ♀ with labels: 'Type' and 'recta Walk'.

rectangulatus (Centrotus) Kirby, 1891a : 166. LECTOTYPE ♂ with labels: 'Type' and '41' and 'Pundaloya; Ceylon.' and 'Centrotus; rectangu-; latus; Kb type; Ceylon; Green Coll.; 90-115.'

There are two other males from the type-series in the collection.

rectidorsum (Periaman) Funkhouser, 1927d : 107. Holotype ♀ with labels: 'Brit. Mus.; 1928-174.' and 'Anai Kloof; (Sumatra's West; kust) 500M. 1926; leg. E. Jacobson.' and 'Genus near; Periaman Dist; Congeneric with P. wallacei; Dist.; det.; W. E. China 1926.' and 'HOLOTYPIC; Periaman rectidorsum; W. D. Funkhouser'.

recurvata (Telingana) Distant, 1916e : 288. Holotype ♀ with labels: 'Type' and 'S.A.R.' and '91; 118' and 'Wallace' and 'Telingana; recurvata; type Dist.'

recurvus (Otinotus) Distant, 1916b : 154. LECTOTYPE ♀ with labels: 'Holo; type' and 'Entebbe.; Uganda.; 26-29 June 1912.; C. C. Gowdey.; 1912-462.' and 'Otinotus; recurvus; type Dist.' and 'Synonymic; with; Leptocentrus grossus; det. R. J. Izzard. 1954.'

reducta (Entylia) Walker, 1851a : 549. Holotype ♀ with labels: 'Type' and 'New; York.' and 'U.S.; 43; 15.' and '11. ENTYLIA REDUCTA.'

reducta (Umbonia) Walker, 1851a : 520. Holotype ♀ with labels: 'Type' and 'Para; 40; 133' and '14. UMBONIA REDUCTA.'

reductus (Centrotus) Walker, 1870a : 190. LECTOTYPE ♀ with labels: 'Type' and 'Wag.' and '68.4' and 'Wallace' and 'reductus'.

reflexa (Polyglypta) Butler, 1877a : 207. Holotype ♂ with labels: 'Type' and 'Guatemala.; 55.71.' and 'P. reflexa; Butler Type.'

The genitalia are mounted beneath the specimen.

relatus (Eufairmairia) Distant, 1916d : 36. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Gayndah.' and 'Gayndah; Queensland' and 'Eufairmairia; relatus; type Dist.'

remigium (Anchon) Buckton, 1903a : 215. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Anchon; remigium; type' and 'e'.

The head is glued separately and the pronotum is damaged.

repandus (Tricentrus) Distant, 1916a : 163. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Assam' and 'Tricentrus; repandus; type Dist.'

reponens (Centrotus) Walker, 1851a : 604. LECTOTYPE ♂ with labels: 'Type' and 'Tenass; erim; 44; 24' and '14. CENTROTUS REPONENS.'

resectus (Tricentrus) Distant, 1916a : 167. Holotype ♀ with labels: 'Type' and 'Pusa Coll.; 1915-164.' and 'Maymyo v. 10; H. L. Andrewes' and 'Tricentrus; resectus; type Dist.'

reticulata (Poppea) Fowler, 1895d : 101. Holotype ♀ with labels: 'Type; H.T.' and '♀' and 'Panajachel.; 5000 ft.; Champion.' and 'Poppea [sic]; reticulata; Fowler. TYPE' and the B.C.A. label.

reticulata (Triquetra) Walker, 1851a : 524. Holotype with labels: 'Type' and 'Colum; -bia; 47; 25' and '15. TRIQUETRA RETICULATA.'

The head and abdomen are missing and the right tegmen is damaged.

reticulatus (Scalmophorus) Fowler, 1894b : 23. LECTOTYPE ♀ with labels: 'Type' and 'S. Geronimo.; 3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Scalmophorus; reticulatus. Fowler; TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

reticulatus (Sextius) Distant, 1916d : 34. Holotype ♀ with labels: 'Type' and 'New; Holl; 44; 4' and 'Sextius; reticulatus; type Dist.'

retractus (Centrotus) Walker, 1870a : 190. LECTOTYPE ♂ with labels: 'Type' and 'M' and '68.4' and 'Morty; Wallace' and 'retractus'.

retusus (Sarritor) Distant, 1916a : 182. LECTOTYPE ♂ with labels: 'Type' and '47; 41' and 'Ind. Mus.; Outside; Farm Caves; nr Moulmein; Lr. Burma; 17.xi-4.xii.11.; F H Gravely' and 'Sarritor; retusus; type Dist.'

There is a female from the type-series in the collection.

reversa (Thelia) Walker, 1858a : 72. LECTOTYPE ♀ with labels: 'Type' and 'Mex' and '68.4' and 'reversa Walk'.

ridiculus (Sphongophorus) Walker, 1858a : 64. LECTOTYPE with labels: 'Type' and '68.4' and 'Amaz' and 'ridiculus Walk'.

The abdomen is missing.

ridleyanus (Centrochares) Distant, 1915b : 328. LECTOTYPE ♀ with labels: 'Type' and 'Singapore.; H. N. Ridley.; 1902-284.' and 'Centrochares; ridleyanus; type Dist.'

There are another female and a male from the type-series in the collection.

rivulata (Gargara) Distant, 1908g : 64. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Mungphu.' and 'Gargara; rivulata; type. Dist.'

robusta (Ceresia) Butler, 1877a : 216. Holotype ♀ with labels: 'Type' and 'Braz' and '68.4' and 'C. robusta; Butler Type.'

robusta (Darnis) Walker, 1851a : 579. Holotype ♂ with labels: 'Type' and 'Para; 50; 2' and '25. DARNIS ROBUSTA.'

The abdomen is eaten away.

robusta (Gargara) Distant, 1908g : 61. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Cal' and 'Gargara; robusta; type Dist.'

There are four other males from the type-series in the collection.

robustus (Sphongophorus) Fowler, 1894c : 29. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'Duenas.; Guatemala.; G. C. Champion.' and 'Brit. Mus.; 1904-55.' and 'Sphongophorus; robustulus. Fowler; ♀ TYPE.' and the B.C.A. label.

The abdomen is missing. There is a male from the type-series in the collection; its pronotum is badly damaged.

rolandi (Terentius) Distant, 1915c : 492. Holotype ♀ with labels: 'Type' and 'N. Queensland.; Kuranda, 1,100 ft.; June 21-July 24, 1913.; R. E. Turner.; 1913-438.' and 'Terentius; rolandi; type Dist.'

The head is missing.

rubra (Rhexia) Funkhouser, 1935d : 433. Holotype ♀ with labels: 'Type; H.T.' and 'BRITISH GUIANA; Cattle Trail Survey; Kurupakari; R. Essequibo; August 1920.; A. A. Abraham. Coll.' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-297.' and 'HOLOTYPE; Rhexia rubra; W. D. Funkhouser'.

rubridorsata (Pterosticta) Buckton, 1903a : 230. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Centruchoides; rubridorsi ♀' and 'Pterosticta; rubridorsata; type Buckt.'

The specimen was erroneously described as female.

rubrilinea (Pterosticta) Buckton, 1903a : 230. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'rubrilinea; ♂ [sic]' and 'Pterosticta; rubrilinea; type Buckt.'

The head is missing.

rubripes (Marshallella) Goding, 1927b : 169. LECTOTYPE ♀ with labels: 'Type' and 'Marshallella; rubripes; gen. et sp. nov.; F. W. Goding det.' and 'Cinchona.; JAMAICA;

21.vii.1923; No. 1275' and 'C. C. Gowdey.' and 'Pres. by; Imp. Bur. Ent.; Brit. Mus.; 1928-436.'

There are four other females from the type-series in the collection.

rubropedalis (*Cymbomorpha*) Buckton, 1902a : 139. LECTOTYPE ♀ with labels: 'Type' and 'Brasil; ?; d.; 2.35,' and 'Cymbomor; pha; rubropedalis'.

There is a male from the type-series in the collection also.

rudis (*Oxyrhachis*) Walker, 1851a : 509. LECTOTYPE ♂ with labels: 'Type' and 'N.; Bengal; 42; 25' and '13. OXYRHACHIS RUDIS,'.

There is a female from the type-series in the collection which previously bore the 'Type' label; this was in error as Walker described the species from the male specimens.

rufescens (*Ceresa*) Butler, 1877a : 218. Holotype ♀ with labels: 'Type' and 'Braz' and '68.4' and 'C. rufescens; Butler Type.'

rufescens (*Otinotus*) Distant, 1908g : 40. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'rufescens; type Dist.'

There is another female from the type-series in the collection.

rufescens (*Oxyrhachis*) Walker, 1851a : 506. Holotype ♀ with labels: 'Type' and '1908' and '7. OXYRHACHIS RUFESCENS,'.

The posterior pronotal process is broken.

rufiventris (*Centrotus*) Walker, 1851a : 616. Holotype ♀ with labels: 'Type' and 'Moreton; Bay; 50; 71' and '46. CENTROTUS RUFIVENTRIS,'.

All the pronotal processes are broken.

rufivitta (*Thelia*) Walker, 1851a : 559. Holotype ♂ with labels: 'Type' and '41.; 5.17; 292.' and 'E. Doubleday.; St. John's Bluff.; E. Florida.' and '12. THELIA RUFIVITTA,'.

rufospinus (*Leptocentrus*) Funkhouser, 1927b : 13. Holotype ♀ with labels: 'Sumatra.; Pres. by E. Jacobson.' and 'Fort de Kock; (Sumatra) 920M.; 1926; leg. E. Jacobson.' and 'Brit. Mus.; 1926-401.' and 'HOLOTYPE ♀; Leptocentrus rufospinus; W. D. Funkhouser.'

The allotype is also in the collection.

rufotestaceus (*Centriculus*) Fowler, 1896d : 157. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 8000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and '48' and 'Centriculus; rufo-testaceus Fowler; TYPE.' and the B.C.A. label.

There are two other females from the type-series in the collection.

rufula (*Gargara*) Funkhouser, 1935d : 429. Holotype ♀ with labels: 'Type; H.T.' and 'GOLD COAST; ABURI; 1912-13; W. H. PATTERSON' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-297.' and 'Gargara; rufula; HOLOTYPE; W. D. Funkhouser'.

rugosa (*Enchenopa*) Fowler, 1894b : 10. Holotype ♀ with labels: 'Type' and 'Chilpancingo.; Guerrero.; 4000 ft.; June. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'E. rugosa Fowler; TYPE' and the B.C.A. label.

The specimen is badly damaged.

rugosus (*Campylocentrus*) Buckton, 1903a : 243. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Campylo-; centrus; rugosus; Buckt.; type'.

rustica (*Parayasa*) Distant, 1916a : 181. Holotype ♀ with labels: 'Type' and 'Lovedale; Nilgiri Hills.; S. India.; T. V. Campbell.' and 'S. India.; E. A. Butler.; 1915-60.' and '237' and 'Parayasa; rustica; type Dist.'

rusticana (*Oxyrhachis*) Capener, 1962 : 38. Holotype ♀ with labels: 'HOLOTYPE.' and 'Oxyrhachis; rusticana; CAPENER' and 'DRAWING; No. 434' and 'S. Africa.; R. E. Turner.; Brit. Mus.; 1932-551.' and 'E. Cape Prov.; Katberg.; 1-13. xi. 1932.'

There is a female paratype in the collection also.

sallaei (*Tropidoscyta*) Fowler, 1894b : 13. LECTOTYPE ♀ with labels: 'Type' and 'San Felix.; Panama.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Tropidoscyta; sallaei [sic]. Fowler; TYPE' and the B.C.A. label.

There are another female and a male from the type-series in the collection.

salvini (Orthoplophora) Fowler, 1894c : 47. Holotype ♂ with labels: 'Type' and 'Rinconada.; Mexico.; Schaus.' and 'Brit. Mus.; 1904-55.' and 'Orthoplophora; salvini. Fowler; TYPE.' and the B.C.A. label.

salvini (Telamona) Distant, 1879a : 11. Holotype ♀ with labels: 'Type' and 'Chinautla.; 4100 ft., Guat.; O. Salvin.' and 'Distant Coll.; B.M. 1911-383.' and 'Salvini; Dist; (type)'. and the B.C.A. label.

satyrus (Daimon) Buckton, 1903a : 240. LECTOTYPE ♂ with labels: 'Type' and 'Daimon; satyrus; type Buckt.' and 'Heine' and 'Daimon; cuneatum'.

There are another male and a female from the type-series in the collection.

satyrus (Telamona) Fowler, 1896d : 145. LECTOTYPE ♀ with labels: 'Type' and 'Quiche Mts.; 7-9000 ft.; Champion.' and '34' and 'Brit. Mus.; 1904-55.' and 'Telamona; satyrus. Fowler.; TYPE' and the B.C.A. label.

There is a male from the type-series in the collection.

scabricula (Tragopa) Walker, 1858a : 75. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'scabricula Walk'.

scaphiformis (Polyglyptodes) Fowler, 1896b : 129. LECTOTYPE ♀ with labels: 'Type' and 'Cerro Zunil; 4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Polyglyptodes; scaphiformis; Fowler. TYPE' and the B.C.A. label.

Glued to the same card as another female, the lectotype is indicated by an adjacent red ink spot.

scenica (Enchenopa) Walker, 1851a : 487. LECTOTYPE ♂ with labels: 'Type' and 'Rio; 45; 66' and 'Colombia' and '30. ENCHENOPEA SCENICA,'.

There is a female from the type-series in the collection.

scutellaris (Tragopa) Buckton, 1902a : 156. LECTOTYPE ♀ with labels: 'Type' and 'Amazons; c.; b. 84' and 'very near a species standing; in the B.M. under the name; of T. fulvovaria Fairm.'.

The head is missing.

scutellata (Telingana) China, 1925c : 480. Holotype ♀ with labels: 'Type; H.T.' and 'Brit. Mus.; 1923-114.' and 'S. W. China.; Yunnan.; S. E. of Atuntzu.; 12.000'; 20.vii.1922.; Prof. J. W. Gregory.; Wooded; valley.' and 'Telingana; scutellata China; TYPE; W. E. China. det.'.

scutellatus (Leptocentrus) Distant, 1916a : 155. LECTOTYPE ♀ with labels: 'Type' and 'S. India.; E. A. Butler.; 1915-60.' and 'Kodai Kanal; S. India. Campbell.' and 'R.R.; 5.14; 374' and 'Leptocentrus; scutellatus; type Dist.'.

There are another female and two males from the type-series in the collection.

securis (Centrotypus) Buckton, 1903a : 238. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Ruby Mines; Burma' and 'securis; Buckt.'.

There is another female from the type-series in the collection.

segmentata (Hypamastris) Fowler, 1895d : 93. LECTOTYPE ♀ with labels: 'Type; H.T. and 'Teapa.; Tabasco.; H. H. S.;' and 'Brit. Mus.; 1904-55.' and 'Hypamastris; segmentata. Fowler; TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. The locality label is duplicated. There are seven other females and a specimen without an abdomen from the type-series in the collection.

selenus (Centrotus) Buckton, 1903a : 247. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty)' and 'Centrotus; selenus; Buckt; cb'.

semibrunnea (Gargara) Funkhouser, 1929a : 477. Holotype ♂ with labels: 'Brit. Mus.; 1930-324.' and 'N. BORNEO.; BETTOTAN.; NR. SANDAKAN.; Aug; 12th 1927.; C. B. K. & H. M. P.; F.M.S.; Museums.' and 'HOLOTYPE; Gargara semibrunnea; W. D. Funkhouser'.

There are also the fragments of a male paratype in the collection.

semifascia (Centrotus) Walker, 1857a : 94. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'MAL; CA' and 'Wallace' and 'semifascia Walk'.

The abdomen is glued separately.

semifascia (*Thelia*) Walker, 1851a : 561. LECTOTYPE ♀ with labels: 'Type' and '41; 5 17.; 305' and 'E. Doubleday.; St. John's Bluff.; E. Florida.' and '16. THELIA SEMIFASCIA,'.

There are a male and two specimens without abdomens from the type-series in the collection also.

semilucidus (*Centrotus*) Walker, 1870a : 186. LECTOTYPE ♀ with labels: 'Type' and 'Wag.' and '68.4' and 'Wallace' and 'semilucidus'.

The head is missing.

semitecta (*Hoplophora*) Walker, 1858b : 129. LECTOTYPE ♂ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.; 57.43.' and 'HOPLOPHORA SEMITECTA,'.

semivitreus (*Centrotus*) Walker, 1857a : 94. LECTOTYPE with labels: 'Type' and 'SING.' and 'Wallace' and 'semivitreus Walk'.

The abdomen is missing.

semivitta (*Horiola*) Walker, 1851a : 586. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '7. HORIOLA SEMIVITTA,'.

sericea (*Enchenopa*) Walker, 1851a : 493. Holotype ♀ with labels: 'Type' and 'Vene-zuela; 47; 1' and '41. ENCHENOPE SERICEA,'.

sericea (*Gargara*) Distant, 1908g : 63. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Kerbewa; Ceylon. 4.03' and 'Gargara; sericea; type Dist.'.

The pronotum is damaged.

serraticornis (*Lycoderes*) Fowler, 1908e : 165. LECTOTYPE ♀ with labels: 'Type' and 'V. de. Chiriqui.; 4,000-6,000 ft.; Champion' and 'Brit. Mus.; 1904-55.' and 'Lycoderes; serraticornis; Fowler. TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There are also two other females from the type-series in the collection.

serricorne (*Centrotus*) Walker, 1858a : 77. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'Haiti.' and 'Centrotus; serricorne; TYPE Walk.; det. W. E. China. 1927'.

There is also a female from the type-series in the collection.

setosa (*Poppea*) Fowler, 1895d : 97. LECTOTYPE ♀ with labels: 'Type; H.T.' and 'Teapa.; Tabasco.; H. H. S.' and 'nec hirta F.' and 'Poppaea [sic]; setosa Fowler; TYPE' and the B.C.A. label.

There are two other females and a specimen without an abdomen from the type-series in the collection.

sexmaculata (*Membracis*) Walker, 1858a : 59. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Hond; Dys' and 'sexmaculata Walk,'.

shelfordi (*Centrotypus*) Distant, 1916c : 315. Holotype ♂ with labels: 'Type' and 'Sarawak.; Shelford.; 1900-117.' and 'Centrotypus; shelfordi; type Dist.'.

shoanus (*Centrotus*) Distant, 1916c : 323. Holotype ♀ with labels: 'Type' and 'Abyssin; 91; 9' and 'Centrotus; shoanus; type Dist.'.

siamensis (*Centrotypus*) Distant, 1916c : 316. Holotype ♀ with labels: 'Type' and 'Annandale & Robinson.; Siamese Malay States.; 1903-127.' and 'B.B.: 2,500 ft; No: 1/9/01' and 'Centrotypus; siamensis; type Dist.'.

sikhimensis (*Gargara*) Distant, 1908g : 64. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Sikkim' and 'Gargara; sikkimensis [sic]; type Dist.'.

There is another male from the type-series in the collection.

similis (*Thelia*) Walker, 1851a : 556. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; 43; 86' and '7. THELIA SIMILIS,'.

There is another female from the type-series in the collection.

simplex (*Centrotus*) Walker, 1858a : 78. LECTOTYPE ♀ with labels: 'Type' and 'Cape' and 'simplex Walk'.

sinanjensis (*Aconophora*) Fowler, 1895a : 70. LECTOTYPE ♂ with labels: 'Type' and 'Sinanja; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; sinanjensis; Fowler. TYPE' and the B.C.A. label.

Glued to the same card as a female, the lectotype is indicated by an adjacent red ink spot.

sinuata (*Metheisa*) Buckton, 1903a : 186. LECTOTYPE ♀ with labels: 'Type' and 'Brazil; C.; 9.3' and 'Metheisa; sinuata'.

sinuata (*Telamona*) Fowler, 1896c : 144. LECTOTYPE ♂ with labels: 'Type' and 'Amula; Guerrero; 6000ft.; Aug. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Telamona; sinuata Fowler.; TYPE.' and the B.C.A. label.

There is a female from the type-series in the collection.

sinuatus (*Evanchon*) Funkhouser, 1935d : 428. Holotype ♂ with labels: 'Type; H.T.' and 'Pres. by; Imp. Inst. Ent.; B.M. 1935-224.' and 'D. 589.; Uganda; Kampala.; 14. iv. 1932.; H. Hargreaves.' and 'Nymph; sucking; coffee; shoot; D. 589.' and 'HOLOTYPE; Evanchon sinuatus; W. D. Funkhouser'.

The type is teneral; there is a nymph mounted on the same pin.

sinuatus (*Gnamptocentrus*) Fowler, 1896d : 152. LECTOTYPE ♂ with labels: 'Type' and 'Brit. Mus.; 1904-55.' and 'Teapa; Tabasco.; H. H. S.' and 'Gnamptocentrus; sinuatus ♂; Fowler TYPE.' and the B.C.A. label.

There are two other males and four females from the type-series in the collection.

sinuosus (*Platybelus*) Distant, 1916b : 155. Holotype ♀ with labels: 'Type' and 'Nyassa' and 'Distant Coll.; 1911-383.' and 'Platybelus; sinuosus; type Dist.'.

The left wing and tegmen are missing.

sobria (*Triquetra*) Walker, 1851a : 523. Holotype ♀ with labels: 'Type' and 'Quito; 46; 62' and '13. TRIQUETRA SOBRIA,'.

solomonensis (*Otinotoides*) Distant, 1916d : 41. Holotype with labels: 'Type' and '57' and 'Distant Coll.; 1911-383.' and 'Solomon Is.; July-Aug., 1909.; W. W. Froggatt.' and 'Otinotoides; solomonensis; type Dist.'.

The abdomen and right tegmen are missing and the pronotum is badly damaged.

sooknana (*Demanga*) Distant, 1908g : 69. Holotype ♂ with labels: 'Type' and 'σοοκνα; 533 feet' and 'Distant Coll.; 1911-383.' and 'Demanga; sooknana.; type Dist.'.

sordidus (*Anchonoides*) Funkhouser, 1928a : 13. Holotype ♂ with labels: 'Type' and 'Brit. Mus.; 1933-360' and 'Siberut Island; West Sumatra; Sept. 1924; C. B. K. and N. S.; Raffles; Museum; Singapore.' and 'HOLOTYPE; Anchonoides sordidus; W. D. Funkhouser'.

The pronotum is damaged.

sordidus (*Phaulocentrus*) Fowler, 1896d : 160. Holotype ♀ with labels: 'Type' and 'Soledad.; Guerrero.; 5500 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Phaulocentrus; sordidus. Fowler; TYPE.' and the B.C.A. label.

The posterior pronotal process is broken.

spathata (*Aconophora*) Butler, 1878a : 347. Holotype ♀ with labels: 'Type' and 'Brazil.' and '59.57; Vigors' Coll.' and 'A. spathata; Butler Type.'.

The head is missing.

spatulosa (*Hemiptycha*) Buckton, 1902a : 137. Holotype ♀ with labels: 'Type' and 'Brazil; ?; d; 2.22' and 'sp' and 'u. spatula; m.' and 'Hemiptycha; spatulosa.; (type) Buckt.'.

spicatus (*Otinotoides*) Distant, 1916d : 42. Holotype ♀ with labels: 'Type' and 'Queensland.; F. P. Dodd.; 1907-54.' and 'Kuranda, Qld; Sepr. .04; F. P. Dodd.' and 'Otinoides [sic]; spicatus; type Dist.'.

spinalis (*Leioscyta*) Haviland, 1925a : 240. Holotype ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; September, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Leioscyta; spinalis.; Haviland.'.

spinicornis (*Oxyrhachis*) Walker, 1862a : 316. Holotype ♀ with labels: 'Type' and 'Moreton; Bay' and 'Miss Pascoe.; 96-41.' and 'Oxyrhachis; spinicornis; type Walk; ty' and 'Oxyrhachis; spinicornis Wk.'.

spinidorsis (Tricentrus) Funkhouser, 1929a : 475. Holotype ♀ with labels: 'Type' and 'Brit. Mus.; 1930-324.' and 'N. BORNEO; KUDAT; 10th Sept. 1927.; C. B. K. & H. M. P.; F.M.S.; Museums.' and 'HOLOTYPE; Tricentrus spinidorsis; W. D. Funkhouser'.

There is a female paratype in the collection also.

spiniferus (Centrochares) Funkhouser, 1927b : 19. Holotype ♀ with labels: 'Brit. Mus.; 1926-401.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Anei Kloof; (Sumatra's West; Kust) 500M.; leg. E. Jacobson.' and 'Centrochares ♀; spiniferus; HOLOTYPE; W. D. Funkhouser.'

spiniger (Telamona) Haviland, 1925a : 257. Holotype ♀ with labels: 'Type' and 'Kartabo; Bartica District; British Guiana; 24-VI 1922' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; June, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Telamona; spinigera; Haviland'.

spinigera (Thelia) Walker, 1851a : 557. Holotype ♀ with labels: 'Type' and '16.' and '8. THELIA SPINIGERA,'.

The left tegmen is missing.

spinula (Pterygia) Buckton, 1901a : 72. LECTOTYPE ♀ with labels: 'Type' and 'Philippine Is; Luzon.' and 'P. spinula'.

The suprahumeral horns are damaged.

splendidula (Gargara) Distant, 1916a : 172. LECTOTYPE ♂ with labels: 'Type' and 'E. Ind; 58.; 60.' and 'Gargara; splendidula; type Dist.'.

The left tegmen is lost and the posterior pronotal process broken. There is another male from the type-series in the collection.

spretta (Pterosticta) Buckton, 1903a : 230. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and '18' and 'spretta.' and 'Pterosticta; spretta; type Buckt.'.

The wings and tegmina are missing.

stabilis (Aconophora) Walker, 1858b : 135. Holotype ♀ with labels: 'Type' and 'Mexico; 53; 86' and 'ACONOPHORA STABILIS,'.

The head and right wing are missing, the right tegmen is glued separately.

stalii (Ceresia) Butler, 1877a : 217. Holotype ♀ with labels: 'Type' and 'Mex' and '68.4' and 'C. Stalii; Butler Type'.

stipatus (Heteronotus) Walker, 1858b : 155. LECTOTYPE ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; H. Clark.; 57.43.' and 'HETERONOTUS STIPATUS,'.

There are two other females from the type-series in the collection.

straminea (Polyglypta) Walker, 1851a : 544. LECTOTYPE ♀ with labels: 'Type' and 'Columbi; 43; 64.' and '12. POLYGLYPTA STRAMINEA,'.

There is another female from the type-series in the collection.

strigata (Polyglypta) Walker, 1858b : 136. Holotype ♂ with labels: 'Type' and '58.135 MEX.; (Oajaca.)' and 'Polyglypta; strigata.; (Type) Walk.'.

The left tegmen is missing.

strigata (Polyglypta) Buckton, 1902a : 180. Holotype with labels: 'Type' and 'Java [?]' and 'P. strigata' and 'Polyglypta; strigata; (type) Buckt.; = P. buctoni; Funkh.; nom. nov.'.

The abdomen is lost and the tegmina are glued separately.

strigatus (Centrotus) Walker, 1870a : 184. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Dor.' and 'Wallace' and 'strigatus'.

strigosus (Heniconotus) Butler, 1878a : 361. Holotype ♂ with labels: 'Type' and 'St; Paulo; 65; 3' and 'H. strigosus; Butler Type'.

strigulosa (Horiola) Walker, 1858b : 153. Holotype ♂ with labels: 'Type' and 'Santar; em; 54; 63' and '93' and 'HORIOLA STRIGULOSA,'.

stupidia (Darnis) Walker, 1851a : 577. LECTOTYPE ♂ with labels: 'Type' and 'R' and '790' and '16. DARNIS STUPIDA,'.

There are another male, three females and two specimens without abdomens from the type-series in the collection.

styliformis (Bilimekia) Fowler, 1895f : 127. LECTOTYPE ♂ with labels: 'Type' and 'Bilimek; Mexico; 1883. II; Quadalu; 437' and 'Brit. Mus.; 1904-55.' and the B.C.A. label.

subangulata (Enchenopa) Walker, 1858a : 61. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Venez' and 'Venezuela' and 'subangulata Walk'.

The pronotal horns and the tips of the tegmina are broken.

subangulatus (Tricentrus) Distant, 1908g : 55. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'NILGIRI; (HAMPSON)' and 'subangulatus; type Dist.'.

suberecta (Oxyrhachis) Walker, 1851a : 508. Holotype ♂ with labels: 'Type' and '40; 6.26; 368.' and 'II. OXYRHACHIS SUBERECTA.'.

The left tegmen is missing.

suberecta (Pyrgauchenia) Distant, 1915b : 325. LECTOTYPE ♂ with labels: 'Type' and '21' and 'Distant Coll.; 1911-383.' and 'S. Celebes; Bua-Kraeng; 5000' Febr. 1896; H. Fruhstorfer.' and 'Pyrgauchenia; suberecta; type Dist.'.

The tip of the anterior pronotal process is missing. There are three other males and a female which may be from the type-series in the collection.

subflavipes (Centrotus) Walker, 1870a : 189. LECTOTYPE ♀ with labels: 'Type' and 'N' and '68.4' and 'N Gui; Wallace' and 'subflavipes'.

The head is lost and the pronotal horns broken.

subfusca (Hypsauchenia) Buckton, 1903a : 211. LECTOTYPE ♀ with labels: 'Type' and 'Assam' and '143.' and 'B; 143' and 'Distant Coll.; 1911-383.' and 'Hypsauchenia; subfusca.'.

The anterior pronotal horn is damaged. There is another female from the type-series in the collection.

subjecta (Oxyrhachis) Walker, 1851a : 504. Holotype ♂ with labels: 'Type' and 'India' and '1906' and '2. OXYRHACHIS SUBJECTA'.

The pronotal processes are broken.

subminax (Pterygia) Walker, 1862a : 316. Holotype ♂ with labels: 'Type' and 'Miss Pascoe; 96-41.' and 'Prov.; Rio' and 'Pterygia; subminax Wr.' and 'Pterygia; subminax; type Walk.'.

The posterior pronotal process is damaged.

subrugosa (Poppea) Fowler, 1895d : 99. Holotype ♂ with labels: 'Type; H.T.' and '♂' and 'Cerro Zunil; 4-5000 ft.; Champion.' and 'Poppea [sic]; subrugosa; Fowler. TYPE' and the B.C.A. label.

subserrata (Oxyrhachis) Walker, 1851a : 506. Holotype ♀ with labels: 'Type' and 'Congo; 43; 56.' and '6. OXYRHACHIS SUBSERRATA.'.

subsimilis (Centrotus) Walker, 1857b : 163. LECTOTYPE ♀ with labels: 'Type' and 'SAR.' and 'Wallace' and 'subsimilis Walk'.

The abdomen is missing.

subsimilis (Pterygia) Walker, 1858b : 128. Holotype ♀ with labels: 'Type' and 'CONSTANCIA; Jany. 1857.; J. Gray.; 57.57.' and 'PTERYGIA SUBSIMILIS.'.

The specimen is badly damaged and the head is missing.

substitutus (Centrotus) Walker, 1851a : 605. Holotype ♀ with labels: 'Type' and 'substitutus'.

substriata (Thelia) Walker, 1851a : 558. LECTOTYPE ♂ with labels: 'Type' and '41.; 5 17; 293.' and 'F. Doubleday.; St. John's Bluff; E. Florida.' and 'II. THELIA SUBSTRIATA'.

The right tegmen is lost.

subtrigona (Enchenopa) Walker, 1851a : 485. Holotype ♂ with labels: 'Type' and 'Venez-; uela.' and 'Vene-; zuela; 47; 52' and '27. ENCHENOPE SUBTRIGONA.'.

The anterior pronotal horn is broken.

succisus (Daunus) Buckton, 1903a : 226. Holotype with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Adelaide' and 'aw' and 'Daunus; succisus; type Buckt.' and 'Centruchus; succisus'.

The abdomen is missing and pronotum and tegmina damaged.

suffulta (*Dograna*) Distant, 1908g : 24. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Bombay.; Dixon.' and 'Dograna; suffulta; type Dist.'

The left tegmen is lost.

suffusa (*Ceresa*) Walker, 1851a : 530. Holotype ♀ with labels: 'Type' and 'suffusa; Walk' and '17. CERESA SUFFUSA'.

suffusa (*Phyllotropis*) Buckton, 1901a : 38. Holotype ♀ with labels: 'Type' and 'Java [?]' and 'not in; B.M.' and 'Phyllotropis; suffusa; (type) Buckt.' and 'suffusa'.

The tip of the posterior pronotal process is missing.

sulphurea (*Hille*) Butler, 1877a : 206. Holotype ♀ with labels: 'Type' and 'Bogot' and '68.4' and 'Hille; sulphurea; Butler Type'.

sumatrensis (*Hybandoides*) Funkhouser, 1927b : 15. Holotype ♀ with labels: 'Fort de Kock; (Sumatra) 920M.; 1926; leg. E. Jacobson.' and 'Sumatra.; Pres. by; E. Jacobson.' and 'Brit. Mus.; 1926-401.' and 'Hybandoides ♀; sumatrensis; HOLOTYPE; W. D. Funkhouser.'

The allotype is also in the collection.

surgens (*Aconophora*) Walker, 1858a : 69. LECTOTYPE ♂ with labels: 'Type' and '68.4' and 'surgens Walk'.

The tegmina are missing.

surgens (*Membracis*) Walker, 1851a : 475. Holotype ♀ with labels: 'Type' and 'Brasil.' and '1939' and '10. MEMBRACIS SURGENS'.

The head is missing and the abdomen damaged.

tacta (*Thelia*) Walker, 1851a : 560. Holotype ♀ with labels: 'Type' and 'Mexico; 43; 13' and '15. THELIA TACTA,'.

The left wing and tegmen are damaged.

talumensis (*Centrotus*) Distant, 1916e : 292. Holotype ♂ with labels: 'Type' and 'Annandale & Robinson.; Siamese Malay States.; 1903-127.' and 'Talum; 20/1/02' and 'Centrotus; talumensis; type Dist.'

The pronotum is broken.

tanganensis (*Oxyrhachis*) Buckton, 1903a : 225. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tanga; Germ. E.Afr.' and 'C. Tanganensis; n.s.; b.a. type'.

tau (*Hyphinoe*) Fowler, 1895b : 76. LECTOTYPE ♂ with labels: 'Type' and 'El Reposo; 800 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hyphinoe; tau. Fowler; TYPE.' and the B.C.A. label.

There are two other males from the type-series in the collection.

tau var. *atitlana* (*Hyphinoe*) Fowler, 1895b : 76. LECTOTYPE ♂ with labels: 'Type' and 'V. de Atitlan; 25-3500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hyphinoe; tau. Fowler; v. atitlanus; TYPE' and the B.C.A. label.

There is another male from the type-series in the collection.

tauriformis (*Centrotypus*) Distant, 1916c : 317. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Java; (Buckt. Coll.)' and 'Centrotypus; tauriformis; type Dist.'

taurifrons (*Centrotus*) Walker, 1851a : 608. Holotype ♂ with labels: 'Type' and 'Java; 50; 44' and '22. CENTROTUS TAURIFRONS,'.

taurus (*Centrotypus*) Distant, 1916c : 316. Holotype ♂ with labels: 'Type' and 'Annandale & Robinson.; Siamese Malay States.; 1903-127.' and 'G; 11/1/02' and 'Centrotypus; taurus; type Dist.'

taurus (*Membracis*) Fabricius, 1775a : 676. LECTOTYPE with labels: 'India' and associated with it though not mounted on the same pin, 'Type' and 'Membracis Taurus; Fab. Entom. p. 676. 9.'

The abdomen is missing. From the Joseph Banks Collection; the 'Type' label is handwritten.

tectigera (Tropidarnis) Fowler, 1895a : 60. Holotype ♀ with labels: 'Type' and 'Amula,; Guerrero,; 6000 ft.; Aug. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Tropidarnis; tectigera. Fowler; TYPE.' and the B.C.A. label.

temaxia (Aconophora) Fowler, 1895a : 70. LECTOTYPE ♀ with labels: 'Type' and '♀' and 'Temax,; N. Yucatan; Gaumer.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; temaxia. Fowler; TYPE' and the B.C.A. label.

There are two other females from the type-series in the collection.

tenebrosus (Centrotus) Walker, 1851a : 623. Holotype ♀ with labels: 'Type' and 'Sierra; Leone; Morgan.; 42; 31.' and '58. CENTROTUS TENEBROSUS.'

tenuicorne (Aconophora) Walker, 1858a : 70. LECTOTYPE ♀ with labels: 'Type' and 'Amaz' and '68.4' and 'tenuicorne Walk'.

tenuicornis (Leptocentrus) Funkhouser, 1927b : 11. Holotype ♂ with labels: 'Sumatra,; Pres. by; E. Jacobson.' and 'LUBUK SULASIH; Sumatra 1000M; Sept. 1920.; leg. E. JACOBSON.' and 'Brit. Mus.; 1926-401.' and 'Leptocentrus; tenuicornis; HOLOTYPE; ♂; W. D. Funkhouser.'

terminalis (Acutalis) Walker, 1858a : 76. LECTOTYPE with labels: 'Type' and 'Brazil.' and 'Braz' and '68.4' and 'terminalis Walk'.

The abdomen is missing.

terminalis (Centrotus) Walker, 1851a : 604. LECTOTYPE ♀ with labels: 'Type' and 'China; 46; 24' and '13. CENTROTUS TERMINALIS.'

There are another female, a male and a specimen without an abdomen from the type-series in the collection.

terminalis (Ceresa) Walker, 1851a : 528. Holotype ♀ with labels: 'Type' and 'Ent. Club.; 44.12.' and '14. CERESA TERMINALIS.'

terribilis (Umbonia) Walker, 1858a : 66. LECTOTYPE ♀ with labels: 'Type' and 'Col. I.; Gaad' and 'terribilis Walk'.

tessellatus (Ebhul) Distant, 1914j : 337. Holotype ♀ with labels: 'Type; H.T.' and '1914; 415' and '21' and 'Mt. Merinjak; Alt. 600 ft; May 20 1914.' and 'Ebhul; tessellatus type Dist.'

testudinea (Vanduzea) Haviland, 1925a : 251. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo,; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; July, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Vanduzea; testudinea; Haviland'.

One of two females mounted together, the lectotype is indicated by an adjacent red ink spot. There are four other females from the type-series in the collection.

testudo (Adippe) Buckton, 1903a : 188. LECTOTYPE ♀ with labels: 'Type' and 'Bogota' and 'Pres. by; National Museum; of Wales; ex-Ripon coll.; B.M. 1931-199.' and 'Adippe' and 'Adippe; testudo Buckt.; TYPE; det. W. E. China 1931.'

tetyrides (Tragopa) Walker, 1851a : 580. Holotype ♀ with labels: 'Type' and 'B. Guian; 44; 85' and '4. TRAGOPA TETYRIDES.'

The specimen is teneral.

thelwalli (Leptocentrus) Distant, 1916d : 24. Holotype ♀ with labels: 'Type' and 'Nyassa.; 77.103.' and 'Leptocentrus; thelwallii; [sic] type Dist.'

thoracata (Hyphinoe) Distant, 1900a : 695. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; B.M. 1911-383.' and 'thoracata; Dist.' and 'Guaitil de; Pirris (Pac.); 34; P. Biolley'.

tibialis (Centrotus) Walker, 1870a : 188. LECTOTYPE ♂ with labels: 'Type' and 'N' and 'N. Gui.; Wallace' and 'tibialis'.

The head, pronotum, abdomen, etc., are glued separately to a card.

tonkinensis (Subrincator) Distant, 1916b : 157. LECTOTYPE ♀ with labels: 'Type' and 'Near Chapa,; Lao Kay,; Upper Tonkin,; March. 1913.; R. Vitalis.' and 'Subrincator,; tonkinensis; type Dist.'

There is another female from the type-series in the collection.

torva (Poppea) Fowler, 1895d : 98. Holotype ♀ with labels: 'Type; H.T.' and '♂ [sic]' and 'Las Mercedes; 3000ft.; Champion.' and 'Poppaea [sic]; torva; Fowler. TYPE' and the B.C.A. label.

transiens (Centrotus) Walker, 1851a : 624. Holotype with labels: 'Type' and '1904' and '61. CENTROTUS TRANSIENS,'.

The abdomen and tegmina are missing.

transversalis (Darnis) Walker, 1858b : 148. Holotype ♂ with labels: 'Type' and 'Mex; 56; 143' and 'DARNIS TRANSVERSALIS,'.

transversus (Centrotus) Distant, 1908g : 48. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Lethierry.' and 'Margherit' and 'transversus; type Dist.'.

transversus (Otinotus) Distant, 1916a : 161. Holotype ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Lahore; Punjab' and 'Otinotus; transversus; type Dist.'.

travancorensis (Telingana) Distant, 1916a : 151. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Travancore; W. Ghats.' and 'Telingana; travancorensis; type Dist.'.

tricolor (Polyglypta) Butler, 1877a : 209. LECTOTYPE ♀ with labels: 'Type' and '58.135 MEX.; (Oajaca).'

There are another female and a male from the type-series in the collection.

tridens (Omolon) Walker, 1862a : 316. Holotype ♀ with labels: 'Type' and 'Para' and 'Miss Pascoe.; 96-41.' and 'Omolon; tridens; type Walk'.

trifoliaceus (Centrotus) Walker, 1858b : 163. Holotype ♀ with labels: 'Type' and 'N. China.; 54.8-' and 'CENTROTUS TRIFOLIACEUS,'.

trigona (Horiola) Walker, 1851a : 587. LECTOTYPE ♀ with labels: 'Type' and 'Colombia' and 'Colum-; bia; 47; 25' and '8. HORIOLA TRIGONA,'.

trinodosus (Heteronotus) Butler, 1878a : 357. Holotype ♂ with labels: 'Type' and 'Mexico' and '42; 16.' and 'H. trinodosus; Butler Type,'.

trinitata (Gargara) Distant, 1908g : 63. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Gargara; trinitata; type Dist.'.

tripartita (Darnis) Walker, 1851a : 576. Holotype ♂ with labels: 'Type' and 'E. Doubleday.; St. John's Bluff; E. Florida.' and '41.; 5.17.; 289.' and '15. DARNIS TRIPARTITA,'.

triste (Pedalion) Buckton, 1903a : 252. Holotype ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Cameroons; BZ. ♀' and 'Pedalion triste' and 'triste Buckt.; type'.

The pronotum is damaged.

truncaticornis (Centrotus) Walker, 1858a : 81. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'Port; Phil' and 'truncaticornis Walk'.

truncaticornis (Hemiptycha) Walker, 1858a : 73. LECTOTYPE ♀ with labels: 'Type' and 'Braz' and '68.4' and 'truncaticornis Walk'.

truncaticornis (Sipylus) Funkhouser, 1936d : 188. Holotype ♂ with labels: 'Type' and 'Brit. Mus.; 1936-638' and 'MALAYA; Kuala Lumpur.; 24.3.1935.; H. M. Pendlebury.; Coll.; F.M.S. Museums.' and 'HOLOTYPE; Sipylus truncaticornis; W. D. Funkhouser,'.

tuberculatus (Oxyrhachis) Walker, 1858a : 109. LECTOTYPE ♀ with labels: 'Type' and 'Cape' and '68.4' and 'tuberculatus'.

tumescens (Emphusis) Buckton, 1903a : 256. LECTOTYPE ♀ with labels: 'Type' and 'Java' and 'Distant Coll.; 1911-383.' and 'Emphusis; obesus.; n.g.; j' and 'Emphusis; tumescens; type Buckt.'.

The posterior pronotal process is broken. There are another female and a male from the type-series in the collection.

tumida (Thelia) Walker, 1851a : 560. Holotype ♀ with labels: 'Type' and '41.; 5 17.; 306.' and 'E. Doubleday.; St. John's Bluff; E. Florida,' and '14. THELIA TUMIDA,'.

tumulata (Publilia) Buckton, 1903a. LECTOTYPE ♀ with labels: 'Type' and 'Columbia; C.; 9.1' and 'Publilia [sic]; tumulata'.

The abdomen is glued separately. The description of this species is with the explanation to plate xxxix.

turgescens (*Aspona*) Fowler, 1894c : 50. LECTOTYPE ♀ with labels: 'Type' and 'Cubilguitz.; Vera Paz.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Aspona; turgescens; Fowler. TYPE' and the B.C.A. label.

turrita (*Entylia*) Butler, 1877a : 212. Holotype ♂ with labels: 'Type' and 'Rio; 59; 21' and 'E. turrita; Butler Type'.

turritella (*Telamona*) Buckton, 1903a : 198. LECTOTYPE ♂ with labels: 'Type' and 'Saguenay; V. Huart' and 'M.R. Belg.' and 'Telamona; turritella.'.

The right tegmen is missing. There is another specimen from the type-series in the collection, its abdomen is missing.

typica (*Nilautama*) Distant, 1908g : 32. LECTOTYPE ♀ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'Nilautama; typica Dist.; type'.

typica (*Parayasa*) Distant, 1916a : 177. LECTOTYPE ♂ with labels: 'Type' and 'S. India.; E. A. Butler.; 1915-60.' and 'Kodai Kanal; S. India. Campbell.' and 'K.K.; 5.14.; 39; 4' and 'Parayasa; typica; type Dist.'.

There is another male from the type-series in the collection.

typicus (*Anchonoides*) Distant, 1916a : 162. Holotype ♀ with labels: 'Type' and 'Hakgala; Ceylon 3.07' and 'Anchonoides; typicus; type Dist.'.

typicus (*Imporcitor*) Distant, 1916a : 157. Holotype ♀ with labels: 'Type' and '426' and 'S. India.; E. A. Butler.; 1915-60.' and 'Nilgiri Hills; S. India; T. V. Campbell' and 'Imporcitor; typicus; type Dist.'.

typicus (*Tiberianus*) Distant, 1915c : 494. Holotype ♀ with labels: 'Type' and 'S.E. RHODESIA.; Umtali. 3700 ft.; Capt. Sep. 19.05; & pres. 1906 by; Guy Marshall.' and 'Tiberianus; typicus; type Dist.'.

The wings and tegmina are damaged.

u-flava (*Quadrinarea*) Goding, 1927b : 168. LECTOTYPE ♀ with labels: 'Type' and 'Brit. Mus.; 1958-412.' and 'Quadrinaria [sic] u-flava; Godg.; Hill Gardens, Jamaica; 5.VI.1921 No. 579; C. C. Gowdey'.

ugandensis (*Leptocentrus*) Distant, 1916b : 151. LECTOTYPE ♀ with labels: 'Type' and '1912.193' and '3-7 Nov. 1911.; S. A. Neave.' and 'Uganda Prot.; Buamba Forest.; Semliki Valley.; 2,300-2,800 ft.' and 'Leptocentrus; ugandensis; type Dist.'.

There are six other females and a specimen without an abdomen from the type-series in the collection.

ulniforme (*Anchon*) Buckton, 1903a : 216. LECTOTYPE ♂ with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'Tenass Vall; Myitta; (Doherty).' and 'ulniforme c.c.; Anchon; porusm [sic]'.

There are two other males and three females from the type-series in the collection.

unanimis (*Thelia*) Walker, 1851a : 566. LECTOTYPE ♀ with labels: 'Type' and '199.; ♀' and 'Ent. Club.; 44-12.' and '37. THELIA UNANIMIS'.

uncicornis (*Ceresa*) Fowler, 1895d : 104. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui.; 4000-6000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'C. unciornis [sic]; Fowler. TYPE' and the B.C.A. label.

There are three other females from the type-series in the collection.

undulatus (*Sphongophorus*) Walker, 1851a : 498. Holotype ♂ with labels: 'Type' and 'Para; 50; 2' and '9. SPHONGOPHORUS UNDULATUS'.

The abdomen is lost.

undulatus (*Tshaka*) Distant, 1916c : 324. Holotype ♂ with labels: 'Type' and 'Mashonaland.; Salisbury.; G. A. K. Marshall.; Dec. 1904.; 1906-182.' and 'Tshaka; undulatus; type Dist.'.

unicolor (*Oxyrhachis*) Walker, 1851a : 509. LECTOTYPE ♀ with labels: 'Type' and 'E. Indies; 47; 14.' and '12. OXYRHACHIS UNICOLOR'.

The tip of the posterior pronotal process is missing. There are another female and a specimen without an abdomen from the type-series in the collection.

uniformis (*Tropidoscyta*) Fowler, 1894b : 14. LECTOTYPE ♂ with labels: 'Type' and 'Boquete; 3500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Tropidoscyta; uniformis. Fowler.; TYPE.' and the B.C.A. label.

There is another male from the type-series in the collection.

vacca (*Ceresia*) Fowler, 1895d : 106. Holotype ♀ with labels: 'Type' and 'Omiteme; Guerrero; 8000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Ceresia; vacca; Fowler. TYPE.' and the B.C.A. label.

valida (*Triquetra*) Walker, 1851a : 524. Holotype ♂ with labels: 'Type' and 'Mexico; 43; 13' and '16. TRIQUETRA VALIDA.'

varia (*Pterygia*) Walker, 1851a : 502. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 71' and '17. PTERYGIA VARIA.'

varia (*Thelia*) Walker, 1851a : 555. LECTOTYPE ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '5. THELIA VARIA.'

The right tegmen is missing. There is another specimen from the type-series in the collection, its abdomen is missing.

variabilis (*Ceresia*) Fowler, 1895d : 105. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 2-3000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ceresia; variabilis; Fowler. TYPE.' and the B.C.A. label.

There are four other females and five males from the types-series in the collection..

variabilis var. *intermedia* (*Ceresia*) Fowler, 1895d : 105. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui; 25-4000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Ceresia; variabilis; var. intermedia; Fowler. TYPE' and the B.C.A. label.

There are two other females and a male from the type-series in the collection.

varians (*Enchenopa*) Walker, 1858a : 62. LECTOTYPE ♀ with labels: 'Type' and '68.4' and 'varians Walk'.

The head and right tegmen are missing.

varians (*Stictopelta*) Fowler, 1894c : 56. LECTOTYPE ♂ with labels: 'Type' and 'Ventanas, Mex.; 2000 ft.; Forrer.' and 'Brit. Mus.; 1904-55.' and 'Stictopelta; varians Fowler; TYPE.' and the B.C.A. label.

There is another male from the type-series in the collection.

variata (*Phacusa*) Fowler, 1895d : 111. LECTOTYPE ♂ with labels: 'Type' and 'Quiche Mts.; 7-9000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Phacusa; variata; Fowler. TYPE' and the B.C.A. label.

There are another male and two females from the type-series in the collection, the head and pronotum of one of the females is missing.

varicosa (*Rhexia*) Butler, 1878a : 356. Holotype ♀ with labels: 'Type' and 'Ega; 58; 6' and 'R. varicosa; Butler Type.'

The tegmina are missing.

variegata (*Hypamastris*) Fowler, 1895d : 94. Holotype ♂ with labels: 'Type; H.T.' and '58.135 MEX.; (Oajaca.)' and 'Brit. Mus.; 1904-55.' and 'Hypamastris; variegata Fowler.; TYPE.' and the B.C.A. label.

The right tegmina is lost.

varipennis (*Aconophora*) Fowler, 1895a : 67. Holotype ♀ with labels: 'Type' and 'Temax.; N. Yucatan; Gaumer.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; varipennis [sic]. Fowler; TYPE.' and the B.C.A. label.

varipennis (*Ophicentrus*) Buckton, 1903a : 250. LECTOTYPE ♀ with labels: 'Type' and 'Old; Calab; 59; 37' and 'Ophicentrus; varipennis; (type) Buckt.'

There are two specimens without abdomens from the type-series in the collection.

varipes (Centrotus) Walker, 1857b : 164. LECTOTYPE ♂ with labels: 'Type' and 'SAR.' and '68.4' and 'Wallace' and 'varipes Walk'.

Erroneously described as female. The posterior pronotal process is missing.

varius (Centrotus) Walker, 1858b : 162. Holotype ♀ with labels: 'Type' and 'Birmah; 57; 16' and 'CENTROTUS VARIUS.'

The head is missing.

varius (Omolon) Walker, 1862a : 316. Holotype ♀ with labels: 'Type' and 'Para' and 'Miss Pascoe; 96-41.' and 'Omolon; varius; type Walk'.

venosa (Enchenopa) Walker, 1851a : 488. LECTOTYPE ♀ with labels: 'Type' and 'United; States' and 'NY' and '1870' and '33. ENCHENOPEA VENOSA.'

venosa (Horiola) Walker, 1858a : 76. LECTOTYPE ♂ with labels: 'Type' and 'Colombia' and 'Colum; bys' and '68.4' and 'venosa Walk'.

venosa (Triquetra) Walker, 1851a : 523. Holotype ♀ with labels: 'Type' and 'Colum-; bia; 47; 25' and '14. TRIQUETRA VENOSA.'

The abdomen is glued separately and the tegmina are lost.

venosus (Centrotus) Walker, 1870a : 189. LECTOTYPE ♀ with labels: 'Type' and 'Tond.' and 'Wallace' and 'venosus'.

Erroneously described as male.

vergens (Membracis) Buckton, 1905a : 330. LECTOTYPE ♀ with labels: 'Type' and 'M.R. Belg.' and 'ck' and 'Coll. Camille; Van Voixem.' and 'Sta Calloerine; Juls 1868' and 'membracis; micans; (type) Buck't.'

Buckton's taxonomic label is misplaced here, the two species being quite distinct. Both species are described on the same page and it is here that the error may have arisen. There are two other females from the type-series in the collection.

versicolor (Oxyrhachis) Distant, 1915b : 322. LECTOTYPE ♀ with labels: 'Type' and '281' and 'Aden; 90-126.' and 'Oxyrhachis; versicolor; type Dist.'

There are three other females and a male from the type-series in the collection. The head of the lectotype is missing.

vespiformes (Heteronotus) Haviland, 1925a : 247. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo; Brit. Guiana; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; June, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Heteronotus; vespiformis [sic]; Haviland'.

The pronotum is damaged.

vetusta (Oxyrhachis) Walker, 1851a : 507. Holotype ♀ with labels: 'Type' and 'Port; Natal; 49; 29.' and '8. OXYRHACHIS VETUSTA.'

The head and posterior pronotal process are missing.

vicarius (Centrotus) Walker, 1851a : 605. LECTOTYPE ♀ with labels: 'Type' and 'Java; 43; 35.' and '15. CENTROTUS VICARIUS.'

virescens (Cyrtolobus) Fowler, 1896c : 141. Holotype ♀ with labels: 'Type' and 'Xucumanatlan, Guerrero; 7000 ft.; July. H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Cyrtolobus; virescens: Fowler; TYPE.' and the B.C.A. label.

virescens (Gargara) Funkhouser, 1927h : 256. Holotype ♀ with labels: 'Brit. Mus.; 1930-324.' and '151' and 'MALAY PENIN;; Selangor, F.M.S.; Kuala Lumpur; on Ficus sp.; March 27th 1926; H. M. Pendlebury.; EX COLL.; F.M.S. MUSEUM.; and 'HOLOTYPE; Gargara virescens; W. D. Funkhouser'.

The left tegmen is glued separately. There are also two paratypes in the collection, both are damaged and without abdomens.

virescens (Ochrolomia) Butler, 1878a : 338. Holotype ♂ with labels: 'Type' and 'Rio; 59; 21' and 'O. virescens; Butler Type.'

viridescens (Aconophora) Walker, 1851a : 538. Holotype ♀ with labels: 'Type' and '13. ACONOPHORA VIRIDESCENS.'

viridicollis (Microtalis) Fowler, 1895e : 118. Holotype ♀ with labels: 'Type' and 'Bugaba; 800-1500 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Microtalis; viridicollis.; Fowler. TYPE' and the B.C.A. label.

viridissima (Hemiptycha) Walker, 1851a : 572. Holotype ♀ with labels: 'Type' and 'Mexico' and 'Ent. Club.; 44-12.' and 'H. viridiss-; ima Walk; = valida.'

viridissima (Thelia) Walker, 1858b : 138. LECTOTYPE ♀ with labels: 'Type' and 'Mexico; 52; 67.' and 'THELIA VIRIDISSIMA.'

viridistriga (Hemiptycha) Walker, 1858b : 145. LECTOTYPE ♀ with labels: 'Type' and 'TEJUCA; Jany. 1857.; H. Clark.; 57.50' and 'HEMIPTYCHA VIRIDISTRIGA.'

There is another female from the type-series in the collection.

viridula (Aconophora) Fowler, 1895a : 71. LECTOTYPE ♀ with labels: 'Type' and 'Teapa; Tabasco.; Feb. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Aconophora; viridula; Fowler. TYPE.' and the B.C.A. label.

The right tegmen is missing. There is another female from the type-series in the collection.

vismiae (Amastris) Haviland, 1925a : 252. LECTOTYPE ♀ with labels: 'Type' and 'Kartabo.; Brit. Guiana.; B.M. 1924-519.' and 'Kartabo, Brit. Guiana; August, 1922; e coll. M. D. Haviland; d.d. Collegium Newnhamense' and 'Amastris; vismiae; Haviland.'

There are three other females and two males from the type-series in the collection.

vitreipennis (Campylocentrus) Fowler, 1896d : 150. LECTOTYPE ♀ with labels: 'Type' and 'Senahu.; Vera Paz.; Champion' and 'Brit. Mus.; 1904-55.' and 'Campylocentrus; vitreipennis. Fowler; TYPE.' and the B.C.A. label.

The specimen was erroneously described as male.

vitta (Centrotus) Walker, 1851a : 626. Holotype ♀ with labels: 'Type' and '584' and '64. CENTROTUS VITTA.'

The specimen is badly damaged.

vittata (Publilia) Buckton, 1903a : 184. Holotype ♂ with labels: 'Type' and 'New; York; C.; 8.7' and 'Publilia; vittata; (type) Buckt.'

vittatipennis (Cyrtolobus) Fowler, 1896c : 142. LECTOTYPE ♀ with labels: 'Type' and 'Quiche Mts.; 7-9000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Cyrtolobus; vittatipennis; Fowler. TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

vitulus (Membracis) Fabricius, 1775a : 677. LECTOTYPE ♀ with labels: 'America' and associated with it, though not on the same pin, 'Type' and 'Membracis Vitulus; Fab. Entom. p. 677. 10.'

From the Joseph Banks Collection, the 'Type' label is handwritten.

vitulus var. *minor (Ceresa)* Fowler, 1895d : 103. LECTOTYPE ♀ with labels: 'Type' and 'Teapa; Tabasco.; Feb. H. H. S.' and 'Brit. Mus.; 1904-55.' and 'Ceresa vitulus; v. minor Fowler; TYPE' and the B.C.A. label.

There are four other females, three males and three specimens without abdomens from the type-series in the collection.

vomeris (Kleidosis) Buckton, 1903a : 214. Holotype ♀ with labels: 'Type' and 'Kleidosis' and 'Old; Cal.' and 'vomeratus [sic]; (Stegaspis); (type) Buckt.'

The left tegmen and wing are missing and the suprahumeral horn damaged. The species is erroneously described from Ceylon.

vulpecula (Hyphinoe) Fowler, 1895b : 77. LECTOTYPE ♀ with labels: 'Type' and 'V. de Chiriqui.; 4000-6000 ft.; Champion.' and 'Brit. Mus.; 1904-55.' and 'Hemiptycha; vulpecula Fowler; TYPE' and the B.C.A. label.

There is another female from the type-series in the collection.

w-album (Aconophora) Buckton, 1902a : 132. Holotype ♀ with labels: 'Type' and 'Chimbo.; 1000'. VIII. 97.; (Rosenberg).' and 'Punctodon; w. album; m.' and 'Aconophora; w. album.; Buckt.; (type)' and '= Sphongophorus; mackinula.; Bredd.?'

The anterior pronotal process is damaged and the tegmina missing.

wallacei (*Perlaman*) Distant, 1916c : 320. LECTOTYPE ♀ with labels: 'Type' and 'SAR.; Borneo; 56.44' and 'Periaman; wallacei; type Dist.'

There is another female from the type-series in the collection.

wallacei (*Sarantus*) Stal, 1863c : 592. LECTOTYPE ♀ with labels: 'Type' and 'Wag.' and '67.66.' and 'wallacei; Stal'.

wealei (*Centrotusoides*) Distant, 1916d : 30. LECTOTYPE with labels: 'Type' and 'Distant Coll.; 1911-383.' and 'S. Africa; M Weale' and 'Centrotusoides; wealei; type Dist.'

The abdomen is lost and the tegmina damaged. There is a female from the type-series in the collection; its head is missing.

xantha (*Pterosticta*) Buckton, 1903a : 231. LECTOTYPE ♀ with labels: 'Type' and 'B; 177' and 'Distant Coll.; 1911-383.' and 'Pterosticta; xantha; Buckt.; type' and 'Carunchy.; 11.1.87. Tepper; Bursaria'.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot; its left tegmen and wing are missing.

xanthomelas (*Heteronotus*) Walker, 1858c : 339. Holotype ♀ with labels: 'Type' and 'Tun-; antin; 57; 125' and 'HETERONOTUS XANTHOMELAS.'

xautipae (*Psilocentrus*) Fowler, 1896d : 157. LECTOTYPE ♀ with labels: 'Type' and 'Xautipa.; Guerrero.; H. H. Smith.' and 'Brit. Mus.; 1904-55.' and 'Psilocentrus; xautipae. Fowler.; TYPE.' and the B.C.A. label.

One of two females glued to the same card, the lectotype is indicated by an adjacent red ink spot. There is a male from the type-series in the collection.

yerburyi (*Oxyrhachis*) Distant, 1916d : 21. Holotype ♀ with labels: 'Type' and 'Aden; 84-43.' and 'Oxyrhachis; yerburyi; type Dist.'

The left tegmen is lost.

zonifera (*Ochrolomia*) Butler, 1878a : 339. Holotype ♀ with labels: 'Type' and 'Mex.' and 'O. zonifera; Butler Type.'

The specimen is badly damaged.

REFERENCES

- CAPENER, A. L. 1962. The Taxonomy of the African Membracidae, Part I, The Oxyrhachinae. *Entomology Mem. Dept. Agric. S. Afr.*, **6**: 1-164.
- 1968. The Taxonomy of the African Membracidae, Part II, The Centrotinae. *Entomology Mem. Dept. Agric. S. Afr.*, **17**: 1-123.
- METCALF, Z. P. & WADE, V. 1963. *A Bibliography of the Membracoidea and Fossil Homoptera* (*Homoptera : Auchenorrhyncha*). Raleigh, North Carolina, pp. 1-200.

PETER SAINSBURY BROOMFIELD
 Department of Entomology
 BRITISH MUSEUM (NATURAL HISTORY)
 CROMWELL ROAD
 LONDON, S.W.7